

## YANMAR POWER TECHNOLOGY CO., LTD

EXECUTIVE ORDER: U-R-028-1094
New Off-Road Compression-Ignition Engines
Page 1 of 1

Pursuant to the authority vested in the California Air Resources Board by Health and Safety Code Division 26, Part 5, Chapters 1 and 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

**IT IS ORDERED AND RESOLVED:** The engines and emission control systems produced by the manufacturer as described below are certified for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

Model Year	Engine Family	Combustion Cycle	Fuel Operation	Fuel Type(s)	Engine Operation
2024	RYDXL02.2NFB	Diesel	Dedicated	Diesel	Variable and Constant Speed

Emission Control Systems	Special Features
[1]: Engine Modification (EM), Electronic Direct Injection (EDI), Electronic Control Module (ECM), Diesel Oxidation Catalyst (DOC), Exhaust Gas Recirculation (EGR)	None

The certified engine models are attached.

The listed engine models comply with the following: 1) emission standard limits (STD) and Not-To-Exceed (NTE) limits, as applicable, for criteria pollutants non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM), and for smoke opacity as demonstrated during the Acceleration (ACL) and Lugging (LUG) modes, and the peak value (PEAK) in either mode of the Smoke Opacity cycle, as set forth in 13 CCR 2423 and the applicable California test procedures for off-road compression-ignition engines, and 2) family emission limits (FEL) declared by the manufacturer as allowed by the applicable California test procedures, stated in units of gram per kilowatthour (g/kWh-hr) and percent opacity (%opacity), respectively, except as noted, or designated as not applicable (\*).

	Crit	eria	Smoke Opacity				
Applicable Standard	Applicable Standard				ACL	LUG	PEAK
	STD	4.7	5.5	0.03	*	*	*
Tier 4 Final 19 ≤ kW ≤ 37	FEL	*	*	*	*	*	*
10 = KVV = 07	NTE	5.9	6.9	0.04	*	*	*

**BE IT FURTHER RESOLVED:** Any declared FEL is the emission limit to which all engines must comply in lieu of the standard limit for certification purposes, subject to the restrictions of averaging, banking, or trading (ABT) programs allowed by the applicable California test procedures.

**BE IT FURTHER RESOLVED:** For the listed engine models, the manufacturer has submitted materials to demonstrate certification compliance with 13 CCR 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control warranty).

**BE IT FURTHER RESOLVED:** The listed engine models may only be installed in or on equipment such that engine operation is consistent with off-road compression-ignition engines as defined in 13 CCR 2421(a)(39).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed on this 8th day of May 2023.

Robin U. Lang, Chief

**Emissions Certification and Compliance Division** 

Attachment: Engine Models

EO #: U-R-028-1094

Family: RYDXL02.2NFB

Date Applicable: 4/11/2023

					Displacement -		Peak Power -	Peak Power -	Peak Power -	Peak Power - Fuel		Peak Torque -	Peak Torque -		Peak Torque -					
Model	Code	Trim	Config	Displacement	Units	Peak Power	Units	Speed (rpm)	Fueling	Units	Peak Torque	Units	Speed (rpm)	Fuel	Fuel Units	OBD Status	OBD Fines (\$)	GHG	ECS #	Notes
4NNYPC0C			14	2.19	Liters	34.3	horsepower	2050	28.3	mm3/stroke	92.0	lb-ft	1250	28.9	mm3/stroke	N/A		N/A	[1]	
4NNMECOC			14	2.19	Liters	35.0	horsepower	2600	23.4	mm3/stroke	81.1	lb-ft	1600	25.4	mm3/stroke	N/A		N/A	[1]	
4NNYECOC			14	2.19	Liters	33.0	horsepower	2050	27.5	mm3/stroke	88.5	lb-ft	1250	28.4	mm3/stroke	N/A		N/A	[1]	
4NNYEC0CB			14	2.19	Liters	33.0	horsepower	2050	27.5	mm3/stroke	88.5	lb-ft	1250	28.4	mm3/stroke	N/A		N/A	[1]	