Pursuant to the authority vested in the California Air Resources Board by Health and Safety Code Division 26, Part 5, Chapters 1 and 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

**IT IS ORDERED AND RESOLVED:** The engines and emission control systems produced by the manufacturer as described below are certified for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

Model Year	Engine Family	Combustion Cycle	Fuel Operation	Fuel Type(s)	Engine Operation						
2024	RMVXL01.1EDA	Diesel	Dedicated	Diesel	Variable						

Emission Control Systems	<b>Special Features</b>
[1]: Indirect Diesel Injection (IFI), Electronic Control Module (ECM)	None

The certified engine models are attached.

The listed engine models comply with the following: 1) emission standard limits (STD) and Not-To-Exceed (NTE) limits, as applicable, for criteria pollutants non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM), and for smoke opacity as demonstrated during the Acceleration (ACL) and Lugging (LUG) modes, and the peak value (PEAK) in either mode of the Smoke Opacity cycle, as set forth in 13 CCR 2423 and the applicable California test procedures for off-road compression-ignition engines, and 2) family emission limits (FEL) declared by the manufacturer as allowed by the applicable California test procedures, stated in units of gram per kilowatthour (g/kWh-hr) and percent opacity (%opacity), respectively, except as noted, or designated as not applicable (\*).

	•				Smoke Opacity			
Applicable Standard	NMHC+NOx	со	PM	ACL	LUG	PEAK		
	STD	7.5	6.6	0.40	20	15	50	
Tier 4 Final 8 ≤ kW < 19	FEL	*	*	*	*	*	*	
0 = 100 < 10	NTE	9.4	8.2	0.50	*	*	*	

**BE IT FURTHER RESOLVED:** Any declared FEL is the emission limit to which all engines must comply in lieu of the standard limit for certification purposes, subject to the restrictions of averaging, banking, or trading (ABT) programs allowed by the applicable California test procedures.

**BE IT FURTHER RESOLVED:** For the listed engine models, the manufacturer has submitted materials to demonstrate certification compliance with 13 CCR 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control warranty).

**BE IT FURTHER RESOLVED:** The listed engine models may only be installed in or on equipment such that engine operation is consistent with off-road compression-ignition engines as defined in 13 CCR 2421(a)(39).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed on this  $\mathcal{BH}$  day of June 2023.

Jolin U. Lang

Robin U. Lang, Chief *O* Emissions Certification and Compliance Division

Attachment: Engine Models	EO #: U-R-035-0399	Family: RMVXL01.1EDA	Date Applicable:	5/30/2023
		·		

					Displacement -		Peak Power -	Peak Power -	Peak Power -	Peak Power - Fuel		Peak Torque -	Peak Torque -	Peak Torque -	Peak Torque -					
	Code	Trim	Config	Displacement	Units	Peak Power	Units	Speed (rpm)	Fueling	Units	Peak Torque	Units	Speed (rpm)	Fuel	Fuel Units	OBD Status	OBD Fines (\$)	GHG	ECS #	Notes
L3E3-P18- 1	L3E3	N/A	13	1.1	Liters	24.7	horsepower	3000	23.1	mm3/stroke	48.7	lb-ft	2200	23.9	mm3/stroke	N/A	N/A	N/A	1	N/A
L3E3-P18- 2	L3E3	N/A	13	1.1	Liters	24.7	horsepower	3000	22.3	mm3/stroke	47.9	lb-ft	2200	23	mm3/stroke	N/A	N/A	N/A	1	N/A
L3E3-P17- 1	L3E3	N/A	13	1.1	Liters	22.8	horsepower	3000	20.6	mm3/stroke	47.9	lb-ft	2200	23	mm3/stroke	N/A	N/A	N/A	1	N/A
L3E3-P15- 1	L3E3	N/A	13	1.1	Liters	20.4	horsepower	2700	20.2	mm3/stroke	47.2	lb-ft	2200	23.1	mm3/stroke	N/A	N/A	N/A	1	N/A
L3E3-P15- 2	L3E3	N/A	13	1.1	Liters	20.3	horsepower	2600	20.1	mm3/stroke	47.2	lb-ft	2000	22.2	mm3/stroke	N/A	N/A	N/A	1	N/A