## KOHLER COMPANY

EXECUTIVE ORDER: U-R-060-0101 New Off-Road Compression-Ignition Engines Page 1 of 1

Pursuant to the authority vested in the California Air Resources Board by Health and Safety Code Division 26, Part 5, Chapters 1 and 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

**IT IS ORDERED AND RESOLVED:** The engines and emission control systems produced by the manufacturer as described below are certified for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

Model Year	Engine Family	Combustion Cycle	Fuel Operation	Fuel Type(s)	Engine Operation			
2024	RKHXL01.4KSE	Diesel	Dedicated	Diesel	Variable and Constant Speed			

Emission Control Systems							
[1] Indirect Diesel Injection (IDI), Electronic Control Module (ECM), Turbocharger (TC), Charge Air Cooler (CAC) [2] Indirect Diesel Injection (IDI), Electronic Control Module (ECM), Turbocharger (TC)	None						

The certified engine models are attached.

The listed engine models comply with the following: 1) emission standard limits (STD) and Not-To-Exceed (NTE) limits, as applicable, for criteria pollutants non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM), and for smoke opacity as demonstrated during the Acceleration (ACL) and Lugging (LUG) modes, and the peak value (PEAK) in either mode of the Smoke Opacity cycle, as set forth in 13 CCR 2423 and the applicable California test procedures for off-road compression-ignition engines, and 2) family emission limits (FEL) declared by the manufacturer as allowed by the applicable California test procedures, stated in units of gram per kilowatthour (g/kWh-hr) and percent opacity (%opacity), respectively, except as noted, or designated as not applicable (\*).

	Criteria			Smoke Opacity			
Applicable Standard	NMHC+NOx	СО	PM	ACL	LUG	PEAK	
	STD	7.5	6.6	0.40	20	15	50
Tier 4 Final 8 ≤ kW < 19	FEL	*	*	*	*	*	*
0 = KVV - 13	NTE	9.4	8.2	0.50	*	*	*

**BE IT FURTHER RESOLVED:** Any declared FEL is the emission limit to which all engines must comply in lieu of the standard limit for certification purposes, subject to the restrictions of averaging, banking, or trading (ABT) programs allowed by the applicable California test procedures.

**BE IT FURTHER RESOLVED:** For the listed engine models, the manufacturer has submitted materials to demonstrate certification compliance with 13 CCR 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control warranty).

**BE IT FURTHER RESOLVED:** The listed engine models may only be installed in or on equipment such that engine operation is consistent with off-road compression-ignition engines as defined in 13 CCR 2421(a)(39).

**BE IT FURTHER RESOLVED:** The listed engine family is conditionally certified pending submission of the requested test data by August 31, 2023. Failure to submit the required test data by the specified date shall be cause for the Executive Officer to rescind this conditional certification, in which case all engines covered under this conditional certification and introduced into commerce in the State of California shall be deemed uncertified pursuant to Health and Safety Code Section 43153 and subject to civil penalties pursuant to Health and Safety Code Section 43154.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed on this 15th day of August 2023.

Robin U. Lang, Chief

**Emissions Certification and Compliance Division** 

## **ATTACHMENT: ENGINE MODELS**

Family: RKHXL01.4KSE EO Number: U-R-060-0101 Date Applicable: 08/04/2023

					Peak Power			Peak Torque					
Model	Code	Trim	Config	Displacement	Power	Speed	Fueling	Torque	Speed	Fueling	ECS Num	GHG	Notes
-	-	-	-	L	kW	rpm	mm3/stroke	N-m	rpm	mm3/stroke	-	-	-
KSD-TCAC 1403/22	N/A	N/A	13	1.391	18.4	2200	31	120	1400	41.5	1	N/A	N/A
KSD-TCAC 1403/23	N/A	N/A	13	1.391	18.4	2300	30	120	1400	41.5	1	N/A	N/A
KSD-TCAC 1403/24	N/A	N/A	13	1.391	18.4	2400	29	120	1400	41.5	1	N/A	N/A
KSD-TCAC 1403/26	N/A	N/A	13	1.391	18.4	2600	28	120	1400	41.5	1	N/A	N/A
KSD-TCAC 1403/30	N/A	N/A	13	1.391	18.4	3000	27	120	1400	41.5	1	N/A	N/A
KSD-TCACG 1403/18	N/A	N/A	13	1.391	18.4	1800	34	97.5	1800	34	1	N/A	N/A
KSD-TCH 1403/22	N/A	N/A	13	1.391	18.4	2200	30	105	1500	37	2	N/A	N/A
KSD-TCH 1403/23	N/A	N/A	13	1.391	18.4	2300	29	105	1500	37	2	N/A	N/A
KSD-TCH 1403/24	N/A	N/A	13	1.391	18.4	2400	28	105	1500	37	2	N/A	N/A
KSD-TCH 1403/26	N/A	N/A	13	1.391	18.4	2600	27	105	1500	37	2	N/A	N/A
KSD-TCH 1403/30	N/A	N/A	13	1.391	18.4	3000	26	105	1500	37	2	N/A	N/A
KSD-TCHG 1403/18	N/A	N/A	13	1.391	18.4	1800	34.5	97.5	1800	34.5	2	N/A	N/A