Pursuant to the authority vested in the California Air Resources Board by Health and Safety Code Division 26, Part 5, Chapters 1 and 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: The engines and emission control systems produced by the manufacturer as described below are certified for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

Model Year	Engine Family	Combustion Cycle	Fuel Operation	Fuel Type(s)	Engine Operation
2024	RKLXL15.2EDD	Diesel	Dedicated	Diesel	Variable and Constant Speed

Emission Control Systems	Special Features
[1]: Turbocharger (TC), Charge Air Cooler (CAC), Exhaust Gas Recirculation (EGR), Electronic Control Module (ECM), Periodic Trap Oxidizer (PTOX), Oxidation Catalytic Converter (OC), Selective Catalytic Reduction-Urea (SCR-U), Ammonia Oxidation Catalyst (AMOX), Electronic Direct Injection (EDI)	None

The certified engine models are attached.

The listed engine models comply with the following: 1) emission standard limits (STD) and Not-To-Exceed (NTE) limits, as applicable, for criteria pollutants non-methane hydrocarbons (NMHC), nitrogen oxides (NOx), carbon monoxide (CO), and particulate matter (PM), and for smoke opacity as demonstrated during the Acceleration (ACL) and Lugging (LUG) modes, and the peak value (PEAK) in either mode of the Smoke Opacity cycle, as set forth in 13 CCR 2423 and the applicable California test procedures for off-road compression-ignition engines, and 2) family emission limits (FEL) declared by the manufacturer as allowed by the applicable California test procedures, stated in units of gram per kilowatt-hour (g/kWh-hr) and percent opacity (%opacity), respectively, except as noted, or designated as not applicable (*).

		Crit	eria	Smoke Opacity				
Applicable Standard	Applicable Standard NI			СО	PM	ACL	LUG	PEAK
	STD	0.19	0.40	3.5	0.02	*	*	*
Tier 4 Final 130 ≤ kW < 560	FEL	*	*	*	*	*	*	*
100 = KW + 000	NTE	0.28	0.60	4.4	0.03	*	*	*

BE IT FURTHER RESOLVED: Any declared FEL is the emission limit to which all engines must comply in lieu of the standard limit for certification purposes, subject to the restrictions of averaging, banking, or trading (ABT) programs allowed by the applicable California test procedures.

BE IT FURTHER RESOLVED: For the listed engine models, the manufacturer has submitted materials to demonstrate certification compliance with 13 CCR 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control warranty).

BE IT FURTHER RESOLVED: The listed engine models may only be installed in or on equipment such that engine operation is consistent with off-road compression-ignition engines as defined in 13 CCR 2421(a)(39).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed on this ______ day of September 2023.

Robin U. Lang, Chief

Emissions Certification and Compliance Division

ATTACHMENT: ENGINE MODELS

Family: RKLXL15.2EDD EO Number: U-R-005-0551 Date Applicable: 09/15/2023

					Peak Power			Peak Torque						
Model	Code	Trim	Config	Displacement	Power	Speed	Fueling	Torque	Speed	Fueling	ECS Num	GHG		Notes
-	-	-	-	L	hp	rpm	lb/hr	lb-ft	rpm	lb/hr	-	-		-
SAA6D140E-7	5C02	N/A	16	15.2	357	1900	129	1331	1250	106	1	N/A	N/A	
SAA6D140E-7	5C03	N/A	16	15.2	543	1800	185	1772	1350	157	1	N/A	N/A	
SAA6D140E-7	5C04	N/A	16	15.2	439	1800	151	1453	1400	132	1	N/A	N/A	
SAA6D140E-7	5C05	N/A	16	15.2	360	1900	129	1353	1300	113	1	N/A	N/A	
SAA6D140E-7	5C07	N/A	16	15.2	473	2000	168	1678	1400	154	1	N/A	N/A	
SAA6D140E-7	5C08	N/A	16	15.2	518	2000	180	1601	1400	146	1	N/A	N/A	
SAA6D140E-7	5C09	N/A	16	15.2	543	2000	189	1873	1350	165	1	N/A	N/A	
SAA6D140E-7	5C10	N/A	16	15.2	426	1900	149	1613	1350	144	1	N/A	N/A	
SAA6D140E-7	7C02	N/A	16	15.2	357	1900	129	1331	1250	106	1	N/A	N/A	
SAA6D140E-7	7C03	N/A	16	15.2	543	1800	185	1772	1350	157	1	N/A	N/A	
SAA6D140E-7	7C04	N/A	16	15.2	439	1800	151	1453	1400	132	1	N/A	N/A	
SAA6D140E-7	7C05	N/A	16	15.2	360	1900	129	1353	1300	113	1	N/A	N/A	
SAA6D140E-7	7C07	N/A	16	15.2	473	2000	168	1678	1400	154	1	N/A	N/A	
SAA6D140E-7	7C10	N/A	16	15.2	426	1900	149	1613	1350	144	1	N/A	N/A	