Pursuant to the authority vested in the California Air Resources Board by Health and Safety Code Division 26, Part 5, Chapters 1 and 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: The engines and emission control systems produced by the manufacturer as described below are certified for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

Model Year	Engine Family	Combustion Cycle	Fuel Operation	Fuel Type(s)	Engine Operation
2024	RPKXL02.2IW1	Diesel	Dedicated	Diesel	Variable and Constant Speed

Emission Control Systems	Special Features
[1]: Electronic Direct Injection (DDI), Charged Air Cooler (CAC), Exhaust Gas Recirculation (EGR), Electronic Control Module (ECM), Turbocharger (TC), Diesel Oxidation Catalyst (DOC), Periodic Trap Oxidizer (PTOX)	None

The certified engine models are attached.

The listed engine models comply with the following: 1) emission standard limits (STD) and Not-To-Exceed (NTE) limits, as applicable, for criteria pollutants non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM), and for smoke opacity as demonstrated during the Acceleration (ACL) and Lugging (LUG) modes, and the peak value (PEAK) in either mode of the Smoke Opacity cycle, as set forth in 13 CCR 2423 and the applicable California test procedures for off-road compression-ignition engines, and 2) family emission limits (FEL) declared by the manufacturer as allowed by the applicable California test procedures, stated in units of gram per kilowatthour (g/kWh-hr) and percent opacity (%opacity), respectively, except as noted, or designated as not applicable (*).

	Crit	eria	Smoke Opacity				
Applicable Standard	NMHC+NOx	СО	PM	ACL	LUG	PEAK	
	STD	4.7	5.0	0.03	*	*	*
Tier 4 Final 37 ≤ kW < 56	FEL	*	*	*	*	*	*
07 2 800 4 00	NTE	5.9	6.2	0.04	*	*	*

BE IT FURTHER RESOLVED: Any declared FEL is the emission limit to which all engines must comply in lieu of the standard limit for certification purposes, subject to the restrictions of averaging, banking, or trading (ABT) programs allowed by the applicable California test procedures.

BE IT FURTHER RESOLVED: That the manufacturer has elected to combine engines from the $19 \le kW < 56$ power categories into a single engine family. The listed engine models comply with the more stringent set of standards of the $37 \le kW < 56$ power category in accordance with Section 1039.230(e) of the applicable California test procedures.

BE IT FURTHER RESOLVED: For the listed engine models, the manufacturer has submitted materials to demonstrate certification compliance with 13 CCR 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control warranty).

BE IT FURTHER RESOLVED: The listed engine models may only be installed in or on equipment such that engine operation is consistent with off-road compression-ignition engines as defined in 13 CCR 2421(a)(39).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed on this _______ day of October 2023.

Polin U. Lan

Robin U. Lang, Chief *O* Emissions Certification and Compliance Division

ATTACHMENT: ENGINE MODELS

Family: RPKXL02.2IW1 EO Number: U-R-022-0384 Date Applicable: 09/14/2023

/														
	Code	Trim Co			Peak Power			Peak Torque		Fueling	ECS Num	GHG	Notes	
Model			Config	Displacement	Power	Speed	Speed Fueling	Torque	Speed					
-	-	-	-	L	hp	rpm	lb/hr	lb-ft	rpm	lb/hr	-	-	-	
403J-E17T/C1.7	6808/2800	N/A	13	1.7	48	2800	20.2	122	1600	13.8	1	N/A	N/A	
404J-E22T/C2.2	5074/2800	N/A	14	2.2	60	2800	24.3	163	1600	17.1	1	N/A	N/A	
404J-E22T/C2.2	6178/2800	N/A	14	2.2	49	2800	20.4	140	1600	14.9	1	N/A	N/A	
404J-E22T/C2.2	6180/2800	N/A	14	2.2	56	2800	22.7	155	1600	16.4	1	N/A	N/A	
403J-E17T/C1.7	5078/2800	N/A	13	1.7	48	2800	20.2	122	1600	13.8	1	N/A	N/A	
404J-E22T/C2.2	6359/2800	N/A	14	2.2	58	2800	24.3	162	1600	17.4	1	N/A	N/A	
404J-E22T/C2.2	6361/2800	N/A	14	2.2	51	2800	21.3	140	1600	15.4	1	N/A	N/A	