HONDA MOTOR CO., LTD.

EXECUTIVE ORDER U-M-003-0190

New Emission-Compliant
All-Terrain Vehicles Certified Using The
Optional Engine Test Procedure

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the engine and exhaust emission control system produced by the manufacturer are certified as described below for all-terrain vehicles. Production vehicles, and engines that power such vehicles, shall be in all material respects the same as those for which certification is granted. The manufacturer shall ensure that character "C" or "3" is <u>not</u> used in the eighth (8th) position of the vehicle identification number (VIN) of all vehicles in the engine family listed below. Violation of this VIN provision may result in incorrect registration of the vehicles.

VODEL YEAR	ENGINE FAMILY	ENGINE DISPLACEMENT (cc)	VEHICLE TYPE	FUEL TYPE	SPECIAL FEATURES & EMISSION CONTROL SYSTEMS
2007	7HNXX0.68AC1	675	ATV	Gasoline	SFI
	LE MODELS /	***			ler 2 (prefix)=parallel (2) (suffix)=in series
VEHIC ENG			TRX680F4	A / 73N1 (38.5 h A / 73N1 (38.5 h	p)

The following are the exhaust hydrocarbon plus oxides of nitrogen (HC+NOx) and carbon monoxide (CO) standards, or designated HC+NOx standard as applicable, and certification levels in grams per brake horsepower-hour (g/bhp-hr) for this engine family. The designated HC+NOx standard, as applicable, shall be displayed on the permanent emission control label. Vehicles within this engine family, and engines that power such vehicles, shall not discharge any crankcase emissions into the ambient atmosphere in conformance with Title 13, California Code of Regulations, (13 CCR) Section 2412(i).

	HC+NOx ((g/bhp-hr)	CO (g			
CORPORATE AVERAGE STANDARD	DESIGNATED STANDARD	(DIRECT) STANDARD	CERTIFICATION LEVEL	STANDARD	CERTIFICATION LEVEL	* = not applicable
*	*	10.0	8.6	300	206	1

BE IT FURTHER RESOLVED: That pursuant to 13 CCR Section 2412(e), the listed vehicles, and engines that power such vehicles, were tested in accordance with the incorporated small off-road engine test procedures, and have demonstrated compliance with the applicable emission standards.

BE IT FURTHER RESOLVED: That certification to the designated HC+NOx standard listed above, as applicable, is subject to the following terms, limitations and conditions:

The designated standard shall be the exhaust limit for this engine family for the model year and cannot be changed by the manufacturer. It serves as the exhaust standard applicable to this engine family for determining engine family compliance, and compliance with the corporate average HC+NOx standard in accordance with 13 CCR Sections 2412(b), (d) and (e) and 2414.

BE IT FURTHER RESOLVED: That the listed vehicles, and engines that power such vehicles, shall be subject to 13 CCR Section 2414 (enforcement and recall provisions).

BE IT FURTHER RESOLVED: That the listed vehicles, and engines that power such vehicles, shall comply with 13 CCR Sections 1965 and 2413 (emission control labels).

Vehicles, and engines that power such vehicles, certified under this Executive Order must conform to all applicable California emission regulations.

Juanes

This Executive Order is only granted to the engine family and model-year listed above. Vehicles, and engines that power such vehicles, in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this 3/ day of May 2006.

Allen Lyons, Chief

Mobile Source Operations Division

CERTIFICATION SUMMARY

California Environmental Protection Agency AIR RESOURCES BOARD

EMISSION COMPLIANT OFF-ROAD MCs & ATVs

Vehicle Category All Sales Codes All Engine Displa	within Engl	ne Family: in Engine F	50S amily(units in	cubic centime	eters, (cc)):				
1) 675	2)	3)	4)						
Emission Standa	ards Compli	ance: _DS0							
If Corporate Aver	aging, list De	signated St	andard:				lual Cuntama	/ECS)•	
Engine Design:				,			trol Systems	(203).	
Combustion Cycle	:		Four-stroke a. After treatment(s):				*		
@ Oil / Fuel R	atio		N/A		b. Sensor(s): c. Fuel System:			(SFI)	
Engine Type:			Reciprocating	C. Fuel 3	ystem.	irculation'	+	311	
Valve train:			Overhead		d. Exhaust Gas Recirculation: e. Method of Aspiration:			NAT	
Total Number of Inta	ike and Exhau	ıst	4		ection Reac		*	*	
Valves (ports)			14/-1	g. Other		tion.	EC	ECM	
. Type of Engine C			Water 1	g. Other	· .				
Number of Cylinde			I	-					
. Cylinder Arranger Deterioration Fa			<u> </u>						
Exhaust DF Value Certification Tea Test Vehicle or Er Equivalent Inertia	es (no less th st Engine In ngine : Mode Mass(kg):_	ian 1.000): F formation: N I <u>TRX680FA</u> II	IC: <u>N/A</u> ; New Test: <u>N</u> / D: <u>TE33E-8000</u> 0	;NOx: <u>N/A</u> / <u>A</u> ; Car 001 Rat	ryover from ed Power, h	Engine Famil c: 38.5@6000	y: 6HNXX0.6	BAC1 .	
. Test Vehicle or Er . Equivalent Inertia . Test Fuel Type: 10 I. Special Test Equivalent ATV of	es (no less the st Engine In Ingine : Mode Mass(kg):	ran 1.000): H formation: N TRX680FA N/A RLF(I cooling fans sing ULGE t	IC: <u>N/A</u> ; New Test: <u>N/A</u> D: <u>TE33E-80000</u> Nt): <u>N/A</u> Tr s, special couplest procedures	;NOx: N/A /A ; Car 001 Rat cans: A3 N lings, etc.); You	ryover from ed Power, hi PG:	Engine Famil b: 38.5@6000 If Ye	y: 6HNXX0.6 Test Date	:8AC1 :09/16/2005 elow:	
Exhaust DF Value Certification Tea Test Vehicle or Er Equivalent Inertia Test Fuel Type: It	es (no less the st Engine In Ingine: Mode Mass(kg):	ran 1.000): H formation: N ITRX680FA!I N/A RLF(I cooling fans sing ULGE t	AC: N/A; New Test: N/A D: TE33E-80000 Nt): N/A Tr s, special couplest procedures A HC+NOX	NOx: N/A /A ; Car 2001 Rat ans: A3 . N lings, etc.); You	ryover from ed Power, hi PG: es/No: Yes 11.6(g/kW-	Engine Famil b: 38.5@6000 If Ye hr) CO: 2 eation Emission	y: 6HNXX0.6 ;Test Date es, describe be 06(g/bhp-hr) 27	:8AC1 :09/16/2005 elow:	
. Exhaust DF Value Certification Tea . Test Vehicle or Er . Equivalent Inertia . Test Fuel Type: IC I. Special Test Equi Optional ATV of	es (no less the st Engine In agine : Mode Mass(kg):	ran 1.000): H formation: N ITRX680FA!I N/A RLF(I cooling fans sing ULGE t : HC: N/A Test Result	AC: N/A; New Test: N/A D: TE33E-80000 Nt): N/A Tr s, special couplest procedures A HC+NOx s in ():	NOx: N/A /A ; Car 2001 Rat ans: A3 . N lings, etc.); You	ryover from ed Power, hi PG: es/No: Yes 11.6(g/kW-	Engine Famil b: 38.5@6000	y: 6HNXX0.6 ;Test Date es, describe be 06(g/bhp-hr) 27 on in (s applied)	:09/16/2005 elow: 	
. Exhaust DF Value Certification Tea . Test Vehicle or Er . Equivalent Inertia . Test Fuel Type: 10 . Special Test Equi Optional ATV of	es (no less the st Engine In agine : Mode Mass(kg):	ran 1.000): H formation: N TRX680FA N/A RLF(I cooling fans sing ULGE t HC: N/A Test Result aw data) (i.e.	AC: N/A; New Test: N/A D: TE33E-80000 Nt): N/A Tr s, special couplest procedures A HC+NOx s in ():	NOx: N/A /A ; Car 2001 Rat ans: A3 . N lings, etc.); You	ryover from ed Power, hi PG: es/No: Yes 11.6(g/kW-	Engine Familes: 38.5@6000	y: 6HNXX0.6 Test Date s, describe be of g/bhp-hr) 27 on in (s applied) HC+NOx	:09/16/2005 elow: -76(g/kW-hr)	
Exhaust DF Value Certification Tea Test Vehicle or Er Equivalent Inertia Test Fuel Type: 10 Special Test Equi Optional ATV of Certification Emis Test No. and Type	es (no less the st Engine In Ingine : Mode Mass(kg):	ran 1.000): H formation: N ITRX680FA!I N/A RLF(I cooling fans sing ULGE t : HC: N/A Test Result	IC: N/A ; New Test: N/A ; D: TE33E-80000 Nt): N/A Tr is, special couplest procedures A HC+NOx s in (): ., no DFs)	NOx: N/A /A ; Car 2001 Rat ans: A3 N lings, etc.); Your s.	ryover from ed Power, hp PG: es/No: Yes r) 11.6(g/kW-	Engine Familo: 38.5@6000 If Ye hr) CO: 2 ation Emission (i.e., with DFs	y: 6HNXX0.6 Test Date s, describe be 06(g/bhp-hr) 27 on in (s applied) HC+NOX 8.64	elow: 76(g/kW-hr)): CO 205.7	
Certification Tea Test Vehicle or Er Equivalent Inertia Test Fuel Type: 10 Special Test Equi Optional ATV of Certification Emis Test No. and Type 1. CARB g/bhp-hr	es (no less the st Engine In Ingine : Mode Mass(kg):	ran 1.000): H formation: N I TRX680FA II N/A RLF(II cooling fans sing ULGE t HC: N/A Test Result aw data) (i.e.	IC: N/A ; New Test: N/A ; D: TE33E-80000 Nt): N/A Tr s, special couplest procedures A HC+NOx s in (): , no DFs)	NOx: N/A /A ; Car 2001 Rat 2001 R	ryover from ed Power, hi PG: es/No: Yes r) 11.6(g/kW- Certific	Engine Familes: 38.5@6000	y: 6HNXX0.6 Test Date s, describe be of g/bhp-hr) 27 on in (s applied) HC+NOx	:09/16/2005 elow: -76(g/kW-hr)	
Certification Tea. Test Vehicle or Er. Equivalent Inertia. Test Fuel Type: 10 Special Test Equivalent ATV of Certification Emis Test No. and Type 1. CARB g/bhp-hr 2. EPA g/kW-hr	es (no less the st Engine In Ingine : Mode Mass(kg):	ran 1.000): H formation: N ITRX680FA II N/A RLF(II cooling fans sing ULGE t HC: N/A Test Result aw data) (i.e. NOx 2.94	AC: N/A; New Test: N/A D: TE33E-80000 Nt): N/A , Tr s, special couplest procedures A	NOx: N/A /A ; Car /A	ryover from ed Power, hi PG: es/No: Yes r) 11.6(g/kW- Certific HC 5.71	Engine Famile: 38.5@6000 If Year in the control of	y: 6HNXX0.6 Test Date s, describe be of min (s applied) HC+NOx 8.64 11.59	elow: CO 205.7 275.8	
Exhaust DF Value Certification Tea Test Vehicle or Er Equivalent Inertia Test Fuel Type: 10 Special Test Equi Optional ATV of Certification Emis Test No. and Type 1. CARB g/bhp-hr 2. EPA g/kW-hr 3.	es (no less the st Engine In Ingine : Mode Mass(kg):	ran 1.000): H formation: N ITRX680FA II N/A RLF(II cooling fans sing ULGE t HC: N/A Test Result aw data) (i.e. NOx 2.94	AC: N/A; New Test: N/A D: TE33E-80000 Nt): N/A , Tr s, special couplest procedures A	NOx: N/A /A ; Car /A	ryover from ed Power, hi PG: es/No: Yes r) 11.6(g/kW- Certific HC 5.71	Engine Famile: 38.5@6000 If Year in the control of	y: 6HNXX0.6 Test Date s, describe be 06(g/bhp-hr) 27 on in (s applied) HC+NOX 8.64	elow: 76(g/kW-hr)): CO 205.7	
Certification Tea. Test Vehicle or Er. Equivalent Inertia. Test Fuel Type: Id. Special Test Equivalent ATV of Certification Emis Test No. and Type 1. CARB g/bhp-hr 2. EPA g/kW-hr 3. Standard:	es (no less the st Engine In Ingine : Mode Mass(kg):	ran 1.000): H formation: N ITRX680FA II N/A RLF(II cooling fans sing ULGE t HC: N/A Test Result aw data) (i.e. NOx 2.94	AC: N/A; New Test: N/A D: TE33E-80000 Nt): N/A , Tr s, special couplest procedures A	NOx: N/A /A ; Car /A	ryover from ed Power, hi PG: es/No: Yes r) 11.6(g/kW- Certific HC 5.71	Engine Famile: 38.5@6000 If Year in the control of	y: 6HNXX0.6 Test Date s, describe be of min (s applied) HC+NOx 8.64 11.59	elow: CO 205.7 275.8	
Certification Tea. Test Vehicle or Er. Equivalent Inertia. Test Fuel Type: 10 Special Test Equi Optional ATV of Certification Emis Test No. and Type 1. CARB g/bhp-hr 2. EPA g/kW-hr 3.	es (no less the st Engine In Ingine : Mode Mass(kg):	ran 1.000): H formation: N ITRX680FA II N/A RLF(II cooling fans sing ULGE t HC: N/A Test Result aw data) (i.e. NOx 2.94	AC: N/A; New Test: N/A D: TE33E-80000 Nt): N/A , Tr s, special couplest procedures A	NOx: N/A /A ; Car /A	ryover from ed Power, hi PG: es/No: Yes r) 11.6(g/kW- Certific HC 5.71	Engine Famile: 38.5@6000 If Year in the control of	y: 6HNXX0.6 Test Date s, describe be of g/bhp-hr) 27 on in (applied) HC+NOx 8.64 11.59	elow: 76(g/kW-hr)): CO 205.7 275.8 300 g/bhp-h	

Model Year: 2007

Manufacturer Name:

HONDA MOTOR CO., LTD.

Engine Family: 7HNXX0.68AC1

EMISSION-COMPLIANT OFF-ROAD MC & ATV SUPPLEMENTAL INFO

Page: Issued:

4

04/04/2006

Revised:

E.O.#: U-M-003-0190

`11.MODEL SUMMARY (Use an asterisk(*) to identify worst-case vehicle or engine model used for certification testing.)

S12. Vehicle model	S13. Engine Code	S14. Sales Code		3	S15. Eng. Displ. (cc)	S16. Rated Power (hp)	S17. Rated Speed (RPM)	S18. Trans. (e.g., M5, A3, CVT)	S19. EIM (kg)	S20. RLF (nt)
		Calif. Only	49- State	50- State					-	
TRX680FA	73N1			Х	675	38.5	6000	A3	N/A	N/A
TRX680FGA	73N1			Х	675	38.5	6000	A3	N/A	N/A
	·									
									· · · · · · · · · · · · · · · · · · ·	
									· - · - · - · - · - · - · - · -	
		T								