

## SUZUKI MOTOR CORPORATION

**EXECUTIVE ORDER U-M-005-0088** New Emission-Compliant All-Terrain Vehicles Certified Using The Optional Engine Test Procedure

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapters 1 and 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the engine and exhaust emission control system produced by the manufacturer are certified as described below for all-terrain vehicles. Production vehicles, and engines that power such vehicles, shall be in all material respects the same as those for which certification is granted. The manufacturer shall ensure that character "C" or "3" is <u>not</u> used in the eighth (8<sup>th</sup>) position of the vehicle identification number (VIN) of all vehicles in the engine family listed below. Violation of this VIN provision may result in incorrect registration of the vehicles.

MODEL YEAR	ENGINE FAMILY	ENGINE DISPLACEMENT (cc)	VEHICLE TYPE	FUEL TYPE	SPECIAL FEATURES & EMISSION CONTROL SYSTEMS
2007	7SKXX.493XR3	493	ATV	Gasoline	EM  ig catalyst WUTWC/WUOC=warm-up TWC/OC  R MFi=multi port fuel injection SFiesequential  ill (2) (suffixies refer
へつきゃっくいっちり	ieenenr MUZS=Realeu V	23 EGIL-extract and the contract of	C/SC=turbo/super charger	CAC=charge air co	ng catalyst  **Worth of the control
O2S=oxygen MFI T	Sensor HO2S=heated O Bi=throttle body fuel injection	23 EGIL-extract and the contract of	C/SC=turbo/super charger	CAC=charge air co	oler 2 (prefix)=parallel (2) (suffix)≍in series

The following are the exhaust hydrocarbon plus oxides of nitrogen (HC+NOx) and carbon monoxide (CO) standards, or designated HC+NOx standard as applicable, and certification levels in grams per brake horsepower-hour (g/bhp-hr) for this engine family. The designated HC+NOx standard, as applicable, shall be displayed on the permanent emission control label. Vehicles within this engine family, and engines that power displayed on the permanent emission control label. such vehicles, shall not discharge any crankcase emissions into the ambient atmosphere in conformance with Title 13, California Code of Regulations, (13 CCR) Section 2412(i).

HC+NOx (g/bhp-hr)				CO (g/bhp-hr)		
CORPORATE AVERAGE	DESIGNATED STANDARD	(DIRECT) STANDARD	CERTIFICATION LEVEL	STANDARD	CERTIFICATION LEVEL	* = not applicable
STANDARD	*	10.0	5.7	300	208	

BE IT FURTHER RESOLVED: That pursuant to 13 CCR Section 2412(e), the listed vehicles, and engines that power such vehicles, were tested in accordance with the incorporated small off-road engine test procedures, and have demonstrated compliance with the applicable emission standards.

BE IT FURTHER RESOLVED: That certification to the designated HC+NOx standard listed above, as applicable, is subject to the following terms, limitations and conditions:

The designated standard shall be the exhaust limit for this engine family for the model year and cannot be changed by the manufacturer. It serves as the exhaust standard applicable to this engine family for determining engine family compliance, and compliance with the corporate average HC+NOx standard in accordance with 13 CCR Sections 2412(b), (d) and (e) and 2414.

BE IT FURTHER RESOLVED: That the listed vehicles, and engines that power such vehicles, shall be subject to 13 CCR Section 2414 (enforcement and recall provisions).

BE IT FURTHER RESOLVED: That the listed vehicles, and engines that power such vehicles, shall comply with 13 CCR Sections 1965 and 2413 (emission control labels).

Vehicles, and engines that power such vehicles, certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Vehicles, and engines that power such vehicles, in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_\_\_ day of May 2006.

Allen Lyons, Chief Mobile Source Operations Division

## 2007 MODEL-YEAR CERTIFICATION REVIEW SHEET ALL TERRAIN VEHICLES

Manufacturer: SUZUKI MOTOR CORPORATION  Engine Family: 7SKXX.493XR3  All Engine Codes in Engine Family: CA49S50S_X  LT-A500F Rated Kw 24.2 or HP 32.4 @ 6,000RPM LT-F500F Rated Kw 25.1 or HP 33.6 @ 6,500RPM  Exclaver FCS & special features: E.M.	Engine Information:  493 Displacement (cc)  single Engine Config.  2 Valves/Cylinder  4 Strokes/Cycle  Air Cooling Medium  1 Bbls. per CARB  n/a Fuel Injection
Exhaust ECS & special features:	
1. Test Vehicle Information — Carry-Over/Carry-Acr (Indicate Model Yr. / ID)	ross2002 /22100325
2. Corporate Average Plan	NOT APPLICABLE
(Indicate Plan Date)	(DIRECT STANDARD)
3. U.S. EPA Certificate (Indicate Certificate No.)	SUZ-ATV-07-02
EPA CEH # 75 KXX.493 X R3  VEHICLE I.D. Code Displ Trans EIM RL Force MPG gm/bhp-hr 1	Projected Emissions include DFs NOx HC+NOx CO test gm/bhp-hr gm/bhp-hr no.
JSAAM43AX22100325 M409 493 A-1 380Kg 151.7 3.12	2.56 5.7 208 284
The above vehicle engine emission data complies with the Optional ULGE class II standards for ATVs of: and include deterioration factors of:	<u>10.0 _300</u> gm/bhp-hr 1.000 1.000
Remarks: LT-A500F VIN WMI cod	e & Model Identifier: 5SAAM43A e & Model Identifier: 5SAAM44A
Issued: 28APR2005 jL Revised:	
Application Processed by  Date 5-06 Reviewed by  h:\CERTIMC2007ATVLTAF5\LTAF5.k7sds.doc	Date

## 2007 MODEL-YEAR AIR RESOURSES BOARD SUPPLEMENTAL DATA SHEET ALL TERRAIN VEHICLES

Manufacturer: SUZUKI MOTOR CORPORATION Engine Family: 7SKXX.493XR3

Vehicle Model	Engine Code	Transmission	EIM (kg)	Force RL (nt)
LT-A500F	M409	A-1	380	. 151.7
LT-F500F	M411	M-5	380	151.7

Date Issued:

28apr2005 jL

Revisions: