

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 1 and 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: The engine and exhaust emission control systems produced by the manufacturer are certified as described below for off-highway recreational vehicles. Production vehicles shall be in all material respects the same as those for which certification is granted. The manufacturer shall ensure that character "C" or "3" is not used in the eighth (8th) position of the vehicle identification number (VIN) of all vehicles in the engine family listed below. Violation of this VIN provision may result in incorrect registration of the vehicles.

Model Year	Engine Family	Vehicle Category	Fuel Type(s)	Strokes per cycle
2020	LTEXX.9983XX	OFRSV	GAS	4
Spe	cial Features & Emiss	sion Control Systems (E	ECS)	Engine(cc)
	998			

Following are the exhaust emission standards, or designated standard as applicable, and certification levels for this engine family. The designated standard, as applicable, shall be shown on the permanent emission control label. Vehicles within this engine family shall not discharge any crankcase emissions into the ambient atmosphere in conformance with Title 13, California Code of Regulations, Section (13 CCR) 2412(i).

Exhaust Emissions (G/KM)					
Pollutant	CERT	STD	DES_STD		
HC	0.4	1.2	*		
HC+NOx	*	*	*		
CO	0.8	15.0			

BE IT FURTHER RESOLVED: Certification to the designated standard listed above, as applicable, is subject to the following terms, limitations and conditions. The designated standard shall be the exhaust limit for this engine family for the model year and cannot be changed by the manufacturer. It serves as the exhaust standard applicable to this engine family for determining engine family compliance, and compliance with the corporate average standard in accordance with 13 CCR 2412(b), 13 CCR 2412(d), and 13 CCR 2414.

BE IT FURTHER RESOLVED: The listed vehicles shall comply with 13 CCR 1965 and 13 CCR 2413 (emission control labels). The vehicles shall also be subject to 13 CCR 2414 (enforcement and recall provisions).

BE IT FURTHER RESOLVED: For the off-highway recreational vehicles listed above, the manufacturer has submitted materials to demonstrate certification compliance with the evaporative emission requirements in 13 CCR 2412 (b)(2), as applicable.

BE IT FURTHER RESOLVED: For 2018 through 2021 model-year off-highway recreational vehicles subject to the evaporative emission requirement in 13 CCR 2418, the manufacturer has submitted materials to demonstrate certification compliance with the phase-in requirement in 13 CCR 2418(d).

BE IT FURTHER RESOLVED: For the off-highway recreational vehicles listed on Attachment A, the manufacturer has submitted materials to demonstrate certification compliance with the evaporative emission requirements in 13 CCR 2418 (Evaporative Emission Standard and Test Procedures), 13 CCR 2419 (emission control labels), and 13 CCR 2419.1 and 13 CCR 2419.2 (Defect Warranty, and Evaporative Emissions Control System Warranty Statement, respectively). The evaporative emissions standards and certification emission levels for the listed vehicles are as listed on Attachment B. The vehicles shall also be subject to 13 CCR 2419.3 (enforcement and recall provisions).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.



This Executive Order is only granted to the engine family and model-year listed above. Vehicles in this family that are produced for any other model-year are not covered by this Executive Order.

See Attachment A for vehicle descriptions.

Executed at El Monte, California on this 447 day of August 2019.

Allen Lyons, Chief

Emissions Certification and Compliance Division

ar in a firm when so with the second of the constraint standard when above the ended as a ward on the Witheman and draw when an information of the constraint shall be the encoust second or the straint encount of the second the constraint, we constraint an encount standard approximation and the test of the angle of the constraints of constraint encount on the constraint encount standard expressive to the angle of the constraint of the standard constraint encount on the constraint encount standard expressive to the angle of the constraints of the standard constraint and on the constraint encount extended to the accordance was to COP 247.2(1), 13 COP 244.2(4), and to

31.1. MR MBP 25 500 VEO. The Extent Phyles that combinant 12.0062 (865 and 13.006 2413 termsion control (static) in a vehicle shall the black breactor 18.004 (set 4 derive emerginal send) providents;

BETERUPTHER RESOLVED. For Providently instyle researched bences is ted above the manufacturer has adjoutted materies to dentities take advidtation administrate was particle taxation reminister to CCR 2002 (bit2), as applicable.

BETFE-UPPT/VERRESOLVED_ED_ED_ED_ED_ETENT/Findel-year of-Highway workstonal vehicles conjete to the evaporative resistor requirement in 16 COP 2616, incidentificative has subtained meterially to senter strate confine/lagrametizative präserb requirement in 15 COP 2616(c).

BCTPTUPTHER - RCSQUVEDCTORT - 21 Adduce received call your its 1. Action - Hermitect A. the manufacture has segmited meletals to demonstrate cellating and our elevation represive actions. The cultering its in 13 CCR 24 to Registrative instrains in demonstrate and Test Procedures. 13 CCR 2418 (emise in ceneral limits) and 13 CCR 24 to REgistrative Merating and Bootel actions Content System Warrank Warren (limits), and 13 CCR 2419.7 and 13 CCR 2419.7 and 12 Merating and the approximations Content System Warrank Warren (limits). The evaporative devicement action and certification activation for the male vehicle, are as faced on Alactioned B. The vehicles and all aborded to 13 CCR. 2419.2 (enforcement and recall provisions).

encides carden this Executive in your most encidence to all applicables Cardena emission regulations



ATTACHMENT A

Make Model		Vehicle Category	Engine (cc)	Rated Power (kW)	EIM (kg)	TRANS	Emission Controls	
ARCTIC CAT	WILDCAT XX	OFRSV	998	92.8	920	CV	TBI, TWC, HO2S	
TRACKER OFF ROAD	TRACKER XTR 1000	OFRSV	998	92.8	920	CV	TBI, TWC, HO2S	

ABBREVATIONS:

GENERAL: 13 CCR 1958, etc.=Title 13, California Code of Regulations, Section 1958, etc.; 40 CFR86.401-90, etc.=Title 40, Code of Federal Regulations, Section 86.401-90, etc.;

HIGHWAY MOTORCYCLE & OFF-HIGHWAY RECREATIONAL VEHICLE CATEGORIES: ATV or ATVA=all terrain vehicle conforming to the California definition in 13 CCR 2411(a); ATVB=Off-highway or non-road recreational vehicles that meet USEPA definition for an all-terrain vehicle or USEPA definition for an off-road utility vehicle and, in addition, meet one or more CARB definitions for an all terrain vehicle, off-road utility vehicle, and/or sand car; EGC=electric golf cart; HMC=on-road or highway motorcycle; HMC-IA / -IB=HMC below 50 cc / 50 cc to below 170 cc; HMC III=HMC 170 cc to below 280 cc; HMC-III=HMC 280 cc and above; OFMC=off-road motorcycle; SC=sand car above 1000 cc; OFRSV=off-road sport vehicle, including otherwise sand car but with 1000 cc engine or smaller; OFRUV=off-road utility vehicle;

FUEL TYPES: CLNG=natural gas in either CNG or LNG form; CNG / LNG=compressed / liquefied natural gas; DF_CNG/GAS=dual-fuel CNG or gasoline, etc; DSL=diesel; GAS=gasoline; HYD=hybrid; LPG=propane or liquefied petroleum gas;

EMISSION CONTROL SYSTEMS & SPECIAL FEATURES: (prefix) 2, 3, 4=2, 3, or 4 catalysts, sensors, TC, SC, CAC, etc. in parallel arrangement; (parenthetic suffix) (2), (3), (4)=2, 3, or 4 catalysts, sensors, TC, SC, CAC, etc. in series arrangement; AIR / PAIR=secondary / pulsed air injection; CAC=charge air cooler; DFI/ IFI=direct / indirect fuel injection; EGR=exhaust gas recirculation; EGRC=EGR cooler; EM=engine modification; O2S / HO2S / WR HO2S=oxygen sensor / heated O2S / wide range HO2S; OC=oxidation catalyst; TC=turbocharger; TBI / MFI / SFI / DGI=throttle body / multi port / sequential / direct gasoline fuel injection; TRANS=transmission type; TWC=three way catalyst; SC=supercharger; TWC+OC=TWC plus OC in same container; (prefix) WU=warm-up catalyst;

CERTIFICATION EMISSION LEVELS & STANDARDS: bhp=brake hp; cc=cubic centimeter; CERT=certification emission level; CID=cubic inch displacement; CO=carbon monoxide; CO2=carbon dioxide; D+HS=diurnal plus hot soak evaporative emissions; DES_STD=manufacturer designated standard; EIM=equivalent inertia mass; EVAP=evaporative family; FEL=family emission limit; g=gram; gal=gallon; g/bhp-hr=grams per brake horsepower-hour; g/km=grams per kilometer; g/kW-hr=grams per kilowatt-hour; g/m2-day=grams per square meter per day; g/test=grams per test; HC=(total) hydrocarbons; hp=horsepower; hr=hour; K=1000 miles; kg=kilograms; km=kilometer; kW=kilowatt; L=liter; m2=square meter; mi=mile; mg=milligram; NOX=oxides of nitrogen; NMHC=non methane hydrocarbons; PEVAP=permeation evaporative family; STD=emission standard; *=not applicable; (superscript) o=degree (temperature); oF=degree Fahrenheit; oC=degree Celsius.

Attachment B

Supplemental Data Sheet -OHRV Evaporative Systems

						EO # U·	-M-205-0022	
			Evaporative	e Family De	scription			
Manufacturer	Te	xtron Specia	alized Vehicle	S	Evaporative Family		LTEXU36.7BCA	
Model Year	2020	_						
Manufacturer Size (Check One)	Large	X	Small					
Advanced Fuel System Credits	Yes		No	X				
Compliance Option (Check One)	72-Hr. Diurnal	X	24-Hr. Diurnal		Certify by Design Using Mfr.'s Data		Certify by Design Reference CARB EC	
Durability Basis (Check One)	UL Vehicle	X	DF					
			Emission	Data Vehic	le (EDV)			
Engine Family	JTEXX.9	983XX	Evaporative	e Family	JTEXPP203BCA		EDV Model Year	2018
Fuel System	Carburetor MFI		TBI SFI	X	DFI	-	Other	
Canister	Volume (cc)		W/C (grams)	36.7	N/A			
Purge Valve	Yes	x	No					
Pressure Vent Valve	Yes	X	No					
· · · · · · · · · · · · · · · · · · ·			D	B-4-1/-1-				
				Data Vehic				
Engine Family	JTEXX.9	983XX	Evaporative		JTEXPP203BCA	-	DDV Model Year	_2018
Fuel System	Carburetor MFI		TBI SFI	X	DFI		Other	
Canister	Volume (cc)		W/C (grams)	36.7				
Purge Valve	Yes	<u> </u>	No					
Pressure Vent Valve	Yes	X	No				÷.	
72-Hour D	iurnal Test	t (TOG G/D)ay)		7			
CERT STD	<u> </u>	-						
EFEL		-						
DF		_						
Pass Fuel Leakage Tip Test?	Yes	X	No					
		24-H	our Diurnal	Test (TOG	 G/Dav)			
CERT		_						
STD EFEL	•							
DF	*	-						
Vented Emissions Compliance. (Select One)	6.4.2.5. a) 6.4.2.5. b) 6.4.2.5. c)	NVL ≥ VI _{tota} Use 2 psig No PVV rel	PVV?	Yes Yes Yes	_	No No No		
Pass Fuel Leakage Tip Test?	Yes		No		_			
	· · · ·		SVM Certif	v By Desig	n			
CARB Component EO Number CERT	Fuel Tank Po	ermeation	Fuel Hose P					
STD	· · · · · · · · · · · · · · · · · · ·				Conjetes Merking	Canacity.		
Pass Fuel Leakage Tip Test?	Yes		No	-	Canister Working (per Fuel Tank Vo			

emission limit; DF=deterioration factor; UL=useful life; EDV=emission data vehicle; DDV=durability data vehicle; TBI=throttle body fuel injection; MFI=multiport fuel injection; SFI=sequentianultiport fuel injection; DFI=direct gasoline fuel injection; prig=pounds per square inch - gauge; W/C=canister nominal butane working capacity; NVL=normalized vapor load.