- 0	
(X)	CALIFORNIA AIR RESOURCES BOARD
A	CALIFORNIA
UNC NIN	AIR RESOURCES BOARD

Pursuant to the authority vested in California Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 1 and 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The engine and exhaust emission control systems produced by the manufacturer are certified as described below for off-highway recreational vehicles. Production vehicles shall be in all material respects the same as those for which certification is granted. The manufacturer shall ensure that character "C" or "3" is not used in the eighth (8th) position of the vehicle identification number (VIN) of all vehicles in the engine family listed below. Violation of this VIN provision may result in incorrect registration of the vehicles.

Model Year	Engine Family	Fuel Type(s)	Strokes per cycle				
2020	LHNXX01.0BW4	OFRSV	OFRSV GAS 4				
Spe	cial Features & Emiss	sion Control Systems (ECS)	Engine(cc)			
	999						

Following are the exhaust emission standards, or designated standard as applicable, and certification levels for this engine family. The designated standard, as applicable, shall be shown on the permanent emission control label. Vehicles within this engine family shall not discharge any crankcase emissions into the ambient atmosphere in conformance with Title 13, California Code of Regulations, Section (13 CCR) 2412(i).

Exhaust Emissions (G/KM)					
Pollutant	CERT	STD	DES_STD		
HC	0.3	1.2	*		
HC+NOx	*	*	*		
CO	3.2	15.0			

BE IT FURTHER RESOLVED: Certification to the designated standard listed above, as applicable, is subject to the following terms, limitations and conditions. The designated standard shall be the exhaust limit for this engine family for the model year and cannot be changed by the manufacturer. It serves as the exhaust standard applicable to this engine family for determining engine family compliance, and compliance with the corporate average standard in accordance with 13 CCR 2412(b), 13 CCR 2412(d), and 13 CCR 2414.

BE IT FURTHER RESOLVED: The listed vehicles shall comply with 13 CCR 1965 and 13 CCR 2413 (emission control labels). The vehicles shall also be subject to 13 CCR 2414 (enforcement and recall provisions).

BE IT FURTHER RESOLVED: For the off-highway recreational vehicles listed above, the manufacturer has submitted materials to demonstrate certification compliance with the evaporative emission requirements in 13 CCR 2412 (b)(2), as applicable.

BE IT FURTHER RESOLVED: For 2018 through 2021 model-year off-highway recreational vehicles subject to the evaporative emission requirement in 13 CCR 2418, the manufacturer has submitted materials to demonstrate certification compliance with the phase-in requirement in 13 CCR 2418(d).

BE IT FURTHER RESOLVED: For the off-highway recreational vehicles listed on Attachment A, the manufacturer has submitted materials to demonstrate certification compliance with the evaporative emission requirements in 13 CCR 2418 (Evaporative Emission Standard and Test Procedures), 13 CCR 2419 (emission control labels), and 13 CCR 2419.1 and 13 CCR 2419.2 (Defect Warranty, and Evaporative Emissions Control System Warranty Statement, respectively). The evaporative emissions standards and certification emission levels for the listed vehicles are as listed on Attachment B. The vehicles shall also be subject to 13 CCR 2419.3 (enforcement and recall provisions).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

CALIFORNIA AIR RESOURCES BOARD

HONDA MOTOR CO., LTD. Executive Order: U-M-003-0391 New Off-Highway Recreational Vehicles/Engines Page 2 of 3

This Executive Order is only granted to the engine family and model-year listed above. Vehicles in this family that are produced for any other model-year are not covered by this Executive Order.

See Attachment A for vehicle descriptions.

day of June 2019. Executed at El Monte, California on this /

Allen Lyons, Chief

Emissions Compliance, Automotive Regulations and Science Division

ia) kulturia sete a substanti en estanti en estanti en entre en entre sete en elle transfer transfer en la su Artena a activitatione estationalistation elle estatione elle estatione elle estatione elle estatione elle estat Artena de la la substantia estatione estatione elle estatione elle estatione elle elle elle elle elle elle elle Artena de la la substantia estatione estatione estatione elle estatione elle estatione elle elle elle elle elle Artena de la substantia estatione estatione estatione elle estatione elle estatione elle elle elle elle elle e Artena de la substantia estatione estatione estatione estatione elle estatione elle elle elle elle elle elle el Artena de la substantia estatione elle estatione elle estatione elle estatione elle elle elle elle elle elle elle

et – UR (réference) et en reservations et en angel de l'indiang et e monde de l'indiang et en entre sub-diagonation anno de L'indiane par her an an an anno de event site event entre entre entre avec entre avec entre avec entre avec entre

3.1.145 Philis In (2013) (2017) (2017) Parado 2021 Probabyes (2021 Probaby services advectes advectes to provide a musics Positions and 12 COR 2017) for metalication second service advantage and anticitation confictable completions with the providence of the condition of 2.105 (2017) for metalication advantage providence of antication confictable conditions with the providence of the condition of 2.105 (2017) for metalication advantage providence of antication confictable conditions with the providence of the condition of 2.105 (2017) for metalication advantage providence of the conditions of the conditions with the providence of the condition of 2.105 (2017) for metalication advantage providence of the conditions of th

EET A. F.199-F. OEDOESD. For the off-indexing accessional velocity layed on American A. Its maturis Segments submitted in device strate user (action unredicated was gets accessions) a service rear demetricant in 1. CCR 2013/Excessioner in our calcinetication of the calcinetic field CEC of generation contribused prof. A COP 2013 CER 2013/Excessioner Ver 1: 110 Compositive Enreacts Control Systems Manianzy Excession contribused prof. A COP 2013 CER 2013/Excessioner and the Compositive Enreacts Control Systems Manianzy Excession contribused prof. The exception of the endotrial and the Tante Compositive States and an and an advective to the action of the endotries of the COP 2013/Excession and the Tante Armen and effective States and an advective to the action of the endotries of the test of the COP 2013/Excession and the Control States of the instance of the test and an advective to the action of the endotries of the test of Sector of the test of the instance of the test and and an Aboutta mattic. The action of the test of the Tantes Sector of the reaction of the test of the test of the action of the test of test

endations notes the sender the data for a solution from which the sender and the solution of the sender of the



ATTACHMENT A

Make	Make Model		Engine (cc)	Rated Power (kW)	EIM (kg)	TRANS	Emission Controls	
HONDA	TALON 1000R	OFRSV	999	77.4	940	A6	SFI, HO2S, TWC	
HONDA	TALON 1000X	OFRSV	999	77.4	910	A6	SFI, HO2S, TWC	
HONDA	TALON 1000X-4	OFRSV	999	77.4	1030	A6	SFI, HO2S, TWC	
HONDA	TALON 1000X-4 FOX LIVE VALVE	OFRSV	999	77.4	1040	A6	SFI, HO2S, TWC	

ABBREVATIONS:

GENERAL: 13 CCR 1958, etc.=Title 13, California Code of Regulations, Section 1958, etc.; 40 CFR86.401-90, etc.=Title 40, Code of Federal Regulations, Section 86.401-90, etc.;

HIGHWAY MOTORCYCLE & OFF-HIGHWAY RECREATIONAL VEHICLE CATEGORIES: ATV or ATVA=all terrain vehicle conforming to the California definition in 13 CCR 2411(a); ATVB=Off-highway or non-road recreational vehicles that meet USEPA definition for an all-terrain vehicle or USEPA definition for an off-road utility vehicle and, in addition, meet one or more CARB definitions for an all terrain vehicle, off-road utility vehicle, off-road sport vehicle, and/or sand car; EGC=electric golf cart; HMC=on-road or highway motorcycle; HMC-IA / -IB=HMC below 50 cc / 50 cc to below 170 cc; HMC II=HMC 170 cc to below 280 cc; HMC-III=HMC 280 cc and above; OFMC=off-road motorcycle; SC=sand car above 1000 cc; OFRSV=off-road sport vehicle, including otherwise sand car but with 1000 cc engine or smaller; OFRUV=off-road utility vehicle;

FUEL TYPES: CLNG=natural gas in either CNG or LNG form; CNG / LNG=compressed / liquefied natural gas; DF_CNG/GAS=dual-fuel CNG or gasoline, etc; DSL=diesel; GAS=gasoline; HYD=hybrid; LPG=propane or liquefied petroleum gas;

EMISSION CONTROL SYSTEMS & SPECIAL FEATURES: AFS / HAFS=air fuel ratio sensor / heated AFS; (prefix) 2, 3, 4=2, 3, or 4 catalysts, sensors, TC, SC, CAC, etc. in parallel arrangement; (parenthetic suffix) (2), (3), (4)=2, 3, or 4 catalysts, sensors, TC, SC, CAC, etc. in series arrangement; AIR / PAIR=secondary / pulsed air injection; CAC=charge air cooler; DDI / IDI=direct / indirect diesel injection; EGR=exhaust gas recirculation; EM=engine modification; O2S / HO2S=oxygen sensor / heated O2S; OC=oxidation catalyst; TC=turbocharger; TBI / MFI / SFI / DGI=throttle body / multi port / sequential / direct gasoline fuel injection; TRANS=transmission type; TWC=three way catalyst; SC=supercharger; TWC+OC=TWC plus OC in same container; (prefix) WU=warm-up catalyst;

CERTIFICATION EMISSION LEVELS & STANDARDS: bhp=brake hp; cc=cubic centimeter; CERT=certification emission level; CID=cubic inch displacement; CO=carbon monoxide; CO2=carbon dioxide; D+HS=diurnal plus hot soak evaporative emissions; DES_STD=manufacturer designated standard; EIM=equivalent inertia mass; EVAP=evaporative family; FEL=family emission limit; g=gram; gal=gallon; g/bhp-hr=grams per brake horsepower-hour; g/km=grams per kilometer; g/kW-hr=grams per kilowatt-hour; g/m2-day=grams per square meter per day; g/test=grams per test; HC=(total) hydrocarbons; hp=horsepower; hr=hour; K=1000 miles; kg=kilograms; km=kilometer; kW=kilowatt; L=liter; m2=square meter; mi=mile; mg=milligram; NOX=oxides of nitrogen; NMHC=non methane hydrocarbons; PEVAP=permeation evaporative family; STD=emission standard; *=not applicable; (superscript) o=degree (temperature); oF=degree Fahrenheit; oC=degree Celsius.

Attachment B

Supplemental Data Sheet -OHRV Evaporative Systems

						EO # U-	M-003-0391	
*			Evaporativ	e Family De	escription		12	
Manufacturer		IOTOR CO.,	LTD.		Evaporative Family	LHNXU0026	USA	
Model Year	2020	_						
Manufacturer Size (Check One)	Large	∕	Small					
Advanced Fuel System Credits	Yes		No	✓				
Compliance Option (Check One)	72-Hr. Diurnal	✓	24-Hr. Diurnal		Certify by Design Using Mfr.'s Data		Certify by Design Reference CARB EC)
Durability Basis (Check One)	UL Vehicle		DF		· .			
			Emission	Data Vehic	le (EDV)			
Engine Family	KHNXX01.	0BW4	Evaporative		KHNXU0026USA		EDV Model Year	2019
Fuel System	Carburetor MFI		TBI SFI		DFI	-	Other	
Canister	Volume (cc)		W/C (grams)	26	N/A			
Purge Valve	Yes	~	No					
Pressure Vent Valve	Yes		No	~				
			Describility	D ()/ 1 :				
			-	Data Vehic	le (DDV)			
Engine Family	KHNXX01.	0BW4	Evaporative	e Family	KHNXU0026USA	-	DDV Model Year	2019
Fuel System	Carburetor MFI		TBI SFI	✓	DFI		Other	
Canister	Volume (cc)		W/C (grams)	26	N/A			
Purge Valve	Yes	✓	No			8		
Pressure Vent Valve	Yes		No	<u> </u>				
72-Hour D) iurnal Tes	t (TOG G/E	Day)					
CERT	0.359	-	• /					
STD EFEL	1	_						
DF	n.a.	-						
Pass Fuel Leakage Tip Test?	Yes		No					
		24-H	our Diurnal	Test (TOG	G/Day)		**	
CERT STD		-						
EFEL		-						
DF		-						
Vented Emissions Compliance. (Select One)	6.4.2.5. a) 6.4.2.5. b) 6.4.2.5. c)	NVL ≥ VI _{tota} Use 2 psig No PVV rel	PVV?	Yes Yes Yes	- -	No No	-	
Pass Fuel Leakage Tip Test?	Yes		No					
			SVM Certify	v By Desig	1			
	Fuel Tank Pe	ermeation	Fuel Hose P					
CARB Component EO Number CERT	i							
STD								
Pass Fuel Leakage Tip Test?	Yes		No		Canister Working C per Fuel Tank Vo			_
ABBREVIATIONS: CARB=California A	Air Resources B	oard; EO=Exec	utive Order; TOG	=total organic ga	ses; CERT=certification lev	vel; STD=certifica	ation standard; EFEL=evar	porative family

emission limit; DF=deterioration factor; UL=useful life; EDV=emission data vehicle; DDV=durability data vehicle; TBI=throttle body fuel injection; MFI=multiport fuel injection; SFI=sequential multiport fuel injection; DFI=direct gasoline fuel injection; psig=pounds per square inch - gauge; W/C=canister nominal butane working capacity; NVL=normalized vapor load.