

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-3
Relating to Approval of New Motor Vehicles

FORD MOTOR COMPANIES
of
ENGLAND and GERMANY

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code;

IT IS ORDERED AND RESOLVED: That Ford Motor Companies of England and Germany exhaust emission control systems for 1973-model year light-duty motor vehicles are approved for the engine families described below:

<u>Engine Family</u>	<u>Engine Size (cubic inches)</u>	<u>Emission Control System</u>	<u>Vehicle Models</u>
2.0 L (Capri)	122	Engine Modification	2 door Sport Coupe (manual transmission)

Section 39152, Part I, Division 26 of the California Health and Safety Code requires that a decal be affixed to the side window which discloses the highest emissions from the certification fleet for that engine family for which approval has been granted by the Board.

The following are the recommended values to be listed on the decal:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
2.0 L (Capri)	1.7	34	2.1

These values are in effect until January 30, 1973. After this date, the exhaust emissions for each vehicle determined by factory assembly-line tests in accordance with the "Assembly-Line Test Procedure for 1973 and Subsequent Model Light-Duty Vehicles" must be shown on a decal.

Section 3 of the above procedure requires the manufacturer to submit, before the start of a model-year, a list of the items to be functionally checked and the procedure, including instrumentation, for performing these checks.


In accordance with Section 11 E. of the California Exhaust Emission Standards and Test Procedures for 1973 through 1976 Models Gasoline-Powered Light-Duty Motor Vehicles, the manufacturer is required to inform the Air Resources Board of any production changes which will affect emissions.

Supplemental information sheets are attached to this order which include tune-up specifications and emission control system data.

This Executive Order shall not be construed as acceptance of all or any part of the Company's assembly-line testing program.

The Department of Motor Vehicles, the California Highway Patrol and the Bureau of Automotive Repair of the Department of Consumer Affairs will be notified of this approval by copy of this order and attachment.

Executed at Sacramento, California, this 22nd day of September, 1972.



JOHN A. MAGA
Executive Officer

AIR RESOUR BOARD
SUPPLEMENTAL INFORMATION
1973 Model-Year
Light Duty Vehicles

EXECUTIVE ORDER A-10-3

MANUFACTURER: FORD MOTOR COMPANIES OF ENGLAND & GERMANY

Model	Engine C.I.D. No. of Venturi	Carburetor No. of Venturi	Trans- mission	-12100- Distributor Make & No.	Type Adv.*	-9510- Carburetor Make & No.	Emission Control System			
							Exhaust	NOx	Evap.	Other
Capri	2.0L (122)	1-2V	Man.	BOSCH 731F-AA or LA	C, V & VR	WEBER 73HF-CA	EM	-	Canister	TCR FDV

* C - Centrifugal
V - Vacuum
VR - Vacuum retard
TCR = Transmission control spark advance, with low ambient temperature, cut out
FDV = Fuel Decel Valve

AIR RESOURCES BOARD
 SUPPLEMENTAL INFORMATION
 1973 Model-Year
 Light Duty Vehicles

EXECUTIVE ORDER A-10-3

MANUFACTURER: FORD MOTOR COMPANIES OF ENGLAND & GERMANY

Vehicle Model	Engine C.I.D. No. of	Carburetor No. of	Transmission	Engine Family	Inertia Weight	Tune-up Specifications	
						Idle RPM	Basic Timing
Capri	2.0L (122)	1-2V	Man	2.0L (Capri)	2750	750 N	6° BTDC at 750 RPM N 2.0%

See other side for additional information.