State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-30 Relating to Approval of New Motor Vehicles

AUDI NSU AUTO UNION AG

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code;

IT IS ORDERED AND RESOLVED: That Audi Nsu Auto Union AG exhaust emission control systems for 1973-model year light-duty motor vehicles are approved for the engine families described below:

Engine Family	Engine Size (Cubic inches)	Emission Control System	Vehicle Models
Audi 100	114.5	Engine Modification	Audi 100(Man. Trans.) Audi 100LS(Man. Trans.) Audi 100GL(Man. Trans.)
		Engine Modification and Exhaust Gas Recirculation	Audi 100(Auto. Trans.) Audi 100LS(Auto. Trans.) Audi 100GL(Auto. Trans.)

Section 39152, Part I, Division 26 of the California Health and Safety Code requires that a decal be affixed to the side window which discloses the highest emissions from the certification fleet for that engine family which approval has been granted by the Board.

The following are the recommended values to be listed on the decal:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	grams per mile	grams per mile	grams per mile
Audi 100	2.9	22	2.8

These values are in effect until January 30, 1973. After this date, the exhaust emissions for each vehicle determined by factory assembly-line tests in accordance with the "Assembly-Line Test Procedure for 1973 and Subsequent Model Light-Duty Vehicles" must be shown on a decal.

Section 3 of the above procedure requires the manufacturer to submit, before the start of a model-year, a list of the items to be functionally checked and the procedure, including instrumentation, for performing these checks.

In accordance with Section III E. of the California Exhaust Emission Standards and Test Procedures for 1973 through 1976 Models Gasoline-Powered Light-Duty Motor Vehicles, the manufacturer is required to inform the Air Resources Board of any production changes which will affect emissions.

Supplemental information sheets are attached to this order which include tune-up specifications and emission control system data.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair of the Department of Consumer Affairs will be notified of this approval by copy of this order and attachment.

Executed at Sacramento, California, this 1st day of November, 1972.

JOHN A. MAGA Executive Officer

AIR RESOUR SOARD SUPPLEMENTAL INFORMATION 1973 Model-Year Light Duty Vehicles

MANUFACTURER: AUDI NSU AUTO UNION AG

EXECUTIVE ORDER A-30

	Au Au Au	Au Au		
Mode1	Audi 100 Audi 100LS Audi 100GL	Audi 100 Audi 100LS Audi 100GL	•	
Engine C.I.D.	114.5	114.5		
Carburetor No.of Venturi	1-2V	1-27		•
Trans-	M-4	A-3		
Distributor Make & No.	Bosch 0231170010			
Type Adv.*	C-VR			
Carburetor Make & No.	Solex 32/35 TDID			
Exhaust	EM	EM		
1981on Co		EGR		
Emission Control System	Canister	· · · · · · · · · · · · · · · · · · ·		
em Other	Air pre- heater TCS	Air pre- heater		

M - Manual Transmission

A - Automatic Transmission

C - Centrifugal

V - Vacuum retard

TCS - Transmission controlled spark advance deactivates vacuum retard in 4th gear

AIR RESOURCES BOARD SUPPLEMENTAL INFORMATION 1973 Model-Year Light Duty Vehicles

Engine Carburetor Trans- Engine Inertia C.I.D. No. of Venturi mission Family Weight	Carburetor Trans- Engine Inertia Idle RP	C.I.D.	Wations Madel Ragins	MANUFACTURER: AUDI NE
Engine Family	Engine Inertia Family Weight Idle RP	No. of Venturi		AUTO UNLON AG
Engine Family	Engine Inertia Family Weight Idle RP	mission	Trans-	
Inertia Weight	Idle RP		Engine	
	Tune	Weight	Inertia	
Tune-up Specifications Basic Timing I		Basic Timing Idle CO or AFR	28	EXECUTIVE ORDER A-30

1-2V A-3 Audi 100 3000 925 ± 75 in 8 neutral with R head-lights on high beam on high beam	100 114.5 1-2V A-3 Audi 100 3000 925 + 75 in RPM. 100GL neutral with head-lights 11ine on high beam	100 114.5 1-2V A-3 Andi 100 3000 925 + 75 in 8° A neutral with RPM. head-lights on high beam on high beam	Vehicle Model	Engine C. I. D.	Carburetor No. of Venturi	Trans-	Engine Family	Inertia Weight	Tune	Tune-up Specifications
			100LS 100GL	114.5	1-27	A-3 M-4	Audi 100	3000	925 ± 75 in neutral with head-lights on high beam	8° ATDC (RPM. Va line con
									at vivi	

M - Manual Transmission A- Automatic Transmission

See other side for additional information.