

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-41  
Relating to Approval of New Motor Vehicles

CITROEN CARS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code;

IT IS ORDERED AND RESOLVED: That Citroen Cars Corporation exhaust emission control systems for 1973-model year light-duty motor vehicles are approved for the engine families described below:

<u>Engine Family</u>	<u>Engine Size (cubic inches)</u>	<u>Emission Control System</u>	<u>Vehicle Models</u>
S	181	Air Injection	S.M.

Section 39153.5, Part I, Chapter 26 of the California Health and Safety Code requires that the manufacturer of limited production vehicles conduct Quality Audit Tests on a minimum of 2 percent on such vehicles manufactured for sale in California. These tests shall be performed in accordance with the "Assembly-Line Test Procedure for 1973 and Subsequent Model Light-Duty Vehicles".

In accordance with Section III E. of the California Exhaust Emission Standards and Test Procedures for 1973 through 1976 Models Gasoline-Powered Light-Duty Motor Vehicles, the manufacturer is required to inform the Air Resources Board of any production changes which will affect emissions.

Supplemental information sheets are attached to this order which include tune-up specifications and emission control system data.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair of the Department of Consumer Affairs will be notified of this approval by copy of this order and attachment.

Executed at Sacramento, California, this 10 day of January, 1973.

JOHN A. MAGA  
Executive Officer

AIR RESOURCES BOARD  
 SUPPLEMENTAL INFORMATION  
 1973 Model-Year  
 Light Duty Vehicles

MANUFACTURER: CITROEN CARS CORPORATION

Executive Order A-41

Vehicle Model	Engine C.I.D.	Carburetor No. of Venturi	Trans- mission	Engine Family	Inertia Weight	Tune-up Specifications		
						Idle RPM	Basic Timing	Idle CO or AFR
S.M.	181	3-2V	Manual and Auto-matic	S	3500	900 R.P.M. in neutral	2° BTDC at 900 RPM	3 to 4% CO (air injection disconnected)

See other side for additional information.

**AIR RESOURCE BOARD**  
**SUPPLEMENTAL INFORMATION**  
 1973 Model-Year  
 Light Duty Vehicles

**MANUFACTURER: CITROEN CARS CORPORATION**

Model	Engine C.I.D.	Carburetor No. of Venturi	Trans- mission	Distributor Make & No.	Type Adv.*	Carburetor Make & No.	Emission Control System			
							Exhaust	NOx	Evap.	Other
S.M.	181	3-2V	Manual and Auto- matic	S.E.V. E1079-0203	C	Weber Manual 42DCNF 26/2M Automatic 42DCNF 26/2Mbits	air injection		Charcoal Canister	

C - Centrifugal  
 V - Vacuum  
 VR - Vacuum retard