State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-5-5
Relating to Approval of New Motor Vehicles

BRITISH LEYLAND (AUSTIN MORRIS GROUP)

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code;

IT IS ORDERED AND RESOLVED: That British Leyland (Austin Morris Group) emission control systems for 1974-model light-duty motor vehicles are approved for the engine family described below:

Engine Family: "B" Series
Emission Control System: Air Injection Reaction
Engine Size: 109.6 CID with Manual Transmission
Vehicle Models: MGB-Sports, Austin-Marina Two-Door De-Luxe,
Austin-Marina Two-Door GT, and AustinMarina Four-Door De-Luxe.

Section 39152, Part I, Division 26 of the California Health and Safety Code requires that a decal be affixed to the side window which discloses the highest emissions from the certification fleet for that vehicle for which approval has been granted by the Board.

The following are the recommended values to be listed on the decal:

Engine		Carbon Monoxide	Nitrogen Oxides
Family		Grams per Mile	Grams per Mile
	•		

"B" Series 1.8 27 1.9

According to the California Assembly-Line Test Procedure for 1974 Model Light-Duty Gasoline Powered Vehicles, these values shall be in effect during the first calendar quarter of model production

EXECUTIVE ORDER A-5-5

BRITISH LEYLAND (AUSTIN MORRIS GROUP)

but not to exceed 30 days thereafter. Not more than one month after the first and each succeeding calendar quarter of production, the exhaust emissions shown on the window decal shall be the average quality audit values for the engine family of the previous calendar quarter of production.

Section B3 of the above procedure requires the manufacturer to submit to the Executive Officer before the start of the model-year, a list of the engine components and control systems affecting emissions to be functionally checked and the procedure for performing these checks.

In accordance with Section III E. of the California Exhaust Emission Standards and Test Procedures for 1973 through 1976 Models Gasoline-Powered Light-Duty Motor Vehicles, the manufacturer is required to inform the Air Resources Board of any production changes which will affect emissions.

Supplemental information sheets are attached to this order which include tune-up specifications and emission control system data.

The Department of Motor Vehicles, the California Highway Patrol and the Bureau of Automotive Repair of the Department of Consumer Affairs will be notified of this approval by copy of this order and attachment.

	at	Sacramento,	California,	this	 day	of	November.
1973.							

JOHN A. MAGA Executive Officer AIR RESOURCES BOARD
SUFPLEMENTAL INFORMATION
1974 Fodel-Year
Light Duty Vehicles
c nivesion)

EXECUTIVE ORDER A-5-5

]		AFR			
		Idle CO or A	Z. 5% Max.	2% Max.	
/E UKUEK A-3-3	Tune-up Specifications	Basic Timing		12° BTDC @ 1500 RPM without vacuum unit	
EXECUIT VE	Tune	Idle RPH	850 in neutral		
	Inertia	Weight	2500		***
(ISION)	Eraine	Family	æ		
RRIS DIV	Trans-	Elseton	** \$4.	₹	
ILAND (AUSTIN M	Carburator	No. of Venturi	2-17	1-1V	
ITISH LEY	0 10 11 01	1	,	109.6	
MANUFACTURER: BRITISH LEYLAND (AUSTIN MORRIS DIVISION)		renga entre	MGB-Sports	Austin-Marina 2 Door De-Luxe, 2 Door GT & 4 Door Super De-Luxe	

** - Optional Overdrive

See other side for additional information.

AIR RESOURCES BOARD SUPPLEMENTAL INFORMATION 197 3 Nodel-Year Light Duty Vehicles

AMUPACTURER:	RITISH LI	BRITISH LEYLAND (Austin Morris Group)	orris Gr	(qno			Executi	Executive Order A-5	4.5	-
l		10400	Trans	Distributor	TVD&	Carburetor	201	Estasion Control System	trol Syste	T.
Model	C.I.D.	No. of Venturi	mission	1	Adv.*		Exhaust	NOX	Evap.	Other
GB-Sports	109.6	2-1V	**#	No. 41491 ECM No. 1003	> -5	S.U. Carburetor SoAUD 550	Air Injection	ı	Gan.	Crankcase Carb. Vent.
ustin-Marina. Door De-Luxe, Door GT & Door Super e-Luxe	109.6	1-1V		No. 41401 ECM No. 1000	<u>ទ</u> ិ	S.U. Carburetor				= ATC
		•								

*ATC - Automatic Air Temperature Control ** - Optional Overdrive

C - Centrifugal

V - Vacuum VR - Vacuum retard