

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-5-7  
Relating to Approval of New Motor Vehicles

JAGUAR CARS LTD  
OF  
BRITISH LEYLAND U.K. LTD.

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code;

IT IS ORDERED AND RESOLVED: That Jaguar Cars Ltd. of British Leyland U.K. Ltd., exhaust emission control systems for 1974 model year light-duty motor vehicles are approved for the engine family described below:

<u>Engine Family</u>	<u>CID</u>	<u>Exhaust System</u>	<u>Vehicle Models</u>
4.2L	258	Air Injection and Exhaust Gas Recirculation	Jaguar XJ6 Sedan Jaguar XJ6 Coupe

Section 39152, Part I, Division 26 of the California Health and Safety Code requires that a decal be affixed to the side window which discloses the highest emissions from the certification fleet for that vehicle for which approval has been granted by the Board.

The following are the recommended values to be listed on the decal:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
4.2L	0.9	39	2.0

According to the California Assembly-Line Test Procedure for 1974 Model Light-Duty Gasoline Powered Vehicles, these values shall be in effect during the first calendar quarter of model production and not to exceed 30 days thereafter. Not more than one month after the first and each succeeding calendar quarter of production, the exhaust emissions shown on the window decal shall be the average quality audit values for the engine family of the previous calendar quarter of production.

Jaguar Cars Ltd  
of British Leyland U. K. Ltd.

EXECUTIVE ORDER A-5-7


Section B3 of the above procedure requires the manufacturer to submit to the Executive Officer before the start of the model-year, a list of the engine components and control systems affecting emissions to be functionally checked and the procedure for performing these checks.

In accordance with Section III E. of the California Exhaust Emission Standards and Test Procedures for 1973 through 1976 Models Gasoline-Powered Light-Duty Motor Vehicles, the manufacturer is required to inform the Air Resources Board of any production changes which will affect emissions.

Supplemental information sheets are attached to this order which include tune-up specifications and emission control system data.

The Department of Motor Vehicles, the California Highway Patrol and the Bureau of Automotive Repair of the Department of Consumer Affairs will be notified of this approval by copy of this order and attachment.

Executed at El Monte, California, this 19 day of April, 1974.

  
G. C. Hass, Chief  
Division of Vehicle  
Emissions Controls

AIR RESOURCES BOARD  
 SUPPLEMENTAL INFORMATION  
 1974 Model-Year  
 Light Duty Vehicles

MANUFACTURER: BRITISH LEYLAND MOTORS - JAGUAR CARS

Model	Engine C.I.D.	Carburetor No. of Venturi	Trans- mission	Distributor Make & No.	Type Adv.*	Carburetor Make & No.	Emission Control System			
							Exhaust	NOx	Evap.	Other
Jaguar XJ6 Sedan Jaguar XJ6 Coupe	258	2 - IV	A-3	Lucas Curve No. ECM 1011	C-VR	Zenith Stromberg Curve No. 74258/1	AI	EGR Valve	Carbon Canister	

\* C - Centrifugal  
 V - Vacuum  
 VR - Vacuum retard

AIR RESOURCES BOARD  
 SUPPLEMENTAL INFORMATION  
 1974 Model-Year

BRITISH LEYLAND MOTORS - JAGUAR CARS Light Duty Vehicles

MANUFACTURER:

Vehicle Model	Engine C.I.D.	Carburetor No. of Venturi	Trans-mission	Engine Family	Inertia Weight	Tune-up Specifications	
						Idle RPM	Basic Timing
Jaguar XJ6 Sedan, Jaguar XJ6 Coupe	258	2 - IV	A3	4.2L	4500	750 rpm in Neutral	T.D.C. at 750 rpm in Neutral  Idle CO or AFR 47/2% CO max. with air injection dis-connected.