State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-7-6 Relating to Approval of New Motor Vehicles

VOLKSWAGENWERK, A.G.

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code;

IT IS ORDERED AND RESOLVED: That Volkswagenwerk, A.G. exhaust emission control systems for 1974 model year light-duty motor vehicles are approved for the engine family described below:

Engine Family: 5

Engine: 109 CID

Exhaust Emission Control System: Exhaust Gas Recirculation, Engine

Modification and Air Injection.

Manual Transmission - Engine Code AW-b Models:

> Delivery Van 21 Station Wagon 22

Kombi 23

Section 39152, Part I, Division 26 of the California Health and Safety Code requires that a decal be affixed to the side window which discloses the highest emissions from the certification fleet for that vehicle for which approval has been granted by the Board.

The following are the recommended values to be listed on the decal:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
5	2.7	30	1.9

According to the California Assembly-Line Test Procedure for 1974 Model Light-Duty Gasoline Powered Vehicles, these values shall be in effect during the first calendar quarter of model production and not to exceed 30 days thereafter. Not more than one month after the first and each succeeding calendar quarter of production, the exhaust emissions shown on the window decal shall be the average quality audit values for the engine family of the previous calendar quarter of production.

Section B3 of the above procedure requires the manufacturer to submit to the Executive Officer before the start of the model-year, a list of the engine components and control systems affecting emissions to be functionally checked and the procedure for performing these checks.

In accordance with Section III E. of the California Exhaust Emission Standards and Test Procedures for 1973 through 1976 Models Gasoline-Powered Light-Duty Motor Vehicles, the manufacturer is required to inform the Air Resources Board of any production changes which will affect emissions.

Supplemental information sheets are attached to this order which include tune-up specifications and emission control system data.

The Department of Motor Vehicles, the California Highway Patrol and the Bureau of Automotive Repair of the Department of Consumer Affairs will be notified of this approval by copy of this order and attachment.

Executed at Sacramento, California, this ______ day of February, 1974.

WILLIAM SIMMONS Executive Officer AIR RESONAGE AS BOARD SUPPLEMENTAL INFORMATION 1974 Model-Year Light Duty Vehicles

	g	Other		
VOLKSWAGENWERK, A.G. EXECUTIVE ORDER A-7-6	Emission Control System	Evap.	Canister	
	Ission Con	NOx	EGR	
	** Etc.	Exhaust	EM, AI	
	Carburetor	Make & No.	SOLEX Left P/N 021129031Q Right P/N 021129032Q	
	Type	Adv.*	C-V-VR	
	Distributor	Make & No.	BOSCH 021905205N	
	Trans-	mission	Σ	
	Carburetor	No.of Venturi	2-1V	
	Engine	C.I.D.	109	
MANUFACTURER: VO	Wodel		Delivery Van 21, Station Wagon 22, Kombi 23	

^{**} EM - Engine Modification AI - Air Injection EGR - Exhaust Gas Recirculation

C - Centrifugal V - Vacuum

v - vacuum VR - Vacuum retard

SUPPLEMENTAL INFORMATION AIR RESOURCES BOARD 1974 Model-Year

Light Duty Vehicles

Idle CO or AFR 1 + 0.5% EXECUTIVE ORDER A-7-6 Tune-up Specifications Basic Timing 10° ATC Idle RPM 900 + 75 Inertia Weight 3,500 Engine Family Ŋ No. of Venturi mission Trans-Σ. Carburetor MANUFACTURER: VOLKSWAGENWERK, A.G. 2-1V Engine C. I.D. 109 Vehicle Model Delivery Van 21, Station Wagon 22, Kombi 23