State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-3-1 Relating to Approval of New Motor Vehicles

AUDI NSU AUTO UNION A. G.

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code and Executive Order G-45-1;

IT IS ORDERED AND RESOLVED: That Audi NSU Auto Union A. G. exhaust emission control systems for 1975 model-year light duty passenger cars are approved for the engine family described below:

Engine Family: Audi 80C

Engine: 97CID

Exhaust Emission Control System: Exhaust gas recirculation, oxidation

catalyst, fuel injection and engine

modification

Models:

Audi: (M/T-4, A/T-3)

Audi Fox Station Wagon

These vehicles are in addition to those previously approved for this engine family.

Vehicles approved under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 3/ day of December, 1974.

G. C. Hass, Chief

Division of Vehicle Emissions Control

AIR REST DES BOARD SUPPLEMENTAL INFORMATION 1975 MODEL YEAR THE CARS

EAR

Corrected 8 December 1976

EAR

LIGHT-DUTY TRUCKS Running Change #34/1975, 80ec. 1976

age as)needed	Stor Stor	5 Elo	Evaporative CAN- Charcos TS - Tank St *Service I - Inspect, R - Replace	Fuel Injection Oxidation Catalyst Reduction Catalyst Thermal Reactor	Fuel Injection Oxidation Catal Reduction Catal Thermal Reactor	FI - Fuel OC - Oxid RC - Redu TR - Ther	System ection ation	ontrol el Inje ecircul cations		st Emission Air Inject: Electronic Exhaust Gas Engine Modi	haust - Ai: I- El 3- Ex
1.0% CO +.5% @ 925 RPM +75 Upstream of Catalyst	3° ATDC +1° vacuum disconn- ected ====================================	925 RPM +75 in neutral	PE20155 PE20182 15,000 mile. R-filter @15,000 _miles.=	A.1.1 XXXXXX (Catalyst change require- ment is DELETED)	CAN CAN	Bosch: Mixture Control Unit- 049133353 Air Flow Sensor- 043812- 0008 Fuel Distribu- tor 0438100-	FI	Bosch 02311760 	C,V, VR	2500	/T4 .11 .11
Idle Mixture	Basic Timing	Idle RPM	EGR Part No. Service*	Part No. Service*	Туре	Mfgr. Part No.	Туре	Mfgr. Part No.	Туре	rans & xle Inertia atic Weight	rans & xle a ti c
NO. 1-1 cations	PAGE Specifi	A-30-3-1 Tune-up	ER NO. System	EXECUTIVE ORD	Emis	el System	Fuel	Distributor	Di.	AG	NOI

AIR RESOURCES BOARD SUPPLEMENTAL INFORMATION 1975 MODEL YEAR X PASSENGER CARS LIGHT-DUTY TRUCKS

(25) Revised 12-12-74

Abbreviations: Distributor C - Centrifugal Advance V - Vacuum Advance VR- Vacuum Retard		1./d1 80 C	Engine Family	COUFACTURER:
		Audi Fox Audi Fox Station Wagon	Vehicle Models (If coded see attachment)	ER: Audi NSU Auto Union AG
		97	Trangine Axle	Auto L
Exhaust AI - Aii EFI- Ele EGR- Exl EM - En	A3 3.91	M4 4.11	Trans & Axle Ratio	Inion f
Emission Control c Injection ectronic Fuel Injection cust Gas Recircul		and the second s	Inertia Weight	G
		S.C.	Dis Type	
		BOSCH B231046372	Distributor Mfgr. Pert No.	
System sction lation		두	Fuel Type	
FI - Fuel Injection OC - Oxidation Catalyst RC - Reduction Catalyst TR - Thermal Reactor		BOSCH 0438040006 Control Unit	el System Mfgr. Part No.	
		FI EGR	Emis Type	
		A.1.1 R-30000	Emission Control System Kal ECR OC TR ECR Part No. Part No. Ype Service* Service*	EXECUTIVE ORDER NO.
Evaporative Control System CAN- Charcoal Canister Storage TS - Tank Storage : *Service I - Inspect, repair/replace as need R - Remlace		PE 20155 I, R-15000	ol System EGR Part No. Service*	1
		925 <u>+</u> 75	Tune-up Idle RFM	A- 30-3 -1
		3° + 1° ATDC	Specifications Basic Idle Timing Mixtu	PAGE NO.
	Catalyst	1.0 + 0.5% CO Upstream of	ations Idle Mixture	VO. 1 of 2