## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-16-10 Relating to Approval of New Motor Vehicles

## TOYO KOGYO CO., LTD.

Pursuant to the authority vested in the Air Resources Board by Sections 39085, 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That Toyo Kogyo Co., Ltd. exhaust emission control systems for 1976 model-year light-duty trucks are approved for the engine family described below:

Engine Family: CNAT Engine: 96.8 CID Transmission: 4-speed manual Exhaust Emission Control Systems: Air injection, exhaust gas

Air injection, exhaust gas recirculation, oxidation catalyst

2.0

## Model: Mazda B1600 Pickup

BE IT FURTHER RESOLVED: That this approval is contingent upon Toyo Kogyo Co., Ltd. affixing a permanent catalyst overheat warning label on the driver's sun-visor of all catalyst-equipped vehicles. This label must be approved by the Executive Officer.

BE IT FURTHER RESOLVED: That this approval is also contingent upon Toyo Kogyo Co., Ltd. listing in the owner's manual the operating cautions associated with a catalyst-equipped vehicle. This listing must be approved by the Executive Officer.

The following are the recommended values to be listed on the window decal required by California Assembly-line Test Procedures for 1976 model vehicles:

Engine Family	Hydrocarbons <u>Grams per Mile</u> 0.6	Carbon Monoxide Grams per Mile	Nitrogen Oxides <u>Grams per Mile</u>		
CNAT		. 7	1.4		

Toyo Kogyo Co., Ltd.

Vehicles approved under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California, this  $\underline{24}$  day of December, 1975.

S. C. MRAM

G. C. Hass, Chief Division of Vehicle Emissions Control

VR Str		CN	দ্য দে	1223	
ributor Centri Vacuum Vacuum		AT	ngine amily	UFACTUR	•
ns: fugal Advance Advance Advance ard integy Ignition	Pickup	MAZDA B1600	Models (If coded see attachment)	ER: TOYO KOG Vehicle	
n EEFI-		96.8	Engine CID	Y0 CO.	
- Elect		M-4	Prans.		
njectic njectic tronic f ust Gas ust Gas		3,000	Ine <i>r</i> tia Weight		-
Contr uel I Ficati Ficati	<	,C	Туре	Dis	L PAS
ol System njection culation ons		ftsubishi Tarngnzg	Mfgr. Part No.	tributor	AIA SUPPI 1 SENGER CA
		1-2V	Type	T T L	L RESO SALENCE 1976 N RS
Early Fuel Fuel Inject Evel Inject Antion Reduction	215282-66	Nippon	Mfgr. Part No.	el System	URCES BOAR AL INFORMA ODEL YEAR X
Evap ction Catal Catal		AI	Type	Emis	D TION LIGHT-
yst *P	No servic	372520500	Part No. Service*	EXECUTIVE (	DUTY TRUCK
SAC-Electro AI -Pulse , Service I - Inspec R - Replac	miles	3725	EGR Part No. Service*	ol System	63 •
onic Spark Air Inject t, repair/ e	in neutral	800+50	Idle RFM	A-16-10 Tune-up	• .
Advance ( ion reace as	at idle vacuum advance connected	8+1°BTDC	Basic Timing	PAGE I Specifics	
iontrol ; neede	air in- jection and without plugge	1.5+0	Idle Mixtu	Q. Stions	

. .