State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-127-1 Relating to Certification of New Motor Vehicles

MOTOR SPORTS & CLASSICS, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That Motor Sports & Classics, Inc. exhaust emission control systems for 1977 model-year light-duty trucks are certified for the engine family described below:

Engine Family: Toyo Kogyo CVBT

Engine: 109.6 CID

Transmission: 4-Speed Manual

Exhaust Emission Control Systems: Air Injection, Exhaust Gas Recirculation,

Oxidation Catalyst

Model: Bravo 4x4

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1977 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
Toyo Kogyo CVB1	0.8	12	1.2

BE IT FURTHER RESOLVED: That this certification is contingent upon Motor Sports & Classics, Inc. affixing a permanent catalyst overheat warning label on the driver's sun-visor of all catalyst-equipped vehicles. This label must be approved by the Executive Officer.

BE IT FURTHER RESOLVED: That this certification is also contingent upon Motor Sports & Classics, Inc. listing in the owner's manual the operating cautions associated with a catalyst-equipped vehicle. This listing must be approved by the Executive Officer.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this /2 day of April, 1977.

S. P. Idraw

G. C. Hass, Chief

Vehicle Emissions Control Division

				X Light-Duty	AL DATA SHEE y Trucks	
Manufacture	Motor r <u>Class</u>	Sports &	k	Execu tive	Order No. A-	.127-1 Page 1
Engine Fami	JyToyo I	Kogyo CVE	3T	Engine (CID)	109.6	Engine Code
Emission Co	ntrol S	ystem	AI + FGR + C)C	+10%	(A/C) Yes Nox
Vehicle Models (If Coded see attachment)	1	Inertia Weight	Type C,V Mfgr.	Fuel System Type 1-2V Mfgr. Part Number	Part No.	Tune-Up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
Bravo 4 x 4	M-4		Mitsubishi	Hitachi DCJ328-9	3882	1) 80 + BTDC @ above idle RPM, with distributor vacuum line connected. 2) 2.0 + 0.5% (without air injection - disconnect air hose between air pump and check valve, and plug the port of the check valve)*. 3) 700 + 50 in neutral* *All accessories off.
Comments Date of Issue	040877	,				

entrifugal Advance
acuum Advance
R-Vacuum Retard
HEI-High Energy Ignition
EI-Electronic Ignition
Fuel System
EFI, FI
nV-nVenturi Carburetor

Exhaust Emission Control System
AI-Air Injection
CAI-Catalyst Air Injection
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EFE-Early Fuel Evaporation
ESAC-Electronic Spark Advance
Control

OC-Oxidation Catalyst
PAI-Pulse Air Injection
RC-Reduction Catalyst
TR-Thermal Reactor
TWC-Three Way Catalyst
λ-Air Fuel Ratio Sensor
*Service
I-Inspect, repair/replace