(Page 1 of 2) E. C. Book

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-17-34 Relating to Certification of New Motor Vehicles

## AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That American Motors Corporation exhaust emission control systems for 1977 model-year passenger cars are certified for the engine family described below:

Engine Family: III-C

Engine: 360 CID

Transmission: 3-Speed Automatic

Exhaust Emission Control Systems: Air Injection, Exhaust Gas Recirculation,

Oxidation Catalyst.

Models: Matador 2-Door

Matador 4-Door Matador Wagon

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1977 model-year vehicles:

| Engine Family | Hydrocarbons   | Carbon Monoxide | Nitrogen Oxides |
|---------------|----------------|-----------------|-----------------|
|               | Grams per Mile | Grams per Mile  | Grams per Mile  |
| III-C         | 0.31           | 3.4             | 1.0             |

BE IT FURTHER RESOLVED: That this certification is contingent upon American Motors Corporation affixing a permanent catalyst overheat warning label on the driver's sun-visor of all catalyst-equipped vehicles. This label must be approved by the Executive Officer.

BE IT FURTHER RESOLVED: That this certification is also contingent upon American Motors Corporation listing in the owner's manual the operating cautions associated with a catalyst-equipped vehicle. This listing must be approved by the Executive Officer.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 28 day of January, 1977.

G. C. Hass, Chief

Vehicle Emissions Control Division

| Engine Fami<br>Emission Co                     |   |                                  | AI, EGR, OC  | Engine (CID)        |   | Code <u>RAC-30B-2 &amp; RA</u><br>3QB-P<br>A/C) Yes X No  |
|--|---|----------------------------------|--|---------------------|---|---|
| Vehicle Models<br>(If Coded see<br>attachment) |   | Inertia<br>Weight                | Type : EI,<br>C, V, TCSA<br>Mfgr.                  |                     | Backpressure<br>Sensitive<br>Part No.                   | Tune-Up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed  |
| Matador<br>-2-Door<br>-4-Door<br>-Wagon        | A/T3<br>(3.15<br>rear<br>axle<br>ratio) | <b>45</b> 00                     | 3228266,<br>which is<br>IDJ-4001H<br>or<br>3231178 | Motorcraft<br>7RA2C | XG-61677<br>(EGR Valve-<br>Backpressure<br>Sensor Inte- | (1) 50 ± 20 BTDC @500 RPM in "drive" with vacuum disconnected (2) 20 RPM Lean Drop (3) 700 RPM ± 100 RPM in "drive" |
| Comments                                       |   |                                  |  |                     |   |   |
| Date of Issue:                                 | 12, Ma                                  | uary 197<br>ay, 1977<br>ay, 1977 | <b>7</b> Running<br>R/C # 7                        | _                   | 7 <b>-</b> 15C adds                                     | Eng.Code RAC-3QB-P.   |

1977 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Abbreviations

Distributor
C-Centrifugal Advance
V-Vacuum Advance
R-Vacuum Retard
HEI-High Energy Ignition
EI-Electronic Ignition
Fuel System
EFI, FI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emission Control System
AI-Air Injection
CAI-Catalyst Air Injection
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EFE-Early Fuel Evaporation
ESAC-Electronic Spark Advance
Control
FI-Fuel Injection

TCSA-Transmission Controlled
Spark Advance
OC-Oxidation Catalyst
PAI-Pulse Air Injection
RC-Reduction Catalyst
TR-Thermal Reactor
TWC-Three Way Catalyst
\(\lambda\)-Air Fuel Ratio Sensor

\*Service
T-Inspect, repair/replace
as needed

|  |   |                   |  | SUPPLEMENTA<br>Light-Duty     | AL DATA SHEET<br>y Trucks  |  |
|--|---|-------------------|--|-------------------------------|--|--|
| Engine Fami                                    | ју <u>ТП-0</u>                          | <u> </u>          |  | Engine (CID)                  | 360  | 17-34  |
| Vehicle Models<br>(If Coded see<br>attachment) |   | Inertia<br>Weight | Type <sub>EI</sub> ,<br>C, V, TCSA<br>Mfgr.    |                               | Backpressure<br>Sensitive<br>Part No.  | Tune-Up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed |
| Matador<br>-2-Door<br>-4-Door<br>-wagon        | A/T3<br>(3.15<br>rear<br>axle<br>ratio) | 4500              | 3228266,<br>(which is<br>IDJ-4001H)<br>3231178 | Motorcraft<br>7RA2C<br>7RA2CP | Rochester XG-61677 (EGR Valve- Backpressure Sensor Inte- gral System, which is AMC No.P-92, 3231162) I-30, 000mi |  |
| Comments                                       |   | •                 |  |                               |  |  |
| Date of Issue                                  | 24 Janua                                | ary 1977          |  |                               |  |  |

Abbreviations

<u>Distributor</u>
C-Centrifugal Advance
'-Vacuum Advance
'R-Vacuum Retard
HEI-High Energy Ignition
EI-Electronic Ignition
Fuel System
EFI, FI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emission Control System
AI-Air Injection
CAI-Catalyst Air Injection
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EFE-Early Fuel Evaporation
ESAC-Electronic Spark Advance
Control
FI-Fuel Injection

Running Change 77-18 adds Eng. Code RAC-3QB-4 and RAC-3Q-4. Also adds carburetor

Part No. 7RAŽCP, Running Change 77-27 adds Eng. Code RAC-3QB-4P.

OC-Oxidation Catalyst
PAI-Pulse Air Injection
RC-Reduction Catalyst
TR-Thermal Reactor
TWC-Three Way Catalyst
λ-Air Fuel Ratio Sensor
\*Service
T-Inspect, repair/replace
as needed
R-Replace