State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-24 Relating to Certification of New Motor Vehicles

TOYO KOGYO CO., LTD

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That Toyo Kogyo Co., Ltd. exhaust emission control systems for 1978 model-year light-duty trucks are certified for the vehicles described below:

Engine Family: 8CWBT

Engine: 140 CID

Transmission: 4-speed manual, 5-speed manual, 3-speed automatic

Exhaust Emission Control Systems: Air Injection, Exhaust Gas

Recirculation, Oxidation Catalyst

Models and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

Engine Family	Hydrocarbons		Carbon Mono	Nitrogen Oxides	
	Grams per Mile		Grams per M	Grams per Mile	
SCWRT	0.4		6		1.6

BE IT FURTHER RESOLVED: That the above models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-16 series.

BE IT FURTHER RESOLVED: That the above models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles".

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, Galifornia, this 2/ day of September, 1977.

G. C. Hass, Chief

Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer_	Toyo Kogyo	Executive Order	No	A-10-24	Page	1
Engine Family	8CWBT	Engine (CID)	140			

ABBREVIATIONS

<u>Distributor</u>
C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
HEI-High Energy Ignition
EI-Electronic Ignition
Fuel System
EFI, FI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AI-Air Injection
CAI-Catalyst Air Injection
CAB-Chamber Air Bleed
DD-Dual Displacement
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EFE-Early Fuel Evaporation
ESAC-Electronic Spark Advance
Control
FI-Fuel Injection

<u>Model</u>

Courier

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	e Family 8Ck	•	•		(CID)		
mi ss	ion Control Sys						Yes No D
ig. ide	Vehicle Models (If Coded see			Distributor Type C,V	Fuel System Type 1-2V	EGR System	Tune-Up Specification
	attachment)		Class	Mfgr. Part Number	Mfgr. Part Number	Part No. Service*	(1) Basic Timing(2) Idle Mixture(3) Idle Speed
	Courier	A-3	3000 11.2	Mitsubishi Electric	Hitachi DCJ328-32	3876	(1) 6° + BTDC @ 700 - RPM, in neutral
	Courier Cab and Chassis			Corporation T3T60774			with distributor vacuum line disconnected
							(2) 4.0 ± 0.5% (with air injection-dis connect air hose
					•		between air pump and check valve, and plug the por of the check val
							(3) 700 ± 50 in drive
-							all accessories
					,		
				special road			

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

					4	Co	Engine Code <u>CWBT-M</u>		
Emi s	sion Control Sy	stem _	AI,	EGR, OC	- +	-10%(A/C)	Yes 🗆	No XI	
Eng. Code	Vehicle Models (If Coded see	Trans W	Weight	Distributor Type C,V	Fuel System EGR System Type 1-2V		Tune-Up Specification		
	attachment)	·	Class	Mfgr. Part Number			(2) Id1	ic Timing e Mixture e Speed	
	Courier Courier Cab and Chassis	M-4 M-5	3000 11.2	Mitsubishi Electric Corporation T3T60774	Hitachi DCJ328-31	3725	-9(wii vad	+ 1° BTCD 0 700 DO RPM in neutra th distributor cuum line sconnected	
							aii coi bei and and	0 ± 0.5% (withour injection-distinct air hose tween air pump i check valve, the check valve	
	 -							0 ± 50 in neutro 0	
						3.4			
•									
Com See	ents: All page I for abbr	mode mode eviati	is have ons and	special road model codes.	load HP set	tings.			