Eo book

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-17-36 Relating to Certification of New Motor Vehicles

AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That American Motors Corporation exhaust emission control systems for 1978 model-year light-duty trucks are certified for the vehicles described below:

Engine Family: I-TC

Engine: 258 CID

Transmission: 3-speed Automatic, 3-speed and 4-speed Manual Exhaust Emission Control Systems: Air Injection, Exhaust Gas

Recirculation, Oxidation Catalyst

Models and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

	Hydrocarbons		n Monoxide	Nitrogen Oxides
Engine Family	Grams per Mile	Grams	per Mile	<u>Grams per Mile</u>
I-TC	0.5	5	5	1.9

BE IT FURTHER RESOLVED: That the above models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-17 series.

BE IT FURTHER RESOLVED: That the above models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles".

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

益

Executed at El Monte, California, this 25 day of August, 1977.

G. C. Hass, Chief

Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Am	erican Motors	Corp. Executive Order	No. A-17-36	Page	1.
Engine Family	I-TC	Engine (CID)	258		

ABBREVIATIONS

Distributor
C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
HEI-High Energy Ignition
EI-Electronic Ignition
Fuel System
EFI, FI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AI-Air Injection
CAI-Catalyst Air Injection
CAB-Chamber Air Bleed
DD-Dual Displacement
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EFE-Early Fuel Evaporation
ESAC-Electronic Spark Advance
Control
FI-Fuel Injection

Vehicle Model

CJ-5 CJ-7

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

		☐ Passeng	ger Car	rs K	Light-Duty	Truck	ks 🗖	Medium Duty	/ Veh	nicles
Ma	nuf	acturer America	n Moto	rs Corpo	ration Execut	tive (Order No	• <u>A-17-36</u>		Page 1A Engine
En	gir	ne Family I-TO			Engine	e (CII) 258			Code
Επ	Emission Control System AI, EGR, OC +10%(A/C) Yes No X									
		Vehicle Models (If Coded see attachment)	Trans	Inertia Weight Class	Distributor Type V, EI, C	Type Mfgr.	1 - 10	Part No.	S pec (1)	e-Up cification Basic Timing Idle Mixture
					Part Number	Part	Number	service	(3)	Idle Speed
	AC- ST	CJ-7	A-3	3500	Motorcraft D8FE- 12127-EA	720		G-61351 I- 30,000 mi	• •	8° + 2° BTDC 0 550 RPM in drive with vacuum line off and plugged.
					AM Part # 3232434		Part # 1190		(2)	25 RPM drop from lean peak.
							<i></i>	·	(3)	550 <u>+</u> 100 RPM in drive.
	MC- IST	CJ-5	M-3 M-4	3000			0 Part #	G-61379 I- 30,000 mi		8° + 2° BTDC 0 850 RPM in neutra with vacuum line off and plugged.
ı		CJ-7	M-3	2500	-	535	7422	•	(2)	50 RPM drop from lean peak.
			M-4	3500					(3)	850 \pm 100 RPM in neutral.
	,									
ء۶ا	Comments: models have special road load HP settings. See page I for abbreviations and model codes. Engine codes KAC-3ST and KMC-3ST are part time 4-wheel drive.									
Da	Date of Issue Revisions:									