State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-58 Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Chrysler Corporation exhaust emission control systems for 1978 model-year medium duty vehicles are certified for the vehicles described below:

Engine Family: MD-225-2-KP Engine: 225 CID Transmission: 3-speed automatic, 3 and 4-speed manual Exhaust Emission Control System: Air Injection, Engine Modification Exhaust Gas Recirculation, Oxidation Catalyst

Models and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
	Grams per Mile	Grams per Mile	<u>Grams per Mile</u>	
MD-225-2-KP	0.4	5	1.9	

BE IT FURTHER RESOLVED: That the above models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-9 series.

BE IT FURTHER RESOLVED: That the above models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles". CHRYSLER CORPORATION

EXECUTIVE ORDER A-9-58 (Page 2 of 2)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this _____ day of September, 1977.

& p. IRace

G. C. Hass, Chief Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer	Chrysler Corporation	Executive Order	No. <u>A-9-58</u> Page <u>one</u>							
Engine Family _	MD-225-2-KP	Engine (CID)	225							
ABBREVIATIONS										
<u>Distributor</u> C-Centrifugal A V-Vacuum Advanc VR-Vacuum Retar <u>Fuel System</u> EFI nV-nVenturi Car	e CAI-Catalyst A d EGR-Exhaust Gas EM-Engine Modi	on ir Injection s Recirculation	ESAC-Electronic Spark Advance Control OC-Oxidation Catalyst							
Model	Sales Names	Special Horsepo Models	wer Settings Horsepower							
B2 Van	DODGE Tradesman 200 Street Van	B2, PB2 D1	18.5 118.1							
B2 Wag.	DODGE Sportsman Custom Sportsman Royal Sportsman Royal Sportsman S.E.		•							
PB2 Wag.	PLYMOUTH Voyager Voyager Custom Voyager Sport Voyager Sport Premium	1								
D150 Conv.	DODGE Custom Custom Special Adventurer Adventurer S.E. Warlock									
D150 Club Cab	DODGE Custom Custom Special Adventurer Adventurer S.E.		·							

•

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

8. A.

Manufacturer Chrysler Corporation Engine Family MD-225-2-KP					Executive Order No Engine (CID)		Page <u>2</u> Engine Code	
-	sion Control Sys					-10%(A/C)	Yes 🖄 No 🗖	
Eng.	Vehicle Models (If Coded see attachment)		Inertia	Distributor Type C, V Mfgr.	Type _{2V}	Part No.	Tune-Up Specification (1) Basic Timiny (2) Idle Mixture (3) Idle Speed	
MC 1	all Models	M-3 M-4	4000	Chrysler 3874876	Carter BBD-8152S	E 90-683 262946	(1) 8 + 2 ^o BTC W/Vacuu disconnected & plugged at distributor.	
AC1		A-3			BBD-8180S	E90-696 459185	 (2) Propane gain: (See Service Manual). <u>Alternate method</u>: 0.3% (0 ≤ CO% ≤ 2) CO measured @ up- stream catalyst tap @ 750 RPM in neutral W/AI disconnected and plugged. (3) Normal idle speed 750 ± 100 RPM in neutral. 	
Comme See	ents: <u>All</u> bage 1 for abbr	mode evi ati	ls have ons and	special road model codes.	load HP set	tings. (See	page one)	