State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-17-37 Relating to Certification of New Motor Vehicles

AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That American Motors Corporation exhaust emission control systems for 1978 model-year passenger cars are certified for the vehicles described below:

Engine Family: III-C

Engine:

360 CID

Transmission: 3-speed Automatic

Exhaust Emission Control Systems: Air Injection, Exhaust Gas

Recirculation, Oxidation Catalyst

Models and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
III-C	0.27	2.6	1.3

BE IT FURTHER RESOLVED: That the above models also comply with the Board's "Specifications for Fill Pipés and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-17 series.

BE IT FURTHER RESOLVED: That the above models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles".

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 26 day of August, 1977.

G. C. Hass, Chief

Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer_	American	Motors	Corp-Executive Order	NoA-17-37	Page_	1
Engine Family	III-C	orat	ion Engine (CID)	360	·	

ABBREVIATIONS

Distributor
C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
HEI-High Energy Ignition
EI-Electronic Ignition
Fuel System
EFI, FI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AI-Air Injection
CAI-Catalyst Air Injection
CAB-Chamber Air Bleed
DD-Dual Displacement
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EFE-Early Fuel Evaporation
ESAC-Electronic Spark Advance
Control
FI-Fuel Injection

Vehicle Model

Matador

2-door 4-door Wagon

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	facturer Americ	•	ors Corpo	oration Execu	Trucks tive Order No c (CID) 360	A-17-37		Page 1A Engine RAC-3Q-3 Code RAG3Q-2
•	sion Control Sys	stem _				-10%(A/C)	Yes	XIXI No 🗆
	Vehicle Models (If Coded see attachment)	Trans	Inertia Weight Class	Type V, EI,		Part No.	Spec (1) (2)	-Up ification Basic Timing Idle Mixture Idle Speed
RAC-3Q-2	4-door 2-door Wagon	A-3	4500	Motorcraft D8FE 12127-KA AM Part # 3233174	Motorcraft 8RA2C AM Part # SF- 3231409	G-61665 AM Part # 3230846 I- 30,000 mi 3233832 I- 30,000 mi	(2)	10° ± 2° BTDC @ 650 RPM in drive with vacuum line off and plugged 20 RPM drop from lean peak. 650 ± 100 RPM in drive
Comm See	ents: page for abbr	mode eviati	ls have s	special road model codes.	load HP set	tings.		
Date	of Issue Engine code R		visions: 3 added p	per running o	change No. 78	-23		,