State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-5-38 Relating to Certification of New Motor Vehicles

TRIUMPH MOTORS OF BRITISH LEYLAND (UK) LIMITED

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Triumph Motors of British Leyland (UK) Limited exhaust emission control systems for 1978 model-year passenger cars are certified for the vehicles described below:

Engine Family: RV8/50C/C

Engine: 215 CID

Transmission: 5-Speed Manual and 3-Speed Automatic

Exhaust Emission Control Systems: Exhaust Gas Recirculation, Oxidation

Catalyst, Air Injection

Models and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
	Grams per Mile	Grams per Mile	Grams per Mile	
RV8/50C/C	0.29	3.6	1.0	

BE IT FURTHER RESOLVED: That the above models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-5 series.

BE IT FURTHER RESOLVED: That the above models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles".

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this ______ day of January, 1978.

G. C. Hass, Chief

Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	🖾 Passen	ger Ca	rs [light-Duty	Trucks	Medium Dut	y Vel	hicles
	facturer _{British}	•						Engine
Engi	ne Family <u>RV8/5</u>	0C/C		Engine	e (CID) <u>215</u>			_ Code 2 <u>158/50C/C</u>
Emis	sion Control Sy	stem _	AI,EGR,	oc		+10%(A/C)	Yes	□3 No □
	Vehicle Models (If Coded see attachment)	Trans		Type C,V, VR,EI Mfgr.	Fuel System Type 2-IV VV, maske Mfgr. 485 Part Number	Part No.	Spe (1) (2)	e-Up cification Basic Timing Idle Mixture Idle Speed
	Triumph TR8	A-3 M-5	3000	Lucas 41682A BL Part # ERC 3047	Zenith 3891 BL Part # ERC 3433 (LH) ERC 3432 (RH)	7975690 BL Part # ERC 3143 I- 50,000 mi.	(2)	5° ATDC at idle speed with vacuum advance and retard connected 4+ 1.5% CO; disconnect and plug air injection at check valves 800 + 100 - 50 RPM Blip throttle to ensure auto choke is off.
See	ents: page T for abbr	eviati	ls have ons and visions:	model codes.	load HP set	tings.		
Date	ot 12206	r.e	412101121					

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer_	British Leyland	Executive Order No	A-5-38	Page1_	
					
Engine Family	RV8/50C/C	Engine (CID) 215			

ABBREVIATIONS

<u>Distributor</u>
C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
HEI-High Energy Ignition
EI-Electronic Ignition
Fuel System
EFI, FI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AI-Air Injection
CAI-Catalyst Air Injection
CAB-Chamber Air Bleed
DD-Dual Displacement
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EFE-Early Fuel Evaporation
ESAC-Electronic Spark Advance
Control
FI-Fuel Injection

Vehicle Model

Triumph TR8