## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-134-1 Relating to Certification of New Motor Vehicles

## MUSKETEER MFG. CO.

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Musketeer Mfg. Co. exhaust emission control systems for 1978 model-year light-duty trucks are certified for the vehicles described below:

Engine Family: 20R (TC) Displacement: 133.6 CID Exhaust Emission Control Systems: Air Injection, Exhaust Gas Recirculation. Oxidation Catalyst

Models, Transmissions and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	<u>Grams per Mile</u>	<u>Grams per Mile</u>	Grams per Mile
20R (TC)	0.2	9 · · · ·	1.7

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles".

MUSKETEER MFG. CO.

EXECUTIVE ORDER A-134-1 (Page 2 of 2)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this \_\_\_\_\_ day of April, 1978.

G.C. Rim

G. C. Hass, Chief Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Musketeer Mfg. Co. Executive Order No. A-134-1 Page 1 Engine Family 20R (TC) \* Engine (CID)\_133.6 ABBREVIATIONS Distributor Exhaust Emissions Control System C-Centrifugal Advance AI-Air Injection OC-Oxidation Catalyst V-Vacuum Advance CAI-Catalyst Air Injection PAI-Pulse Air Injection VR-Vacuum Retard CAB-Chamber Air Bleed **RC-Reduction** Catalyst HEI-High Energy Ignition DD-Dual Displacement TC-Turbo Charged EI-Electronic Ignition EFI-Electronic Fuel Injection **TR-Thermal Reactor** Fuel System EGR-Exhaust Gas Recirculation TWC-Three Way Catalyst EFI, FI EM-Engine Modification (Feedback Control) nV-nVenturi Carburetor EFE-Early Fuel Evaporation EGR Syst. Service I-Inspect, repair/replace VV-Variable Venturi ESAC-Electronic Spark Advance Control as needed FI-Fuel Injection R-Replace

Engine Code

CM-CT

<u>Model</u>

Muskeet Mini Motorhome

4M

Transmission

## 1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

attachment) Class Mfgr. Part Number Mfgr. Part Number Part No. Service (1) (2) (3)   CM-CT Muskeet Mini Motorhome 4M 4000 19100-38060 21100-38161 25620- 38121 (1) & (2)   (3) 4M 4000 19100-38060 21100-38161 25620- 38121 (1) & (2)	🗌 Passenger Cars 🛛 🖾 Light-Duty Trucks 🛛 Medium Duty Vehicles				
Emission Control SystemAI, EGR, OC+10%(A/C)YesEng. Vehicle Models Code (If Coded see attachment)Inertia Weight ClassDistributor TypeFuel System TypeEGR System SpecEGR System SpecTune SpecMfgr. Part NumberMfgr. Part NumberPart No. (1) (2) (3)(1) (2) (3)CM-CT Motorhome4M400019100-3806021100-3816125620- 38121(1) & (2) (3)					
Eng. Vehicle Models Code (If Coded see attachment)Inertia Weight ClassDistributor TypeFuel System TypeEGR System SpecTune SpecMfgr. Part NumberMfgr. Part NumberPart No. Service(1) (2) (3)CM-CT Motorhome4M400019100-3806021100-3816125620- 38121(1) & (2) (3)	Engine Code				
Code(If Coded see attachment)TransWeight ClassType Mfgr. 	🗆 No 🖄				
Mfgr. Part Number   Mfgr. Part Number   Part No. Part Number   Part No. Service   (1) (2) (3)     CM-CT   Muskeet Mini Motorhome   4M   4000   19100-38060   21100-38161   25620- 38121   (1) & (2)     (3)   (1)   (1)   (1)   (1)   (1)	-Up ification				
Motorhome 38121 (2) L (3) 8	Basic Timing Idle Mixture Idle Speed				
(3) 8	3° BTDC @ Idle.				
	ean drop idle. 300 RPM.				
	Drop Method				
value	to the following at best idle				
idle	920A, RPM turn mixture adjust- crew until 800M,				
Comments:models have special road load HP settings. See page 1 for abbreviations and model codes. (41.1 Sq. Ft. x 0.58 = 24	цр				
See page 1 for abbreviations and model codes. (41.1 Sq. Ft. x 0.58 = 24 H.P.) Date of Issue Revisions:					
April 1, 1978					