State of California AIR RESOURCES BOARD

E.O. BOOK

EXECUTIVE ORDER A-143 Relating to Certification of New Motor Vehicles

MIRAGE MOTORHOMES, INC.

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Mirage Motorhomes, Inc. exhaust emission control systems for 1978 model-year light-duty trucks are certified for the vehicles described below:

Engine Family: 20R (TC) Displacement: 133.6 Exhaust Emission Control Systems: Air Injection, Exhaust Gas Recirculation, Oxidation Catalyst

Models, Transmissions and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	<u>Grams per Mile</u>	Grams per Mile
20R (TC)	0.2	9	1.6

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-143 series.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles".

MIRAGE MOTORHOMES, INC.

5

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this $\cancel{24}$ day of February, 1978.

G. C. Hass, Chief Vehicle Emissions Control Division

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER AA-143 Relating to Temporary Exemption from "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks"

MIRAGE MOTORHOMES, INC.

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Section 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-4;

IT IS ORDERED AND RESOLVED: That Mirage Motorhomes, Inc. has been found to comply with the requirements specified by Executive Order G-70-3 for a temporary exemption from full compliance with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for 1978 model-year vehicles listed below:

Engine Family

Vehicle Model

20R (TC)

Mini-Mirage

BE IT FURTHER ORDERED AND RESOLVED: That this exemption is contingent upon Mirage Motorhomes, Inc. ensuring that the above models will have a positive fill angle with the nozzle in the normal resting position.

Executed at El Monte, California, this 27 day of February, 1978.

B. C. IKAN

G. C. Hass, Chief Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	rage Motorhomes, In					-	 •
Engine Family_	20R (TC)	Engine (C	ID)	133.6	·		

ABBREVIATIONS <u>Distributor</u> C-Centrifugal Advance V-Vacuum Advance VR-Vacuum Retard HEI-High Energy Ignition EI-Electronic Ignition Fuel System EFI, FI nV-nVenturi Carburetor VV-Variable Venturi

Exhaust Emissions Control System AI-Air Injection CAI-Catalyst Air Injection CAB-Chamber Air Bleed DD-Dual Displacement EFI-Electronic Fuel Injection EGR-Exhaust Gas Recirculation EM-Engine Modification EFE-Early Fuel Evaporation ESAC-Electronic Spark Advance Control FI-Fuel Injection

OC-Oxidation Catalyst PAI-Pulse Air Injection RC-Reduction Catalyst TC-Turbo Charged TR-Thermal Reactor TWC-Three Way Catalyst (Feedback Control) EGR Syst. Service I-Inspect, repair/replace as needed R-Replace

Engine

CM-CT

Model

<u>Transmission</u>

Mini-Mirage

4M

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	1	🛛 Passen	ger Ca	rs D	🛛 Light-Duty	Trucks 🛛	Medium Dut	y Vehicles
J	Manuf	acturer <u>Mirage</u>	Motorh	omes, In	c. Execut	tive Order No	• <u> </u>	Page <u>2</u> Engine
Engine Family <u>20R (TC) (Toyota)</u> Engine (CID) <u>133.6</u>								Code
	Emiss	ion Control Sy	stem	AI, EGR,	00		+10%(A/C)	Yes 🗇 No 🖄
	Code (Vehicle Models (If Coded see attachment)		Inertia Weight Class	Distributor Type	Fuel System Type	EGR System	Tune-Up Specification
						Mfg r. Part Number	Part No. Service	 Basic Timing Idle Mixture Idle Speed
	СМ-СТ	Mini-Mirage	4 M	4000	19100-38060	21100-38161	25620- 38121	(1) 8° BTDC @ Idle. (2) Lean drop idle. (3) 800 RPM.
								Lean Drop Method
								Set to the following value at best idle 870M, 920A, RPM turn idle mixture adjusting screw until 800M, 850A
			- - -					
Comments: Yesmodels have special road load HP settings. 24 H.P. See page 1 for abbreviations and model codes.							H.P.	
	Date d	of Issue 12-28	-77Rev	isions:				· · · · ·