State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-144 Relating to Certification of New Motor Vehicles

GREAT AMERICAN GROUP

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Great American Group exhaust emission control systems for 1978 model-year light-duty are certified for the vehicles described below:

Engine Family: 20R (TC)

Engine: 133.6

Transmission: 4-speed manual

Exhaust Emission Control Systems: Air Injection, Exhaust Gas

Recirculation, Oxidation Catalyst

Models and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
20R(TC)	0.2	9	1.6

BE IT FURTHER RESOLVED: That the above models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-144 series.

BE IT FURTHER RESOLVED: That the above models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles".

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 23 day of January, 1978.

G. C. Hass, Chief

Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Great American	Group Executive Order No	A-144 Page 1
Engine Family 20R(TC)	Engine (CID)133.	
ABBREVIATIONS <u>Distributor</u> C-Centrifugal Advance V-Vacuum Advance VR-Vacuum Retard HEI-High Energy Ignition EI-Electronic Ignition Fuel System EFI, FI nV-nVenturi Carburetor VV-Variable Venturi	Exhaust Emissions Control AI-Air Injection CAI-Catalyst Air Injection CAB-Chamber Air Bleed DD-Dual Displacement EFI-Electronic Fuel Inject EGR-Exhaust Gas Recircula EM-Engine Modification EFE-Early Fuel Evaporatio ESAC-Electronic Spark Adv Control FI-Fuel Injection	OC-Oxidation Catalyst PAI-Pulse Air Injection RC-Reduction Catalyst TC-Turbo Charged TR-Thermal Reactor TWC-Three Way Catalyst (Feedback Control) EGR Syst. Service
Engine	Mode1	Transmission
CM-CT	ENTERPRISE	4M

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

j	nger Cars				
Manufacturer Grea					Page 2 Engine
Engine Family 20R(TC) (Toyota)	Engine	e (CID) 13	33.6	Code
Emission Control Sy	ystem AI, E	R, OC	+	+10%(A/C)	Yes □ No 🔯
Eng. Vehicle Models Code (If Coded see attachment)		Mfgr.	Туре	Part No.	Tune-Up Specification (1) Basic Timing (2) Idle Mixture
		Part Number	rart Number	Service	(3) Idle Speed
CM-CT Enterprise	4M 4000	19100-38060	21100-38161	25620-38121	(1) 8° BTDC @ Idle. (2) Lean drop idle. (3) 800 RPM. Lean Drop Method Set to the following value at best idle 870M, 920A, RPM turn idle mixture adjusting screw until 800M, 850A.
Comments: Yes See page I for abb	models have reviations and	special road model codes.	load HP set	tings. 24	H.P.
Date of Issue 1/20	/78 Revision	:			,