#### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-17-41 Relating to Certification of New Motor Vehicles

## AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That American Motors Corporation exhaust emission control systems for 1978 model-year passenger cars are certified for the vehicles described below:

Engine Family: V

Engine: 121 CID

Transmission: 3-Speed Automatic

Exhaust Emission Control Systems: Air Injection, Exhaust Gas

Recirculation, Oxidation Catalyst

Models and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Uxides	
	Grams per Mile	Grams per Mile	Grams per Mile	
V	0.23	3.1	1.2	

BE IT FURTHER RESOLVED: That the above models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-17 series.

BE IT FURTHER RESOLVED: That the above models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles".

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 23 day of October, 1977.

G. C. Hass, Chief

Vehicle Emissions Control Division

### 1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer_	American	Motors Cor	<u>p.</u> Executive	Order No.	A-17-41	Page1
Engine Family	<u>, v</u>		Engine (C	ID) <u>121</u>		

ABBREVIATIONS

Distributor
C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
HEI-High Energy Ignition
EI-Electronic Ignition
Fuel System
EFI, FI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AI-Air Injection
CAI-Catalyst Air Injection
CAB-Chamber Air Bleed
DD-Dual Displacement
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EFE-Early Fuel Evaporation
ESAC-Electronic Spark Advance
Control
FI-Fuel Injection

Vehicle Model

Gremlin Concord Sedan

## 1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	•	_		light-Duty			
Manu	facturer Ameri	can Mo	tors	Execu	tive Order No	o. A-17-41	Page IA Engine
Engine Family V				Engine (CID) 121			Code SAC-3S-3
Emis:	sion Control Sy	stem _	AI,EGR,O	<u>C</u>	•	+10%(A/C)	Yes 🗆 No 🔀
Eng. Code	Vehicle Models (If Coded see attachment)	Trans		Mfgr.	Type 1-2V	Part No.	Tune-Up Specification  (1) Basic Timing (2) Idle Mixture (3) Idle Speed
	Gremlin Concord Sedan	A-3	3000	Bosch 0231170207 AM part# 3250163	Holley 7846 AM part# SF - 3230404	Rochester 17056317 AM part# 3231955 * I-30,000	(1) 8°+ 2° BTDC at 800 RPM in drive. vacuum line off & plugged and solenoid discon- nected.  (2) 45 RPM lean drop.  (3) 800+100 RPM in drive.
Comme See p	ents: page I for abbre	model	s have s	pecial road model codes.	load HP seti	tings.	
Date	of Issue Concord Sedan		visions:	ning change	NO 78-26		<del></del>

Clerical error in idle mixture corrected per running change NO. 78-29.