State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-10 Relating to Certification of New Motor Vehicles

AUDI NSU AUTO UNION AG

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Audi NSU Auto Union AG exhaust emission control systems for 1978 model-year passenger cars are certified for the vehicles described below:

Engine Family: Audi 80C Engine: 97 CID Transmission: 3-Speed Automatic and 4-Speed Manual Exhaust Emission Control System: Exhaust Gas Recirculation, Fuel Injection, Oxidation Catalyst

Models and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
Audi 80 Cł	0.16	1.6	1.2

BE IT FURTHER RESOLVED: That the above models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-30 series.

BE IT FURTHER RESOLVED: That the above models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles". AUDI NSU AUTO UNION AG

EXECUTIVE ORDER A-30-10 (Page 2 of 2)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this _____ day of September, 1977.

AI/

G. C. Hass, Chief Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Audi NSU Auto Manufacturer Union AG	Executive Order No. <u>A-30-10</u>	Page 1
Engine Family 80C	Engine (CID) 97	

ABBREVIATIONS <u>Distributor</u> C-Centrifugal Advance V-Vacuum Advance VR-Vacuum Retard HEI-High Energy Ignition EI-Electronic Ignition Fuel System EFI, FI nV-nVenturi Carburetor VV-Variable Venturi

Exhaust Emissions Control System AI-Air Injection CAI-Catalyst Air Injection CAB-Chamber Air Bleed DD-Dual Displacement EFI-Electronic Fuel Injection EGR-Exhaust Gas Recirculation EM-Engine Modification EFE-Early Fuel Evaporation ESAC-Electronic Spark Advance Control FI-Fuel Injection

OC-Oxidation Catalyst PAI-Pulse Air Injection RC-Reduction Catalyst TC-Turbo Charged TR-Thermal Reactor TWC-Three Way Catalyst (Feedback Control) EGR Syst. Service I-Inspect, repair/replace as needed R-Replace

Models

Audi Fox Sedan Audi Fox Station Wagon

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	Audi facturer <u>Auto </u>	NSU Jnion <i>I</i>	\G	Execut		A-30-10	Page 2 Engine
	ne Family sion Control Sys						Code Yes □ No Ø
Eng. Code	Vehicle Models (If Coded see attachment)	Trans	Inertia Weight Class	Type C, V VR Mfgr.	Fuel System Type FI Mfgr. Part Number	Part No.	Tune-Up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
YG	Audi Fox Sedan Audi Fox Sta. Wag.	M-4	2 500	049 905 205A	049 131 353D or H or G	PE 20 182 1500 0 miles	<pre>(1) 3 ± 1° ATDC vacuum connected (2) CO max 0.3% @ tailpipe</pre>
YH		A-3	+				(3) 925 <u>+</u> 75 RPM neutral
See	ents: <u>some</u> page I for abbr	eviati	ons and	model codes.	load HP set	tings.	
Date	of Issue 9/14	77 Re	visions:				