State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-146 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Ford Motor Company exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered medium duty vehicles.

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)
4.9 "B" (1X150)	300	Exhaust Gas Recirculation, Air Injection, Oxidation Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

Hydrocarbons Engine Family Grams per Mile		Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
4.9 "B" (1X150)	0.6	16	1.4

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-10 series.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _____ day of August, 1978.

G. C. Hass, Chief

Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer	Ford Motor Co.	Executive Order No.	A-10- 146	Page 1	
Engine Family	4.9"B"(1X150)	Engine (CID)	300		

ABBREVIATIONS
Ignition System
CA-Centrifugal Advance
EI-Electronic Ignition
ESAC
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System AI-Air Injection CCAV-Comb. Chamber Air Valve EFI-Electronic Fuel Injection EGR-Exhaust Gas Recirculation EM-Engine Modification

ESAC-Electronic Spark Advance Control MFI-Mechanical Fuel Injection

WOC-Warm-up Oxidation Catalyst

Model	Body Type	Wheelbase	Box Design	Trim Levels
F-150	Regular Cab	LWB	A or B	1, 2, 3, 4
	Regular Cab Chassis Cab	LWB	-	1, 2, 3, 4
E-150	Regular Van	SWB or LWB	C, D or E	5, 6, 7
	Super Van	LWB	C, D or E	5, 6, 7
	Club Wagon	SWB or LWB	-	5, 6, 7
	Super Wagon	LWB	- '	5, 6, 7
F-250	Regular Cab	LWB	A or B	1, 2, 3, 4
	Super Cab	SWB	A	1, 2, 3, 4
	Regular Cab Chassis Cab	LWB	-	1, 2, 3, 4
	Super Cab Chassis Cab	SWB	-	1, 2, 3, 4
E-250	Regular Van	LWB	C, D or E	5, 6, 7
	Super Van	LWB	C, D, or E	5, 6, 7
	Club Wagon	LWB	•	5, 6, 7
	Super Wagon	LWB	-	5, 6, 7

SWB Short Wheelbase LWB Long Wheelbase

Wheelbase

Box Design Trim Levels

- A. Styleside 1. Custom

 B. Flancaide 2. Panger
- B. Flareside 2. RangerC. Cargo Van 3. Ranger XLT
- D. Display Van 4. Ranger Lariat
 - . Window Van 5. Standard
 - 6. Custom
 - 7. Chateau

Evaporative Family: TA, TM

Date of issue

E.0). j	#A-	10	-1	46

		DECOUDAGE		CHOOL CHECKTAL	DATE CHEES
10/4	$\Delta I R$	RECHINEFA	KUARU	SUPPLEMENTAL	DATA SHEET
1 7 / /	/ \ \ / \	NESCONCES	DUMB	JULLELIENTAL	DAIA SIILE

	Passeng	ger Cars		Light-Dut	y Trucks 2	Medium-Dut	y Vehicles
	anufacturer				ne (CID)3	00	Page 2 Engine Code ** 9-51S-ROB
E	mission Control	System _	EGR	, AI, OC	+ 1	10% (A/C)	Yes No
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys.	Fuel System 1 V Part Number		Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
	F-150 Regular Cab LWB	M-3	4000 (2.75).	Ford D9UE- 12127-KA	Certer D9TE- 9510-KA	D9TE- 9D448-GA	(1) 6° BTDC @ 500 RPM in neutral W/Vacuum hoses disconnected & plugged at
	Regular Cab LWB	M-4 . (OD)					distributor. (2) Preset at factory.
	Cab & Chassis Regular Cab LWB	M-3					Do not adjust. See 1979 Ford Service Manual.
	Cab & Chassis Regular Cab LWB	M-4 (OD)					(3) 700 ± 50 RPM in neutral. 500 ± 50 RPM in neutral W/TSP Off. All hoses connected.
,							
Commo	nts See page o	ne for a	hhroviati	one and evi	anorative emis	sion family	identification

Date of Issue -

^{*} Axle ratio is that of medium duty certification vehicle.

^{**} Engine Code Letter Suffix (Air Condition): A - A/C, N - Non A/C, B - Both A/C & Non A/C

E	 0	#A-	-1	0-	- 1	46

1070	A T D	DECUMBLE	DUVDU	SLIPPI EMENTAL	DATA CHEET
14/7	MIR	TE SUUMILE S	DUARU	SUPPLEMENTAL	DATA SOFFI

	Passeng	er Cars		Light-Dut	y Trucks [Medium-Duty	Vehic1	les [°]
	lanufacturer				ne (CID)	300	Page Engine Code *	3 : r*9-51T-ROB
Ε	mission Control	System _	EGR, AI,	, oc .	+ 1	10% (A/C)	Yes	No
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys.	Fuel System 1 V Part Number		(1) Ba	IP fication asic Timing alle Mixture alle Speed
	E-150 Regular Van SWB, LWB Super Van LWB Club Wagon SWB, LWB Regular Van SWB Regular Van LWB E-150 Super Van LWB Club Wagon SWB, LWB	M-4 (OD)	4500	Ford D9UE- 12127-NA	Carter D9TE 9510-ZB		RPM W/V dis plu dis (2) Pre Do See Ser (3) 700 neu 50 W/T:	BTDC @ 500 in neutral acuum hoses connected & gged at tributor. set at factory. not adjust. 1979 Ford vice Manual. + 50 RPM in tral 500 + RPM in neutral SP Off. All es connected.

Date of Issue -081178

Revisions: (1) R/C 4.9-115 Added axle ratios. 111678

^{*} Axle ratio is that of medium duty certification vehicle.

^{**} Engine Code Letter Suffix (Air Condition): A - A/C, N - Non A/C, B - Both A/C & Non A/C

E.O.	#A-	10	-14	6
------	-----	----	-----	---

•	Passeng	jer Cars		Light-Dut	y Trucks [³	Medium-Duty	/ Vehicles
, p	lanufacturer	Ford N	lotor Co	mpany			Page 4
U E	ngine Family 4	.9 "B" (1	X 150)	Engi	ne (CID)3	00	Engine Code ** 9-52J-ROB
Ε	mission Control	Yes No					
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys.	Fuel System 1 V Part Number		Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
	F-250 Regular Cab LWB Super Cab SWB	A-3	4500 (3.31)	D9TE-	Carter D9TE- 9510-MA	D9TE- 9D448-LA	(1) 10° BTDC @ 500 RPM in Neutral W/Vacuum hoses disconnected plugged at distributor.
`	Cab & Chassis Regular Cab LWB Cab & Chassis Super Cab						(2) Preset at factory. Do not adjust. See 1979 Ford Service Manual.
	SWB		·				(3) 550 ± 50 RPM in drive. 500 ± 50 RPM in neutral W/TSP Off. All hoses connected.
			·				

Date of Issue -

^{*} Axle ratio is that of medium duty certification vehicle.

^{**} Engine Code Letter Suffix (Air Condition): A - A/C, N - Non A/C, B - Both A/C & Non A/C

	,	979 AIR	RESOURCE:	S BOARD SUP	PLEMENTAL DATA	A SHEET	E.O. #A-10-146
	Passeng	ger Cars		Light-Dut	y Trucks	Medium-Duty	/ Vehicles
e N	lanufacturer	Ford N	lotor Co	ompany			Page5
	ngine Family	4.9 "B"	(1 X 150)	Engi	ne (CID)3	00	Engine Code ** 9-52M-ROB
E	mission Control	System _	EGR, AI	, oc	+ 1	10% (A/C)	Yes No
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys.	Fuel System 1 V Part Number		Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
	E-150 Super Wagon LWD E-250 Regular Van LWB Super Van LWB Club Wagon LWB Super Wagon LWB	A-3	(3.31)	D9UE-	Carter D9TE- 9510-NA	D9TE- 9D448-EA	(1) 10° BTDC @ 500 RPM in neutral W/Vacuum hoses disconnected & Plugged at distributor. (2) Preset at factory Do not adjust. See 1979 Ford Service Manual. (3) 550 + 50 RPM in drive. 500 + 50 RPM in neutral W/TSP Off. All hoses connected.

Date of Issue -

^{*} Axle ratio is that of medium duty certification vehicle.

^{**} Engine Code Letter Suffix (Air Condition): A - A/C, N - Non A/C, B - Both A/C & Non A/C

1	. 1	979 AIR	RESOURCE:	S BOARD SUP	PLEMENTAL DATA	A SHEET	E.O. #A-10-146
	Passeng	ger Cars		Light-Dut	y Trucks [Medium-Duty	Vehicles
М	anufacturer	Ford 1	Motor Co	ompany			Page 7
E	ngine Family	Engine Code ** 9-52L-ROB					
Ε	mission Control	System _	EGR, AI	i, oc	+ 1	10% (A/C)	Yes No
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys.	Fuel System 1 V Part Number		Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
	E-150 Regular Van LWB SWB Super Van LWB Club Wagon LWB SWB	A-3	4500 (2.75)	Ford D9UE-	Carter D9TE- 9510-&A	D9TE- 9D448-EA	(1) 10° BTDC @ 500 RPM in neutral W/Vacuum hoses disconnected & Plugged at distributor. (2) Preset at factory Do not adjust. See 1979 Ford Service Manual. (3) 550 + 50 RPM in drive. 500 + 50 RPM in neutral W/TSP Off. All hoses connected.

Date of Issue - 101778 Revisions R/C 4.9-111

^{*} Axle ratio is that of medium duty certification vehicle.

^{**} Engine Code Letter Suffix (Air Condition): A - A/C, N - Non A/C, B - Both A/C & Non A/C

1979	ATR	RESOURCES	ROARD	SUPPLEMENTAL	DATA SHEET
1312	U 1 1/	バにつひらいしとう	DOVDD	JULI LELITER TAL	DAIA SHLLI

	Passeng	ger Cars		Light-Dut	y Trucks	Medium-Duty	/ Vehicles
	anufacturer ngine Family <u>4.</u>					00	Page <u>8</u> Engine Code ** 9-51G-ROB
Ε	mission Control	System _	EGR,	, AI, OC	+ 1	10% (A/C)	Yes No
ing. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys.	Fuel System 1 V Part Number		Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
-	F-150 Regular Cab LWB	M-3	(3.00)	Ford D9UE- 12127-KA	Carter D9TE- 9510-MA	D9TE- 9D448-GA	(1) 6° BTDC @ 500 RPM in neutral W/Vacuum hoses disconnected &
	Regular Cab LWB	M-4. (OD)					plugged at distributor. (2) Preset at factory.
•	Cab & Chassis Regular Cab LWB	M-3 .					Do not adjust. See 1979 Ford Service Manual.
	Cab & Chassis Regular Cab LWB	M-4 (OD)					(3) 700 ± 50 RPM in neutral. 500 ± 50 RPM in neutral W/TSP Off. All hoses connected.
•							
			·				-
							i

Date of Issue - 111678 Revisions R/C 4.9-115

^{*} Axle ratio is that of medium duty certification vehicle.

^{**} Engine Code Letter Suffix (Air Condition): A - A/C, N - Non A/C, B - Both A/C & Non A/C