

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-151  
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Ford Motor Company exhaust emission control systems for 1979 model-year gasoline-powered medium duty vehicles are certified for the vehicles described below:

<u>Engine Family</u>	<u>Displacement Cubic Inches</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
7.5 "A" (1X150)	460	Exhaust Gas Recirculation, Air Injection, Oxidation Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
7.5 "A" (1X150)	0.6	7	2.2


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-10 series.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 31 day of July, 1978.



G. C. Hass, Chief  
Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Ford Motor Co. Executive Order No. A-10-151 Page 1  
 Engine Family 7.5"A"(1X150) Engine (CID) 460

**ABBREVIATIONS**

Ignition System

CA-Centrifugal Advance  
 EI-Electronic Ignition  
 ESAC  
 VA-Vacuum Advance  
 VR-Vacuum Retard

Exhaust Emissions Control System

AI-Air Injection  
 CCAV-Comb. Chamber Air Valve  
 EFI-Electronic Fuel Injection  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification

OC-Oxidation Catalyst  
 PAI-Pulse Air Injection  
 TC-Turbo Charged  
 TR-Thermal Reactor  
 TWC-Three Way Catalyst  
 (Feedback Control)  
 WOC-Warm-up Oxidation  
 Catalyst

Fuel System

EFI, MFI  
 nV-nVenturi Carburetor  
 VV-Variable Venturi

ESAC-Electronic Spark Advance  
 Control  
 MFI-Mechanical Fuel Injection

<u>Model</u>	<u>Body Type</u>	<u>Wheelbase</u>	<u>Box Design</u>	<u>Trim Levels</u>
F-150	Regular Cab	LWB	A or B	1, 2, 3, 4
	Super Cab	SWB or LWB	A	1, 2, 3, 4
	Cab & Chassis Regular Cab	LWB	-	1, 2, 3, 4
	Cab & Chassis Super Cab	SWB or LWB	-	1, 2, 3, 4
E-250	Regular Van	LWB	C, D, or E	5, 6, 7
	Super Van	LWB	C, D, or E	5, 6, 7
	Club Wagon	LWB	-	5, 6, 7
	Super Wagon	LWB	-	5, 6, 7
F-250	Regular Cab	LWB	A or B	1, 2, 3, 4
	Super Cab	SWB or LWB	A	1, 2, 3, 4
	Crew Cab	LWB	A	1, 3
	Cab & Chassis Regular Cab	LWB	-	1, 2, 3, 4
	Cab & Chassis Super Cab	SWB or LWB	-	1, 2, 3, 4
	Cab & Chassis Crew Cab	LWB	-	1, 3

Wheelbase

SWB-Short Wheelbase  
 LWB-Long Wheelbase

Box Design

A. Flareside  
 B. Styleside  
 C. Cargo Van  
 D. Display Van  
 E. Window Van

Trim Levels

1. Custom  
 2. Ranger  
 3. Ranger XLT  
 4. Ranger Lariat  
 5. Standard  
 6. Custom  
 7. Chateau

Evaporative Family: TP

Date of Issue

Revisions

Passenger Cars       Light-Duty Trucks       Medium-Duty Vehicles

Manufacturer Ford Motor Company Page 2

Engine Family 7.5"A"(1X150) Engine (CID) 460 Engine Code \*\* 9-66G-ROB

Emission Control System EGR, AIR, OC + 10% (A/C) Yes  No

Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys.	Fuel System	EGR Valve	Tune-up Specification
				CV	4V		
				Part Number	Part Number	Part Number	
	F-150 Regular Cab LWB Super Cab SWB, LWB	A-3	5000 (3.54)	Ford D9TE-12127-AGA	Ford D9TE-9510-AEA	D8TE-9D448-JA	(1) 14° BTDC @ 650 RPM (TSP Off) in neutral W/hoses disconnected & Plugged at the distributor.  (2) Preset at factory. Do not adjust. See 1979 Ford Service Manual.  (3) 650 RPM in drive, 800 RPM in neutral W/TSP Off.
	Cab & Chassis Regular Cab LWB Cab & Chassis Super Cab SWB, LWB		5500 (3.07) (4.10)				
	E-250 Regular Van LWB Super Van LWB						
	Club Wagon LWB Super Wagon LWB		6000 (3.07)				

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

\* Axle ratio is that of medium duty certification vehicle.

\*\* Engine Code Letter Suffix (Air Condition): A - A/C, N - Non A/C, B - Both A/C & Non A/C

Date of Issue -                      Revisions

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A-10-151

Passenger Cars       Light-Duty Trucks       Medium-Duty Vehicles

Manufacturer Ford Motor Company

Page 2a

Engine Family 7.5"A"(1X150)

Engine (CID) 460

Engine Code \*\* 9-66G-ROB

Emission Control System EGR, AIR, OC + 10% (A/C)

Yes  No

Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys.	Fuel System	EGR Valve	Tune-up Specification
				C V	4 V		
				Part Number	Part Number	Part Number	
	F-250 Regular Cab LWB	A-3	5000	Ford D9TE- 12127-AGA	Ford D9TE- 9510-AEA	D8TE- 9D448-JA	(1) 14° BTDC @ 650 RPM (TSP Off) in neutral W/hoses disconnected & plugged at the distributor.  (2) Preset at factory. Do not adjust. See 1979 Ford Service Manual.  (3) 650 RPM in drive, 800 RPM in neutral W/TSP Off.
	Super Cab SWB, LWB		5500				
	Crew Cab LWB						
	Cab & Chassis Regular Cab LWB						
	Cab & Chassis Super Cab SWB, LWB						
	Cab & Chassis Crew Cab LWB						

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

\* Axle ratio is that of medium duty certification vehicle.

\*\* Engine Code Letter Suffix (Air Condition): A - A/C, N - Non A/C, B - Both A/C & Non A/C

Date of Issue -                      Revisions