

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-4-60  
Relating to Certification of New Motor Vehicles

INTERNATIONAL HARVESTER COMPANY

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That International Harvester Company exhaust emission control systems for 1979 model-year gasoline-powered medium-duty vehicles are certified for the vehicles described below:

<u>Engine Family</u>	<u>Displacement Cubic Inches</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
4-196	196	Air Injection Oxidation Catalyst Exhaust Gas Recirculation

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

<u>Family Engine</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
4-196	0.4	8	1.7


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 19 day of July, 1978.



G. C. Hass, Chief  
Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A 4 -60

Passenger Cars       Light-Duty Trucks       Medium-Duty Vehicles

Manufacturer International Harvester Company Page 1A

Engine Family 4-196 Engine (CID) 196 Engine Code 1

Emission Control System AI, EGR, DC + 10% (A/C) Yes      No X

Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys. Control Parameter CA, VA, EI	Fuel System Type: 1-IV Mfgr: Part Number	EGR Valve	Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
1	Scout II 4x2 Scout II 4x4 Terra 4x4 SS II 4x4	M-3	4000 (4.09)*	Prestolite IDN- 4001B	Holley List 7771	Rochester 17061715	(1) TDC @ 700 RPM Disconnect vacuum advance line from distributor and plug line  (2) 0.3-1.5% CO, 40 RPM Speed Drop. When making idle adjustments disconnect vacuum hose from vapor storage canister and plug end of hose.  (3) 700 + 25 RPM  Idle speed and fuel mixture adjustments must be made with parking brake applied, air cleaner in place, transmission in neutral and air conditioning "off".
		M-4	4000 (3.54)*  4000 (4.09)	IH Part # 496003- C91	IH Part # 480797- C91	no service	

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

\*Axle ratio is that of medium duty certification vehicle.

Date of Issue - Scout II 4x2, 4000 #IW, M-4 not available with 4.09 standard axle ratio.

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer International Har. Executive Order No. A-4-60 Page 1

Engine Family 4-196 Engine (CID) 196

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
EI-Electronic Ignition  
ESAC  
VA-Vacuum Advance  
VR-Vacuum Retard

Fuel System

EFI, MFI  
nV-nVenturi Carburetor  
VV-Variable Venturi

Exhaust Emissions Control System

AI-Air Injection  
CCAV-Comb. Chamber Air Valve  
EFI-Electronic Fuel Injection  
EGR-Exhaust Gas Recirculation  
EM-Engine Modification

ESAC-Electronic Spark Advance Control  
MFI-Mechanical Fuel Injection

OC-Oxidation Catalyst  
PAI-Pulse Air Injection  
TC-Turbo Charged  
TR-Thermal Reactor  
TWC-Three Way Catalyst  
(Feedback Control)  
WOC-Warm-up Oxidation Catalyst

Vehicle Model

Scout II 4x2  
Scout II 4x4  
Terra 4x4  
SS II 4x4