State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-153 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Ford Motor Company exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)		
4.1 "A" (1x150)	250	Exhaust Gas Recirculation, Air Injection, Oxidation catalyst		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
4.1 "A" (1x150)	0.30	2.6	1.3

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-10 series.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _____ day of August, 1978.

G. C. Hass, Chief

Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer	Ford Motor Co.	Executive Ord	ler No. A-10-153	Page1
Engine Family	4.1"A"(1X150)	Engine (CID)	250	

ABBREVIATIONS

Ignition System
CA-Centrifugal Advance
EI-Electronic Ignition
ESAC
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System AI-Air Injection CCAV-Comb. Chamber Air Valve EFI-Electronic Fuel Injection EGR-Exhaust Gas Recirculation EM-Engine Modification

ESAC-Electronic Spark Advance Control MFI-Mechanical Fuel Injection OC-Oxidation Catalyst
PAI-Pulse Air Injection
TC-Turbo Charged
TR-Thermal Reactor
TWC-Three Way Catalyst
(Feedback Control)
WOC-Warm-up Oxidation
Catalyst

Model	Body Type	Body Code	Model Name
Granada	2-Door Sedan	66н	Granada, Granada ESS, Granada Ghia
	4-Door Sedan	54н	Granada, Granada ESS, Granada Ghia
Monarch	2-Door Sedan	66н	Monarch/Monarch ESS/Monarch Ghia
	4-Door Sedan	54н	Monarch/Monarch ESS/Monarch Ghia

Evaporative Family: G

Date of issue

Revisions

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	X Passeng	er Cars		Light-Duty	/ Trucks	Medium-Duty	Vehic	les
M	lanufacturer	Ford I	lotor Co	mpany			Page _	
E	ngine Family 4.	l"A"(1X1	50)	Engir	ne (CID) <u>25</u> 0)		9-9P-ROA 9-9P-RON
E	mission Control	System _	EG	R, AI, OC	+ 1	0% (A/C)	Yes	No
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class	Ign. Sys.	Fuel System 1V Part Number		(1) Ba	up fication asic Timing dle Mixture dle Speed
	Granada Sedan 66H 54H Monarch Sedan 66H 54H	A-3	3500	Ford D8DE- 12127-CA	Carter D9DE- 9510-AA W/A/C D9DE- 9510-BA WO/A/C	D9DE- 9D448-CA	Max in Vac dis at (2) Pre Do See Ser (3) WO/ RPM W/A RPM A/C Com dis 450 dri TSP	BTDC @ 750 RPM in neutral W/ neutral W/ neutral W/ not aline connected distributor. Set at factory. not adjust. 1979 Ford vice Manual. A/C - 600 + 50 in drive. A/C - 600 + 50 in drive, A/C 700 + 50 in drive W/ ON. pressor connected. + 50 RPM in ve, A/C OFF. OFF. All es connected.
Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.								

Date of Issue -

Revisions

E.O. #A-10-153

1979	ATR	RESOURCES	ROARD	SUPPLEMENTAL	DATA	SHEFT
1717	UIV	VESCOVOES	DUAND	JULTELLIGHTAL	חותש	JIILLI

	X Passeng	ger Cars		Light-Duty	/ Truċks [Medium-Duty	y Vehicles
nufacturer Ford Motor Company						_ Page3	
						Engine 9-9p-R10A Code** 9-9p-R10N	
E	mission Control	System _	EG	R, AI, OC	+ 1	0% (A/C)	Yes No
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class	CA, VA	Fuel System 1V Part Number		Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
	Granada Sedan 66H 54H Monarch Sedan 66H 54H	A-3	3500	Ford D8DE- 12127-CA	Carter D9DE- 9510-AB W/A/C D9DE- 9510-BB WO/A/C	D9DE - 9D448-CA	(1) 6° BTDC @ 750 Max. RPM in in neutral W/ Vacuum line disconnected at distributor. (2) Preset at factory. Do not adjust. See 1979 Ford Service Manual. (3) WO/A/C - 600 + 50 RPM in drive. W/A/C - 600 + 50 RPM in drive, A/C OFF. 700 + 50 RPM in drive W/ A/C ON. Compressor disconnected. 450 + 50 RPM in drive, A/C OFF. TSP OFF. All hoses connected.

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

**Engine Code Letter Suffix (Air Condition): A - A/C, N - Non A/C, B - Both A/C & Non A/C

Date of Issue - R/C 4.1-9 011779

R sions: