## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-14-24 Relating to Certification of New Motor Vehicles

## TOYOTA MOTOR COMPANY, LTD.

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Toyota Motor Company, Ltd. exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)		
4M	156.4	Air Injection Exhaust Gas Recirculation		
	;	Oxidation Catalyst		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
4M	0.18	3.5	1.1

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

TOYOTA MOTOR COMPANY, LTD.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 22day of September, 1978.

G. C. Hass, Chief

Vehicle Emissions Control Division

## 1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer <u>Toyota</u>	Executive Order No. A-14-24	Page 1
Engine Family 4M	Engine (CID)156.4	<del></del>
ABBREVIATIONS Ignition System CA-Centrifugal Advance EI-Electronic Ignition ESAC VA-Vacuum Advance VR-Vacuum Retard  Fuel System EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi	Exhaust Emissions Control System AI-Air Injection CCAV-Comb. Chamber Air Valve EFI-Electronic Fuel Injection EGR-Exhaust Gas Recirculation EM-Engine Modification  ESAC-Electronic Spark Advance Control MFI-Mechanical Fuel Injection	OC-Oxidation Catalyst PAI-Pulse Air Injection TC-Turbo Charged TR-Thermal Reactor TWC-Three Way Catalyst
Engine Code	Model Model	
CAD-NX CAS-NX	Cressida sedan Cressida station wagon	

E.O. #A 14 - 24

1070	ΔTR	RESOURCES	RUABU	SUPPLEMENTAL	ΠΔΤΔ	SHEET
17/7	HIL	KESUUKES	DUARD	SUFFLERENTAL	מות	JIILLI

	X Passeng	er Cars		Light-Duty	Trucks	Medium-Duty	Vehicles
М	Manufacturer Toyota Motor Company, Ltd.					Page _ 2	
Engine Family 4M							Engine Code
Eı	Emission Control System <u>AI, EGR, CCo</u> + 10% (A/C)					Yes <u>x</u> No	
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys. CA,VA,EI Distributor Part No.	Fuel System 2V Carburetor Part No.	EGR Valve Part No.	Tune-up Specification  (1) Basic Timing (2) Idle Mixture (3) Idle Speed
CAS- NX CAD- NX	Cressida	4A	3000	19100-45150	21100-45280	25620- 45120	1) 8° BTDC @ 900 rpm with hose from gas filter to distributor disconnected and its end sealed.  2) Lean drop method.  3) 750 rpm in neutral
Comme	nts. See page o	ne for a	bbreviati	ions and eva	porative emis	sion family i	dentification.

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

 $\star A_X \, le$  ratio is that of medium duty certification vehicle.

Date of Issue -