State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-28 Relating to Certification of New Motor Vehicles

NISSAN MOTOR COMPANY, LTD.

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That Nissan Motor Company, Ltd. exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)		
A142C	85.2	Air Injection Exhaust Gas Recirculation Oxidation Catalyst		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
A142C	0.36	5.6	0.9

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this day of November, 1978.

G. C. Hass, Chief

Vehicle Emissions Control Division

1979 AIR RESOURCES'BOARD SUPPLEMENTAL DATA SHEET

Manufact	urer <u>Nissan Motor</u>	Co. Executive Order No. #A-15-28	Page <u>l</u>
Engine F	amily A142C	Engine (CID) 85.2	-
EI-Elect ESAC	System ifugal Advance ronic Ignition m Advance	Exhaust Emissions Control System AI-Air Injection CCAV-Comb. Chamber Air Valve EFI-Electronic Fuel Injection EGR-Exhaust Gas Recirculation EM-Engine Modification	OC-Oxidation Catalyst PAI-Pulse Air Injection TC-Turbo Charged TR-Thermal Reactor TWC-Three Way Catalyst (Feedback Control)
		ESAC-Electronic Spark Advance Control MFI-Mechanical Fuel Injection	WOC-Warm-up Oxidation Catalyst

Engine Code

NA142CM ANA142CM

Mode1

Datsun 310 Sedan Hatchback Datsun 310GX Coupe Hatchback 5-speed

E.O. #A-<u>15</u>-<u>28</u>

1979	ATR	RESOURCES	ROARD	SUPPLEMENTAL	DATA	SHEET
13/3	UTI/	NEGODINGEG	טטאוטט	JULIELIENIAL	חות	JIILLI

XX Passenger Cars Light-Duty Trucks Medium-Duty				Vehicles			
Manufacturer Nissan Motor Co., Ltd.					Page		
Engine Family	······································	Engir	ne (CID) <u>85.</u>	2	Engi: Code		
Emission Control System		AI,	AI, EGR, OC + 10% (A/C)		0% (A/C)	Yes _	No X
Eng. Vehicle Models Code (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys. CA, VA, EI Distr. Part No.	Fuel System 2V Carb. Part Number	EGR Valve Part Number	(1) E (2)	-up ification Basic Timing Idle Mixture Idle Speed
NA142 CM 310 ANA142 CM	M4 M5	2250	Hitachi D4K8-18	Hitachi DCH306-75	AEY 75-24	(2) 2 v i	5° BTDC @700RPM 2.0 <u>+</u> 1.0% CO without air injection 700RPM smission-Neutral

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue -