State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-27 Relating to Certification of New Motor Vehicles

TOYO KOGYO CO., LTD.

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Toyo Kogyo Co., Ltd. exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)		
9MAP	120.2	Exhaust Gas Recirculation, Air Injection, Three Way Catalyst Without Feedback Control		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
	Grams per Mile	Grams per Mile	Grams per Mile	
9MAP	0.30	6.0	1.0	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _____ day of November, 1978.

G. C. Hass, Chief

Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Toyo Koygo Co., Ltd.	Executive Order No	A-16-27	Page _	1
Engine Family 9 MAP	Engine (CID) 120.	2		

ABBREVIATIONS
Ignition System
CA-Centrifugal Advance
EI-Electronic Ignition
ESAC
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Model
Mazda 626
Sedan
Coupe

Exhaust Emissions Control System
AI-Air Injection
CCAV-Comb. Chamber Air Valve
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification

ESAC-Electronic Spark Advance Control MFI-Mechanical Fuel Injection OC-Oxidation Catalyst
PAI-Pulse Air Injection
TC-Turbo Charged
TR-Thermal Reactor
TWC-Three Way Catalyst
(Feedback Control)
WOC-Warm-up Oxidation
Catalyst

Evaporative Family: 9SCD

Date of Issue:

Revisions:

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

• **	Pass	enger Cars		Light-Duty	/ Trucks	Medium-Duty	Vehicles
Manufacturer Toyo Koygo Co., Ltd.						Page 2	
Engine Family 9 MAP			Engir	ne (CID)	120. 2	Engine FMP-M C	
E	mission Contr	rol System <u>B</u>	GR, AI*,	TWC W/O Fee	edback + 1	0% (A/C)	Yes <u>X</u> No
Eng. Code	Vehicle Mode (If Coded se attachment)	ee	Inertia Weight Class	Ign. Sys.	Fuel System 1-2V Part Number		Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
	MAZDA 626 Sedan	M-4 M-5	2750	Mitsubishi K3T61679	Nippon 21C324-071	8239	(1) 8° ± 1° BTDC @ 650 ± 50 RPM
	Coupe						in neutral. Distributor vacuum line connected.
							(2) 2.0 + 1.0% CO W/O air injection.
							(3) 650 ± 50 RPM in neutral. All accessories off. Purge hose between canister and air cleaner disconnected.

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Air Injection - Reed Valve

Date of Issue - 110978

Revisions: Corrected typo errors 011879

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

1	X Passeng	ger Cars		Light-Duty	/ Trucks	Medium-Duty	/ Vehicles
M	anufacturer	Coyo Koye	o Co., L	td.			Page 3
					Engine FMP-A Code FMP-AC		
Ε	mission Control	System E	GR, AI*,	TWC W/O Fee	edback + 1	0% (A/C)	Yes X No
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class	Ign. Sys.	Fuel System 1-2V Part Number		Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
	MAZDA 626	A-3	2750	Mitaubishi	Nippon		(1) 8° ± 1° BTDC @
	Sedan			K3T61679	21C324-071	8240	650 <u>+</u> 50 RPM in drive.
	Coupe				,		Distributor vacuum line connected.
							(2) 2.0 ± 0.1% CO W/O Air injection.
							(3) 650 ± 50 RPM in drive. All accessories off. Purge hose between canister and air cleaner disconnected.
	<u> </u>	L			L	<u> </u>	

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

* Air Injection - Reed Valve

Date of Issue - 110978

Revisions: Corrected typo errors 011879