

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-29
Relating to Certification of New Motor Vehicles

DAIMLER-BENZ AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Daimler-Benz Aktiengesellschaft exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars.

<u>Engine Family</u>	<u>Displacement Cubic Inches</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
79/2/V8E/69	417	Air Injection Exhaust Gas Recirculation Oxidation Catalyst (Mechanical Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
79/2/V8E/69	0.29	5.2	1.1

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.


DAIMLER-BENZ AKTIENGESELLSCHAFT

EXECUTIVE ORDER A-3-29
(Page 2 of 2)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 15 day of September, 1978.


G. C. Hass, Chief
Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A 3-29

Passenger Cars Light-Duty Trucks Medium-Duty Vehicles

Manufacturer Daimler-Benz AG Page 1A

Engine Family 79/2/V8E/69 Engine (CID) 417 Engine Code M 100

Emission Control System AI, EGR, OC + 10% (A/C) Yes No

Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys. Control Parameters CA, VA, VR, EI	Fuel System Type: MFI Mfgr. Part Number	EGR Valve	Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
M100	Mercedes-Benz 6.9	A-3	4500	Bosch 0 237 405 002 MB Part No. 002 158 2901	Bosch 0 438 120 062 0 438 100 Q12 MB Part No. 000 070 0706	PE 20 293 MB Part No. 000 140 3560	(1) TDC at idle, vacuum connected. (2) 0.5-2.0% measured on l.h. exhaust manifold tap cyl. 5-8 (disconnected orange line to EGR transducer). Air injection disconnected (disconnect wh/pu/bl vacuum line at blue thermo valve and plug vacant port). Transmission in neutral. Accessories not in operation. (3) 600 RPM with air injection disconnected, transmission in neutral and A/C in "off" position.

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue -

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Daimler-Benz AG Executive Order No. A-3-29 Page 1

Engine Family 79/2/V8E/69 Engine (CID) 417

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EI-Electronic Ignition
ESAC
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System

AI-Air Injection
CCAV-Comb. Chamber Air Valve
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification

OC-Oxidation Catalyst
PAI-Pulse Air Injection
TC-Turbo Charged
TR-Thermal Reactor
TWC-Three Way Catalyst
(Feedback Control)
WOC-Warm-up Oxidation
Catalyst

Fuel System

EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

ESAC-Electronic Spark Advance
Control
MFI-Mechanical Fuel Injection

Vehicle Model

Mercedes-Benz
6.9