Eo Por

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-164-3 Relating to Certification of New Motor Vehicles

AMERAUS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That American Corporation exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered light duty trucks.

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)
9 WBT (Toyo Kogyo)	140	Exhaust Gas Recirculation, Air Injection, Oxidation Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

Engine Family	Inertia Weight Class	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
9 WBT	0-3999	0.25	4.5	1.1

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2 day of October, 1978.

G. C. Hass, Chief

Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Ameraus Corpo	ration Executive Order N	lo. <u>A-164-3</u>	Page1	
Engine Family 9 WBT (Toyo K	egyo) Engine (CID)	140		
ABBREVIATIONS Ignition System CA-Centrifugal Advance EI-Electronic Ignition ESAC VA-Vacuum Advance VR-Vacuum Retard	Exhaust Emissions Control AI-Air Injection CCAV-Comb. Chamber Air Va EFI-Electronic Fuel Injection EGR-Exhaust Gas Recircula EM-Engine Modification	llve tion	OC-Oxidation Catalyst PAI-Pulse Air Injection TC-Turbo Charged TR-Thermal Reactor TWC-Three Way Catalyst (Feedback Control)	
Fuel System EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi	ESAC-Electronic Spark Adv Control MFI-Mechanical Fuel Injec		WOC-Warm-up Oxidation Catalyst	
Mode1				
Ameraus Wombat				

(See Toyo Kogyo Co., Ltd Executive Order A-16-29, Courier model for engine codes and specifications).

Koala