## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-214-3 Relating to Certification of New Motor Vehicles

## **ECONOMY TRUCK MANUFACTURING**

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Economy Truck Mfg. exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered light-duty trucks:

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)			
TL201C (Nissan)	119.1	Air Injection Exhaust Gas Recirculation Oxidation Catalyst			

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

Engine Family	Inertia Weight Class	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
TL201C	4000	0.32	5.6	1.4

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24th day of October, 1979.

K. D. Drachand, Acting Chief Mobile Source Control Division

## 1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

<b>"</b>	Manufacturer Economy Truck Engine Family TL201C	Mfg. Executive Order No. A-214-3  Engine (CID) 119.1	Page <u>1</u>
	ABBREVIATIONS  Ignition System CA-Centrifugal Advance EI-Electronic Ignition ESAC VA-Vacuum Advance VR-Vacuum Retard  Fuel System EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi	Exhaust Emissions Control System AI-Air Injection CCAV-Comb. Chamber Air Valve EFI-Electronic Fuel Injection EGR-Exhaust Gas Recirculation EM-Engine Modification  ESAC-Electronic Spark Advance Control MFI-Mechanical Fuel Injection	OC-Oxidation Catalyst PAI-Pulse Air Injection TC-Turbo Charged TR-Thermal Reactor TWC-Three Way Catalyst     (Feedback Control) WOC-Warm-up Oxidation Catalyst
	Engine Code	<u>Model</u>	
	TL201CM2 AT1201CM2	Heavy Duty Mini Service Truck Deluxe Tag Axle Service Truck	

Ξ.Ο.	#A 214_	3
------	---------	---

1070	ΛTD	DECUMPLES	BUYDD	SUPPLEMENTAL	DATA	CHEET
19/9	AIK	KESUUKUES	DUAKU	SUPPLEMENTAL	DATA	SUCCI

	· · · · · · · · · · · · · · · · · · ·	ger Cars		Light-Dut	y Trucks	Medium-Duty	Vehicles
<u>.</u> 1	Manufacturer	Conomy T	ruck Mfg.				Page 2
	Engine Family	TL201C		Engi	ne (CID) 119.	1	Engine Code
	Emission Control		AI, EGR,			0% (A/C)	Yes NoX
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Ratio)*	Ign. Sys. CA,VA,EI	Fuel System 2V Carb. Part Number	EGR Valve Part Number	Tune-up Specification  (1) Basic Timing (2) Idle Mixture (3) Idle Speed
TL201 CM2 ATL201 CM2		M4	3500	Hitachi D4K8-10	Hitachi DCH340-65A	AEY 75-22	(1) 12° BTDC @ 600 RPM (2) 1.0 + 1.0 % CO -0.7 % CO (3) 600 RPM  Manual - Neutral
Commo	ents. See page o	one for a	hhreviat	ions and ev	anorative emis	ssion family i	dentification.

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

 $\star Axle$  ratio is that of medium duty certification vehicle.

Date of Issue -

See Nissan E.O. A-15-30 for revisions