State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-15 Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered light-duty trucks.

| Engine Family | Displacement Cubic Inches | Exhaust Emission Control Systems (Special Features) | | |
|---------------|------------------------------|---|--|--|
| 4G5MT-C | 121.8/155.9 | Combustion Chamber Air Valve Exhaust Gas Recirculation Oxidation Catalyst | | |

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

| Engine Famil | Inertia Weight y Class | Hydrocarbons Grams per Mile | Carbon Monoxide Grams per Mile | Nitrogen Oxides Grams per Mile |
|--------------|------------------------------|--------------------------------|-----------------------------------|-----------------------------------|
| 4G5MT-C | 0-3999 | 0.30 | 8.8 | 1.0 |

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \(\frac{2}{\omega} \) day of September, 1978.

G. C. Hass, Chief

Vehicle Emissions Control Division

S. C. OPanor

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| Manufacturer <u>Mj</u> | tsubishi | Executive Order No. A-86-15 | Page1 |
|---|---------------------|--|--|
| Engine Family 4G | 5MT-C | Engine (CID) <u>121.8/155.9</u> | |
| ABBREVIATIONS Ignition System CA-Centrifugal Adv EI-Electronic Igni ESAC VA-Vacuum Advance VR-Vacuum Retard Fuel System EFI, MFI nV-nVenturi Carbur VV-Variable Ventur | ance A tion C E E E | xhaust Emissions Control System II-Air Injection CCAV-Comb. Chamber Air Valve FI-Electronic Fuel Injection GR-Exhaust Gas Recirculation M-Engine Modification SAC-Electronic Spark Advance Control IFI-Mechanical Fuel Injection | OC-Oxidation Catalyst PAI-Pulse Air Injection TC-Turbo Charged TR-Thermal Reactor TWC-Three Way Catalyst (Feedback Control) WOC-Warm-up Oxidation Catalyst |
| Vehicle Models | <u>Car Lir</u> | ne/Type | |
| OJL4 OJP4 | | th Arrow Pickup Truck th Arrow Sport Pickup Truck | |

Dodge D50 Pickup Truck Dodge D50 Sport Pickup Truck

Evaporative Emission Control Family: E-79-T

9JL4 9JP4

E.O. #A <u>86-15</u>

| • | 1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET | |
|---|--|--|
| | | |

| | Passeng | er Cars | [X | Light-Duty | y Trucks | Medium-Duty | √ Vehicles |
|----------------------------|--|----------|--|------------------------|------------------------------|--------------|---|
| M | anufacturer <u>Mit</u> | subishi | Motors Co | orporation | | | Page2 |
| E | ngine Family 40 | S5MT-C | | Engi | ne (CID) <u>1</u> | 21.8 | Engine Code |
| E | mission Control | System _ | | | - | + 10% (A/C) | Yes No _X |
| Eng. Code | Vehicle Models (If Coded see attachment) | Trans. | Inertia Weight Class (Axle Ratio)* | Ign. Sys. CA,VA, EI | Fuel Systo 2V Part No. | em EGR Valve | Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed |
| G5 ² MT- - M | OJL4 9JL4 | M-4 | 2750 | T4T60171 | 30-32 DID TA-83 | K5T53671 | 5+10 BTDC with VA connected. Below 0.1% CO. 650+50 rpm. |
| G52MT- | | A-3 | | | 30-32 DID TA-84 | | 1), 2) same as above. 3) 700±50 rpm in neutral. |

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue - 9-13-78

E.O. #A-86-15

| 1979 | ATR | RESOURCES | BOARD | SUPPLEMENTAL | DATA | SHEET |
|------|-----------|------------|--------|----------------|-------|---------|
| 1313 | / / # / / | NEGOVINOEG | שווועט | 201 ELILENIA | DIVIV | JIILL 1 |

| · | Passeng | er Cars | X | X Light-Duty | / Trucks | Medium-Duty | Vehicles |
|-------------------------|--|------------------|--|--|-------------------------------|-----------------------|---|
| M | anufacturer <u>M</u> | <u>itsubishi</u> | Motors (| Corporation | | * | Page 3 |
| E | ngine Family | IG5MT-C | · | Engir | ne (CID) <u>121</u> . | .8 | Engine Code |
| Ε | mission Control | System _ | CCAV, EGI | R, OC | +] | 0% (A/C) | Yes X No X |
| Eng. Code | Vehicle Models (If Coded see attachment) | Trans. | Inertia Weight Class (Axle Ratio)* | Ign. Sys. CA,VA, EI Distri- butor Part No. | Fuel System 2V Part No. | EGR Valve Part No. | Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed |
| A4G52 MT-C-M* | 0JL4 *9JL4 | M-4 | 2750 | T4T60171 | 30-32 DID TA-83 | | 5±1° BTDC with VA connected. Below 0.1% CO. 650±50 rpm. |
| 14G52 1T-C-A | | A-3 | | | 30-32 DID TA-84 | | 1), 2) same as above 3) 700+50 rpm in neutral. |
| Commo | nts See nage o | no for a | hhroviati | one and eva | norative emis | sion family i | dentification |

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue - 9-13-78

^{**10-27-78} error corrected

E.O. #A-<u>86</u>-<u>15</u>

| 1070 | ATD | DECOUDEES | DOADD | SUPPLEMENTAL | DATA | CHEET | |
|------|-----|-----------|-------|--------------|------|-------|--|
| 19/9 | AIK | KESUUKCES | BUAKD | SUPPLEMENTAL | DATA | SHEET | |

| | anufacturer <u>M</u> ngine Family <u></u> | • | Motors | | | 55.9 | Page 4 Engine Code - |
|--------------------------------|--|----------|--|---|--|-----------|---|
| Е | mission Control | System _ | CCAV, E | GR. OC | + 1 | 0% (A/C) | Yes No _X |
| Eng. Code | Vehicle Models (If Coded see attachment) | Trans. | Inertia Weight Class (Axle Ratio)* | Ign. Sys. VA,VA,EI Distribu- tor Part No. | Fuel System 2V Part No. | EGR Valve | Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed |
| G54MT- C-M G54MT- C-A | OJP4 9JP4 | M-5 | 2750 | T4T60171 | 30-32 DID TA-183 30-32 DID TA-184 | K5T53771 | 1) 7±1° BTDC with VA connected. 2) Below 0.1% CO. 3) 850±50 rpm |

Comments. See page one for abbreviations and evaporative emission family identification Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue - 9-13-78