State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-105-6 Relating to Certification of New Motor Vehicles

PANTHER WESTWINDS LIMITED

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Panther Westwinds Ltd. exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)			
Vauxha11 2.3L/50	139.2	Air Injection Exhaust Gas Recirculation Oxidation Catalyst Three Way Catalyst without Feedback Control			

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

Inert Weight Engine Family Class		Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile	
Vauxha11 2.3L/50	2250	0.33	6.3	0.8	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ______ day of April, 1979.

G. C. Hass, Chief

Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer _	Panther Westwinds Ltd.	Executive Order No	A-105-6	Page	
Engine Family	Vauxhall 2.3L/50	Engine (CID)	139.2		

ABBREVIATIONS
Ignition System
CA-Centrifugal Advance
EI-Electronic Ignition
ESAC
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AI-Air Injection
CCAV-Comb. Chamber Air Valve
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EEC-Electronic Engine Control
ESAC-Electronic Spark Advance
Control
MFI-Mechanical Fuel Injection

OC-Oxidation Catalyst
PAI-Pulse Air Injection
TC-Turbo Charged
TR-Thermal Reactor
TWC-Three Way Catalyst
(Feedback Control)
WOC-Warm-up Oxidation
Catalyst

Vehicle Model

Panther Lima

E.O. #A 105-6

7	070	ATD	DECUMPOES	DUVDD	SLIPPI EMENTAL	$D\Lambda T\Lambda$	CHEET
ŀ	9/9	AIR	RESUURCES	BUARD	SUPPLEMENTAL	DATA	SHEEL

	χ Passeng	er Cars		Light-Duty	/ Trucks	Medium-Duty	Vehicles	
							Page 1A	
							Engine Code <u>2.279'S'</u>	
							Yes No <u>x</u>	
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys. Mfg. Part #	Cont. Fuel System 1-2V Mfg. Part #	EGR Valve Part #	Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed	
	Panther Lima	M-4	2250	AC Delco 9977150	Holley D8F29510AU or D8EE AUA	D4FZ9D475C or D42E90475	(1) 3° BTDC (2) 1.0-1.5% CO (3) 650-750 RPM	
	Company to the second suppose the contraction of the second suppose th							

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue -