State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-18-10 Relating to Certification of New Motor Vehicles

AB VOLVO, CAR DIVISION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That AB Volvo, Car Division exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)		
4CL 130		Three Way Catalyst (Mechanical Fuel Injection)		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
4CL	0.33	4.1	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

EXECUTIVE ORDER A-18-10 (Page 2 of 2)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 20 day of September, 1978.

G. C. Hass, Chief

Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Volvo	Executive Order No. <u>A-18-10</u>	Page1
Engine Family 4CL	Engine (CID)130	······
ABBREVIATIONS Ignition System CA-Centrifugal Advance EI-Electronic Ignition ESAC VA-Vacuum Advance VR-Vacuum Retard Fuel System EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi	Exhaust Emissions Control System AI-Air Injection CCAV-Comb. Chamber Air Valve EFI-Electronic Fuel Injection EGR-Exhaust Gas Recirculation EM-Engine Modification ESAC-Electronic Spark Advance Control MFI-Mechanical Fuel Injection	OC-Oxidation Catalyst PAI-Pulse Air Injection TC-Turbo Charged TR-Thermal Reactor TWC-Three Way Catalyst
Engine Code	Mode1	
4CL:1 4CL:2	242 Sedan 244 Sedan 245 Station Wagon	

E.O. #A 18 - 10

1070	ATD	DECOMBEE	DOADD	CHDDLE	CAPATAL	DATA	CHEET	
19/9	AIR	RESOURCES	BUARD	SUPPLE	- MI-NIAI	DATA	SHEET	

	χ Passeng	er Cars		Light-Duty	Trucks	Medium-Duty	Vehicles
	anufacturer <u>V</u> ngine Family			Engir	ne (CID)	130 140	Page 2 Engine Code
E	mission Control	System _	TWC, MF	ī	+]	0% (A/C)	Yes <u>X</u> No
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys. CA,VA,EI Distributor Part No.	Fuel System MFI Part No.	EGR Valve	Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
4CL:1 4CL:2	242	M4 M5 A3	3000	Bosch 023700239	Fuel Meter- ing Unit: Bosch 0438100032		1) 8° ± 2° BTDC @ 750 ± 50 RPM vacuum discon- nected Trans. neutral A/C off
	244 245	M4 M5 M4 M5 A3	3500				vacuum discon- nected Trans.
Comments. See page one for abbreviations and evaporative emission family identification.							

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue -