State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-14 Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)		
4G5M-C	155.9	Combustion Chamber Air Valve Exhaust Gas Recirculation Oxidation Catalyst		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
4G5M-C	0.25	8.1	1.0

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30 day of August, 1978.

G. C. Hass, Chief

Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer <u>Mitsubishi</u>	Executive Order No. A-86-14	Page <u>1</u>
Engine Family 4G5M-C	Engine (CID) <u>155.9</u>	
ABBREVIATIONS Ignition System CA-Centrifugal Advance EI-Electronic Ignition ESAC VA-Vacuum Advance VR-Vacuum Retard Fuel System EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi	Exhaust Emissions Control System AI-Air Injection CCAV-Comb. Chamber Air Valve EFI-Electronic Fuel Injection EGR-Exhaust Gas Recirculation EM-Engine Modification ESAC-Electronic Spark Advance Control MFI-Mechanical Fuel Injection	OC-Oxidation Catalyst PAI-Pulse Air Injection TC-Turbo Charged TR-Thermal Reactor TWC-Three Way Catalyst (Feedback Control) WOC-Warm-up Oxidation Catalyst
Vehicle Models	Car Line/Type	
2H-29	Dodge Challenger 2-door Sport Coup	e
3H-29	Plymouth Sapporo 2-door Sport Coup	2
6H-45	Dodge Colt 4-door Wagon	
7H-24	Plymouth Arrow GS 2-door Hatchback	

Evaporative Emission Control Family: E-79

E.O. #A -86 14

1070	ΛTD	DESCHIDEES	BUVDD	SUPPLEMENTAL	DATA SHE	FT
19/9	AIK	KESUUKLES	BUAKU	SUPPLEMENTAL	DATA SHE	E. I

•	XX Passeng	er Cars		Light-Duty	Trucks	Medium-Duty	Vehicles
						Page 2 Engine	
E	Engine Family 4G5M-C Engine (CID) 155.9					Code	
Emission Control System <u>CCAV, EGR, OC</u> + 10% (A/C)					0% (A/C)	Yes No _X	
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys. CA, VA, El Distribu- tor Part No.	Fuel System 2V Part No.	EGR Valve Part No.	Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
4G54M- C-M	7H-24 7P-24	M-5	2750	T4T60171	30-32 DID TA-180	K5T53771	1) 7+10 BTDC with VA connected.
	2H-29 3H-29 6H-45		3000				 Below 0.1% CO. 850+50 rpm in neutral.
4G54M- C-A	7H-24 7P-24	A-3	2750		30-32 DID TA-181		
	2H-29** 3H-29 6H-45		3000				
Comme	nts. See page o	ne for a	bbreviati	ons and eva	porative emis	sion family i	dentification.

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue - 8-29-78

^{**}Add omitted models 10-3-78