

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-98-2
Relating to Certification of New Motor Vehicles

ASTON MARTIN LAGONDA (1975) LIMITED

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Aston Martin Lagonda exhaust emission control systems for 1979 model-year gasoline-powered passenger cars are certified for the vehicles described below:

<u>Engine Family</u>	<u>Displacement Cubic Inches</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
540	326	Air Injection Oxidation Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
540	0.34	8.0	0.8


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 6 day of July, 1978.



G. C. Hass, Chief
Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Aston Martin Executive Order No. A-98-2 Page 1
 Engine Family 540 Engine (CID) 326

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
 EI-Electronic Ignition
 ESAC
 VA-Vacuum Advance
 VR-Vacuum Retard

Fuel System

EFI, MFI
 nV-nVenturi Carburetor
 VV-Variable Venturi

Exhaust Emissions Control System

AI-Air Injection
 CCAV-Comb. Chamber Air Valve
 EFI-Electronic Fuel Injection
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification

ESAC-Electronic Spark Advance
 Control

MFI-Mechanical Fuel Injection

OC-Oxidation Catalyst
 PAI-Pulse Air Injection
 TC-Turbo Charged
 TR-Thermal Reactor
 TWC-Three Way Catalyst
 (Feedback Control)
 WOC-Warm-up Oxidation
 Catalyst

Vehicle Model

Aston Martin V-8

Car Line/Body Type

Saloon
 'Vantage'
 'Volante'

Evaporative Emission Family: 540 VP

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A98 - 2

Passenger Cars Light-Duty Trucks Medium-Duty Vehicles

Manufacturer Aston Martin Lagonda Page 2
 Engine Family 540 Engine (CID) 326 Engine Code 540
 Emission Control System AI,OC + 10% (A/C) Yes No

Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys. CA,VR Distributor Part No.	Fuel System 4x2V Part No.	EGR Valve Part No.	Tune-up Specification
540	Aston Martin V-8	M-5 A-3	4500	Lucas 41608	Weber 42DCNF 79/150 42DCNF 86/150**	None	1) TDC with VR operating at idle 2) 0.5-1.7% CO (set to 0.9 - 1.0%) at manifold taps (Upstream from OC) with AI. 3) 900-950 rpm in neutral

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue - 7-6-78 ** RC #2 6-20-78 (KDD letter 7-24-78)