State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-17-54 Relating to Certification of New Motor Vehicles

AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That American Motors Corporation exhaust emission control systems are certified as described below for 1980 model-year gasoline-powered light-duty trucks:

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)			
BT-6C1	151	Exhaust Gas Recirculation Three Way Catalyst with Closed Loop			

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1980 model-year vehicles:

Engine Family	Inertia Weight Class	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
BT-6C1	0-3999	0.19	2.9	1.3

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year. BE IT FURTHER RESOLVED: That American Motors Corporation has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

day of August 1979.

K. D. Drachand, Acting Chief Mobile Source Control Division

1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Executive Order No. A-17-54	Page1
Engine (CID) <u>151</u>	
Exhaust Emissions Control System AI-Air Injection CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst PAI-Pulse Air Injection TR-Thermal Reactor TWC-Three Way Catalyst	Special Features CCAV-Combustion Chamber Air Valve EFI-Electronic Fuel Injection MFI-Mechanical Fuel Injection TC-Turbo Charged
	Exhaust Emissions Control System AI-Air Injection CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst PAI-Pulse Air Injection TR-Thermal Reactor

Vehicle Models

CJ5 CJ7 DJ5L Colore

1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A _17-54

_ ☐ Passe	nger Cars	₩ Light	-Duty T	rucks	☐ Medium-Duty	√ Vehicles 🗓	Gas 🗆 [Diesel
Manuf	acturer <u>A</u>	merican Mo	tors Co	rporation		······································	Page 1A	
Engine Family BT-6Cl				Engine 1A2 & 1M2 CID-Type				
ECS (Special Features) <u>EGR. TWC W/CL</u>				W/CL	+ 10% (A/C) Yes No χ			
Engine Code	(If Co	e Models ded see chment)	Trans.	Test Weight Class (Inertia)	Ign. System CA, VA, EI Mfgr. Part No.	Fuel System 1-2V Mfgr. Part No.	EGR Valve Mfgr. Part No.	Label Ident
1M1 1M2 (2)	CJ5		M-4	2875	Delco Remý 1105060	Rochester 17080781	G.M. 17056373	536- 1518
	CJ7		·	3000	A.M. Part No. 1105060	A. M. Part No. SF3236767	A. M. Part N c. 3237108	
1A1 1A2(1)	DJ5L	. •	A-3	2500	Delco Remy 1110561	Rochester 17080782		
U		•	ļ		A.M. Part 1110561	A.M. Part SF3236768		
		:						
		:						
			į	1				Ī

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

Pate of Issue - 8/30/79

(2) Added per running change 80-51.

⁽¹⁾ Added per running change 80-35.