Eo Book

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-12-16 Relating to Certification of New Motor Vehicles

FIAT AUTO S.p.A.

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That Fiat Auto S.p.A. exhaust emission control systems are certified as described below for 1980 model-year gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)
138-BC	91.44	Three Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1980 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Uxides
	Grams per Mile	Grams per Mile	Grams per Mile
138-BC	0.18	1.3	0.1

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1980 Model Fassenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That Fiat Auto S.p.A. has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of March, 1980.

K. D. Drachand, Chief

Mobile Source Control Division

1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Executive order No. A-12-16	Page 1
Engine (CID) 91.4	
Exhaust Emissions Control System AI-Air Injection CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst PAI-Pulse Air Injection TR-Thermal Reactor TWC-Three Way Catalyst	Special Features CCAV-Combustion Chamber Air Valve EFI-Electronic Fuel Injection MFI-Mechanical Fuel Injection TC-Turbo Charged
	Exhaust Emissions Control System AI-Air Injection CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst PAI-Pulse Air Injection TR-Thermal Reactor

Vehicle Models

Strada 3 door Strada 5 door X1/9

VV-Variable Venturi

1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHE	1980	ATR	RESOURCES	BOARD*	SUPPL	EMENTAL	DATA	SHE
--	------	-----	-----------	--------	-------	---------	------	-----

	nger Cars 🔲 Light			☐ Medium-Duty	Vehicles 🖔		iesel
Manufacturer <u>Fiat Auto S.p.A.</u> Page <u>1A</u> Engine							
Engin	e Family <u>138-BC</u>					Code	
ECS (Special Features)	TWC/C	L (EFI)	+	10% (A/C)		····
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Test Weight Class	Ign. System CA,VA,EI	Fuel System EFI	EGR Valve	Label Ident
	·	•	(Inertia)	Mfgr. Part No.	Mfgr. Part No.	Part No.	
H63Y1. 16V63.BT H63X1	X1/9	M-5	2375	Bosch 15258 Al	Bosch Electronic	NA	4417 035
16V63.BT	Strada - 3 door Strada - 5 door		2500	,	Control Unit Part # 0.280.000.191		·
<u></u>	Strada - 3 door Strada - 5 door	A-3					

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.