State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-29-10 Relating to Certification of New Motor Vehicles

CHECKER MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Checker Motors Coporation exhaust emission control systems are certified as described below for 1980 model-year gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)			
GM 01Y4MCRZ	305	Air Injection			
	•	Exhaust Gas Recirculation Three Way Catalyst with Closed Loop			

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1980 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
GM 01Y4MCRZ	0.19	3.4	0.8

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1980 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That Checker Motors Corporation has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 6 day of February, 1980.

K. D. Drachand, Acting the Mobile Source Control Division

1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Checker Motor Corporat	tionExecutive Order No. A-29-10	Page 1
Engine Family GM 01Y4MCRZ	Engine (CID) <u>305</u>	
Evap. Family: OD4S-1		
ABBREVIATIONS		
Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance	AI-Air Injection	CCAV-Combustion
EEC-Electronic Engine Control	CL-Closed Loop	Chamber Air
EI-Electronic Ignition	EGR-Exhaust Gas Recirculation	Valve
ESAC-Electronic Spark Advance	EM-Engine Modification	EFI-Electronic
Control	QC-Oxidation Catalyst	Fue1
VA-Vacuum Advance	PAI-Pulse Air Injection	Injection
VR-Vacuum Retard	TR-Thermal Reactor	MFI-Mechanical
	TWC-Three Way Catalyst	Fuel
Fuel System		Injection
EFI, MFI		TC-Turbo Charged
nV-nVenturi Carburetor		•

Models:

A-11, A-11E Taxicab A-12, A-12E Marathon

VV-Variable Venturi



Issued: 020480.

E.O.	#A _29_10

NRPT	ATR	RESOURCES	ROARD	SUPPLEMENTAL	DATA	SHEET
1300	いれい	いにつひひいひとつ	DOLLING	COLLECTION	DESTE ST	J11661

Passe:	nger Cars 🔲 Light	-Duty Tr	rucks	☐ Medium-Duty	Vehicles 🕱	Gas 🔘 🛭	iesel
Manuf	acturer <u>Checke</u>	r Motors	Corporati	on		Page 2	
Engin	e Famil <u>y GM 01</u> 4	4MCRZ	<u> </u>	CID-Type30	5-V8	Engine Code	
ECS (Special Features) <u>A</u>	I.EGR.TW	C.CL	+	10% (A/C)	Yes N	lo
Engine Code (Air Cond.)	Vehicle Models (If Coded see attachment)	Trans.	Test Weight Class (Inertia)	Ign. System Distrib. Part No. (GM)	Fuel System Carb. Part No. (GM)	EGR Valve Part No. (GM)	Label Ident.
3A (W)	A-11 A-11E A-12 A-12E	A-3	4500	Delco Remy 1103368	Rochester 17080504	17064541	708529
4A (WO)	A-11 A-11E A-12 A-12E				17080502		

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and frontal area.

Test H.P. for Checker is 15.3