State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-14 Relating to Certification of New Motor Vehicles

AUDI NSU AUTO UNION AG

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Audi NSU Auto Union AG exhaust emission control systems are certified as described below for 1980 model-year gasoline-powered passenger cars intended for sale prior to September 1, 1979.

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)
4000 CL	97	Three-Way Catalyst with
	AAA	Closed Loop (Mechanical Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1980 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
4000 CL	0.25	2.1	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

EXECUTIVE ORDER A-30-14 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1980 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

_day of June, 1979.

G. C. Hass, Chief

Vehicle Emissions Control Division

1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Audi NSU	Executive Order No. A-30-14	Page 1
Engine Family 4000 CL	Engine (CID) 97	
ABBREVIATIONS		
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System EFI, MFI	Exhaust Emissions Control System AI-Air Injection CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst PAI-Pulse Air Injection TR-Thermal Reactor TWC-Three Way Catalyst	Special Features CCAV-Combustion Chamber Air Valve EFI-Electronic Fuel Injection MFI-Mechanical Fuel Injection TC-Turbo Charged
nV-nVenturi Carburetor VV-Variable Venturi		
	Audi 4000	
Evaporative Emission	Control Family: 4000	



n	#A	30-14
Ħ.	#4	00 17

1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	enger Cars	Light Audi NSU		rucks	☐ Medium-Dut	y Vehicles		as 🗍 I	Diesel 2
Engir	ne Family	4000 CL			CID-Type	97-14	E	ngine ode —	•
ECS ((Special Feat	tures)_Th	IC W/CL	(MFI)	+	10% (A/C)	Ye	esX	No
Engine Code		e Models ded see nment)	Trans.	Test Weight Class (Inertia)	Ign. System EI,VA,VR Distributor Part No.	Fuel Sys		GR Valve	Label Ident. Part No.
CLMOLI.6 CLMPLI.6 CLMPSI.6 CLAOSI.6 CLAOSI.6 CLAPLI.6 CLAPSI.6	Audi 4000		M-4,5	2625 (2625)		049-133-35 Mixture Control Un 035-906-26 Electronic Control Un	it 3	None	811- 000- 331C

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

	of	Issue		6-27-79
-	Rev	ised	-	3-28-80