D. C 17.

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-202 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Ford Motor Company exhaust emission control systems are certified as described below for 1981 model-year gasoline-powered medium-duty vehicles.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
4.2/5.0 NP	302 (5.0)	Air Injection - Pump Exhaust Gas Recirculation Three Way Catalyst with Closed Loop

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1981 model-year vehicles:

Engine Family	Equiv. Inertia <u>Weight</u>	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile	
4.2/5.0 NP	4000 - 6000	0.33	2.0	1.3	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles", amended June 26, 1980.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That Ford Motor Company has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

_day of August, 1980.

K. D. Drachand, Chief

Mobile Source Control Division

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

nufacturer _	Ford Motor Company	Executive Order No.	A-10-202 Page _	
Engine Family	4.2/5.0 NP	Evaporative Family _	EQ	
ABBREVIATIONS		Engine CID (Liters)	302 (5.0)	· -

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DI-Diesel Injection
EFI-Electronic
Fuel Injection
MFI-Mechanical Fuel
Injection
TC-Turbocharged

Fuel System
CFI, DI, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Vehicle Models	<u>Wheelbase</u>	Code
E150 Club Wagon	Long Short	CWL CWS
Regular Van	Long Short	RVL RVS
Super Van	Long	SVL
F250 Regular Cab Super Cab	Long Long Short	RCL SCL SCS

		, ,					#A <u>-10-202</u>	
		1981 A	IR RESOU	RCES BOA	RD SUPPLEMENTA	AL DATA SHEET		
Passe	enger Car	^s Li	ght-Duty	Trucks	<u>χ</u> Medium-Du	uty Vehicles	<u>X</u> Gas	Diesel
Manuf	facturer	Ford Mo	otor Com	oan <u>y</u>		Page Engin		
Engir	ne Family	/4.2	2/5.0 NI)		Code		
ECS ((Special	Features)	AIP, E	GR, TWC v	ı/CL	CID (Liter)- Type _	302 (5.0 -)	v8)
Engine Code		le Models oded see	Trans.	Equiv. Test	Ign. System	Fuel System	EGR Valve	Label Ident.
	attac	chment)	(ax. rat	We ig ht .)	EEC Part No.	VV Part No.	Part No.	Part No.
1-54P-R00B	F-250	RCL *	A-4	4500	E1VF-12A649-	E1TE-9510-	E1TE-9F483-	DFE
-R10B**		SCS * SCL * SCS *	(3.73)	4750	MD or ME**	ABA	BA	DUS**
1-54R-R00B		SCL *	A-3		E1VF-12A649-	E1TE-9510-		DFE
-R10B**		SCS *		4750, 4500	FD or FE**	YA		DUS**
	E-150	RCL * RVS *		4500				
į.		RVL * SVL *		4750 5000				
		CWS *		5250				
		CWL		3230				
				·				
		!				·		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 8-1-80
**12-16-80 RC# 4.2/5.0-146(rev EEC)