State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-85 Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Chrysler Corporation exhaust emission control systems are certified as described below for 1981 model-year gasoline-powered medium duty vehicles.

| Engine Family | | acement hes (Liters) | Exhaust Emission Control Systems (Special Features) |
|---------------|----------|-------------------------|---|
| BCR5.9T4BC5 | .318/360 | (5.2)&(5.9) | Air Injection - Pump Exhaust Gas Recirculation Oxidation Catalyst |

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1981 model-year vehicles:

| Engine Family | Equiv. Inertia Weight | Hydrocarbons Grams per Mile | Carbon Monoxide Grams per Mile | Nitrogen Oxides Grams per Mile |
|---------------|-----------------------------|--------------------------------|-----------------------------------|-----------------------------------|
| BCR5.9T4BC5 | 4000-5999 | 0.48 | 8.5 | 1.4 |

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-9-4 series.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That Chrysler Corporation has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 23

day of July, 1980

K. D. Drachand, Chief

Mobile Source Control Division

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| Manufacturer Chrysle | Executive Order No. A-9-85 Pag | je <u> </u> |
|--|--|---|
| Engine Family BCR5.9T | 4BC5 Evaporative Family BCRRT & BCRRW | 4-, |
| ABBREVIATIONS | Engine CID (Liters) 318/360 (5.2 & 5 | .9) |
| Ignition System CA-Centrifugal Advance EEC-Electronic Engine Con EI-Electronic Ignition ESAC-Electronic Spark Adv Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, DI, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi | AIP-Air Injection-Pump CC atrol AIV-Air Injection-Valve CL-Closed Loop CF Vance EGR-Exhaust Gas Recirculation EM-Engine Modification DI OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System MF | Decial Features CV-Combustion Chamber Valve FI-Central Fuel Injection I-Diesel Injection FI-Electronic Fuel Injection FI-Mechanical Fuel Injection C-Turbocharged |
| Vehicle Model | Carline | |
| B1, B2, B3 D150, D200 W150, W20 | *Dodge Van & Dodge Sportsman Wagon *Dodge Pick Up | |
| AW1 D200 | *Dodge Ramcharger *Dodge Cab & Chassis | |

*Plymouth Voyager Wagon *Plymouth Trailduster

PB1, PB2, PB3

PW1

^{*}Add 10% to dyno test HP for air conditioning usage.

E.O. #A_9-85 1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| | enger Cars Li | | Trucks | <u>x</u> Medium-Du | | | Diesel | |
|----------------|---|---------|------------------------------|-------------------------|------------------------|--------------------|---|--|
| | facturer Chry ne Family BCR5 | | | Page 1 of 3 Engine Code | | | | |
| ECS | (Special Features) | EGR, OC | | CID (Liters)- | | | | |
| Engine Code | Vehicle Models (If Coded see | Trans. | Test Weight | Ign. System | Fuel System | EGR Valve | Label Ident. | |
| | attachment) | | Class | Part No. | Part No. | Part No. | Part No. | |
| M-4*(5.2) | B2 B1, B2, PB1 B2, BP2 | M4 O.D. | 4250 4500 4750 | Distributor 4111501 | Carburetor 4213706* | 4104031 4105031 | VECI 4210302 Vac. Hose 4268366 | |
| M-5*(5.2) | B1, B2, PB1 D150 B2, PB2, D200 B2, BP2, D200 | | 4250 4500 4750 | | | | VECI 4210302 Vac. Hose 4268365 | |
| A-6*(5.2) | B2, D150 | A3 | 4250 | 4145602 | 4213707* | 4104086 4105086 | | |
| A-7*(5.2) | В2 | | 4250 | | | | VECI 4210302 Vac. Hose 4268366 | |
| A-8*(5.2) | D150 B2, PB2, W150 D200 B2, B3, PB2 W150, W200 | · | 4250 4500 4750 | | | 4104037 4105037 | VECI 4210302 Vac. Hose 4268365 | |
| A-9*(5.2) | B2 B2, B3, PB2 B2 | | 5000 4500 4750 5000 | | | | VECI 4210302 Vac. Hose | |

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment.

4268366

Date of Issue -7-22-80

*Revised: 9-05-80 (RC#14T C)

| | .1981 A | | JRCES BOA | ARD SUPPLEMENT | E.O. A | #A9_85 | |
|---------------------|---|----------|------------------------------|------------------------|-------------------------|--------------------|---|
| Pass | enger Cars Li | ght-Duty | Trucks | XMedium-D | uty Vehicl e s | X Gas | Diesel |
| | ne Family BCR | | | | Engin | 2 of 3 | |
| | (Special Features) | | | | CID (Liters)- | | |
| Engine Code | Vehicle Models (If Coded see attachment) | Trans. | Test Weight Class | Ign. System Part No. | Fuel System 4V Part No. | EGR Valve | Label Ident. Part No |
| M-3*(5.9) | D150 D150, W150, D200 W150, D200 | м4 | 4250 4500 4750 | Distributor 4145364 | Carburetor 4213708* | 4104027 4105027 | VECI 4210296 Vac. Hose 4268367 |
| A-8*(5.9) A-9*(5.9) | B2, D150 B2, PB2, W150 B2 B2 | А3 | 4250 4500 4250 4500 | 4145604 | | 4104089 4105089 | VECI 4210296 4268368 |
| A-10(5.9) | B2, D150 B2, PB2, W150, D200 B2, B3, PB2, W150, W200 B2, B3, PB2, PB3 | | 4250 4500 4750 5000 | | | 4104033 4105033 | VECI 4210296 Vac. Hose 4268367 |
| A_11/5 0) * | R2 | | 4250 | | | | VECT |

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment.

4210296

4268368

4210296

Vac. Hose 4268367

VECI

4104041

4105041

Vac. Hose

4500

4750

5000

5250

5500

Date of Issue - 7-22-80 *Revised:9-05-80 (RC#14T C)

A-12(5.9) *

B2

PB3

B2, B3, PB2

B2, B3, PB2

B3, PB3 B2, D200

| | 1981 A | IR RESOL | IRCES BOA | RD SUPPLEMENT | E.O. i AL DATA SHEET | #A <u>-9-85</u> | |
|----------------|---------------------------------|----------|----------------|---------------|-------------------------|----------------------|---|
| Pass | | | | | uty Vehicles | <u>x</u> Gas | Diesel |
| Manu | facturer Chrys | ler | | | Page | 3 of 3 | |
| Engi | ne Family BCR5. | 9T4BC5 | | | Engin Code | 2 | |
| ECS | (Special Features) | AIP, | EGR, OC | | CID (Liters)- | Type <u>360 (5</u> . | 9) V8 |
| Engine Code | Vehicle Models (If Coded see | Trans. | Test Weight | Ign. System | Fuel System 4V | EGR Valve | Label Ident. |
| | attachment) | | Class | Part No. | Part No. | Part No. | Part No. |
| A-12(5.9)* | B3, PB3 B2 | | 5250 5500 | | 4213708* | | VECI 4210296 Vac. Hose 4268368 |
| | | | | | | | |
| • | | | | | | | |
| | | | | , | | | |
| | | | | | | | |
| | | | | | | · | |
| | | | | · | | | |

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment.

Date of Issue - 7-22-80 *Revised: 9-05-80(RC#14T C)

E. C.Bork

| E.O. #A -9-85 1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET | | | | | | | | | |
|--|---|----------|-----------------------------------|------------------------|------------------------|------------------------|---|--|--|
| Passe | enger Cars Li | ght-Duty | Trucks | X Medium-Du | ıty Vehicles | X Gas | Diesel | | |
| Manuf | facturer <u>Chrys</u> | ler | | | Page _ | 5 | | | |
| Engine Family BCR5.9T4BC5 Code | | | | | | | | | |
| ECS (| (Special Features) | AIP | , EGR, 0 | <u>C</u> | CID (Liter)- Type | 318 (5.2) V | 8 | | |
| Engine Code | Vehicle Models (If Coded see attachment) | Trans. | Equiv. Test We ig ht | Ign. System | Fuel System | EGR Valve | Label Ident. | | |
| | , | | | Part No. | Part No. | Part No. | Part No. | | |
| M-6**(5.2) | B2 B1, B2, PB1 B2, BP2 | M4 O.D. | 4250 4500 4750 | Distributor 4111501 | Carburetor 4213706* | 4104029** 4105028** | VECI 4210302 Vac. Hose 4268366 | | |
| | B1, B2, PB1 D150 B2, PB2, D200 B2, BP2, D200 | - | 4250 4500 4750 | | | | VECI 4210302 Vac. Hose 4268365 | | |
| A-10**(5.2) | B2, D150 | А3 | 4250 | 4145602 | 4213707* | 4104086 4105086 | | | |
| | B2 | | | | | | VECI 4210302 Vac. Hose 4268366 | | |
| A-11**(5.2) | D150 B2, PB2, W150 D200 | | 4250 4500 | | | 4104037 4105037 | VECI 4210302 Vac. Hose | | |
| | B2, B3, PB2 W150, W200 B2 | | 4750 5000 | | | | 4268365 | | |
| | B2 B2, B3, PB2 B2 | | 4500 4750 5000 | · | | | VECI 4210302 Vac. Hose 4268366 | | |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue - 07-22-80

^{*}Revised - 09-05-80 (RC#14T C)

** " - 12-24-80 (RC#17TC: 12-09-80) Add vac. dealy, restriction in purge hose, etc.

| | 1981 A | IR RESOU | RCES BOA | RD SUPPLEMENTA | E.O. : | ^{#A} _9-85 | |
|----------------|---|----------|-----------------------------------|------------------------|------------------------|---------------------|---|
| Passe | enger Cars Li | ght-Duty | Trucks | X Medium-Du | ıty Vehicles | X Gas | Diesel |
| Manut | facturer Chry | /sler | | | Page | 6 | |
| Engir | ne Family BCR | 5.9T4BC5 | | | Engine Code | | |
| ECS (| (Special Features) | AIP, | EGR, OC | | CID (Liter)- Type | 360 (5.9) | V8 |
| Engine Code | Vehicle Models (If Coded see attachment) | Trans. | Equiv. Test We ig ht | Ign. System | Fuel System 4V | | Label Ident. |
| | | | | Part No. | Part No. | Part No. | Part No. |
| M-5**(5.9) | D150 D150,W150, D200 W150, D200 | M4 | 4250 4500 4750 | Distributor 4145364 | Carburetor 4213708* | 4104027 4105027 | VECI 4210296 Vac. Hos e 4268367 |
| A-14**(5.9) | B2, D150 B2, PB2, W150 | А3 | 4250 4500 | 4145604 | | 4104089 4105089 | |
| | B2 B2 | | 4250 4500 | | | | VEC1 4210296 Vac. Hose 4268368 |
| A-15**(5.9) | B2, D150 B2, PB2, W150 D200 B2, B3, PB2, W150, W200 | | 4250 4500 4750 | | | 4104033 4105033 | VECI 4210296 Vac. Hose 4268367 |
| | B2, B3, PB2 PB3 | | 5000 | | | | |
| _ ' | B2 B2 B2, B3, PB2 B2, B3, PB2 | | 4250 4500 4750 5000 | | | | VECI 4210296 Vac. Hose 4268368 |
| A-16**(5.9) | PB3 B3, PB3 | _ | 5250 | | | 4104040** | VECI |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

5500

Date of Issue - 07-22-80

B2, D200

4210296

Vac. Hose 4268367

4105040**

^{*}Revised - 9-05-80 (RC#14T C) ** " - 12-24-80 (RC#17TC: 12-09-80) Add vac. delay, restriction in purge hose, etc.

| | 1981 A | IR RESOUI | RCES BOA | · RD SUPPLEMENTA | | #A_ - 9-85 | |
|----------------|--|-----------|-----------------------------------|---------------------|------------------------|------------------------|---|
| | enger Cars Li | ght-Duty | Trucks | X Medium-Du | ity Vehicles | X Gas | Diesel |
| | facturer <u>Chrysl</u> | | | | Page Engine Code | | |
| | ne Family <u>BCR5.9</u> (Special Features) | | EGR, OC | | CID (Liter)- Type | 360 (5.9) V8 | 3 |
| Engine Code | Vehicle Models (If Coded see attachment) | Trans. | Equiv. Test We ig ht | Ign. System | Fuel System | EGR Valve | Label Ident. |
| | a ccaeminency | | ne igne | Part No. | Part No. | Part No. | Part No. |
| A-16 (5.9)** | B3, PB3 B2 | АЗ | 5250 5500 | 4145604 | 4213708* | 4104040** 4105040** | VECI 4210296 Vac. Hose 4268368 |
| | | | | | | | |
| Comments: | See page one for | abbrevia | ations ar | nd evaporative | emission fami | ilv identific | ation. |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 07-22-80

*Revised - 09-05-80(RC#14T C)

** " - 12-24-80 (RC#17TC: 12-09-80) Add vac delay, restriction in purge hose,

etc.